

| Rating periods | | | | |
|----------------|--------------|--|--|--|
| T1 | Day (12h) | | | |
| T2 | Evening (4h) | | | |
| T3 | Night (8h) | | | |
| T4 | DEN | | | |

FONS

| Road /XP S 31-133 (31) | | | | | | | | Fons_celi |
|------------------------|------------------------|-------------------------------|----------------|---------------------------|---------------------------------|--------------------------------|-------------|------------------------|
| R96_045 | Label | P113 Grobina - Barta - Rucava | | | Action radius/m | 3000.00 | | |
| | Group | Autoceli_fons | | | Emi. variant | Emission | | |
| | Number of nodes | 3 | | | | dB(A) | | |
| | Length/ m | 34.81 | | | Day (12h) | 57.12 | | |
| | Length/ m (2D) | 34.81 | | | Night (8h) | 48.81 | | |
| | Area /m² | --- | | | Evening (4h) | 55.04 | | |
| | | | | | Max gradient % (z-coord.) | 0.00 | | |
| | | | | | Driving direction | 2 direct./driving on the right | | |
| | | | | | Dist.:centreline lane - road /m | 1.75 | | |
| | | | | | Road surface | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 133.85 | 10.64 | 50.00 | 50.00 | 57.12 |
| | Night (8h) | Continuous flow | | 15.65 | 2.10 | 50.00 | 50.00 | 48.81 |
| | Evening (4h) | Continuous flow | | 88.66 | 5.88 | 50.00 | 50.00 | 55.04 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 77.1 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 75.0 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 68.8 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | ! z(abs) /m | z(rel) /m |
| | | Section profile 0 | | 1 | 325175.44 | 269178.86 | 17.00 | -0.00 |
| | | Section profile 0 | | 2 | 325166.38 | 269201.30 | 17.00 | 1.74 |
| | | - | | 3 | 325162.41 | 269211.14 | 17.00 | -0.00 |
| R96_018 | Label | P106 Ezere - Embute - Grobina | | | Action radius/m | 3000.00 | | |
| | Group | Autoceli_fons | | | Emi. variant | Emission | | |
| | Number of nodes | 3 | | | | dB(A) | | |
| | Length/ m | 32.50 | | | Day (12h) | 55.01 | | |
| | Length/ m (2D) | 32.50 | | | Night (8h) | 46.90 | | |
| | Area /m² | --- | | | Evening (4h) | 52.88 | | |
| | | | | | Max gradient % (z-coord.) | 0.00 | | |
| | | | | | Driving direction | 2 direct./driving on the right | | |

| | | | | | | | |
|---------|------------------------|-------------------------------|----------------|---------------------------|---------------------------------|------------------------------|--------------------------------|
| | | | | | Dist.:centreline lane - road /m | | 0.88 |
| | | | | | Road surface | | Asphalt (obsolete) |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 55.01 |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 46.90 |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 52.88 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.0 |
| | Night (8h) | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.0 |
| | Geometry | Section profile | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | 1 | 327142.09 | 269176.71 | 25.00 | 0.00 |
| | | Section profile 0 | 2 | 327151.59 | 269162.99 | 25.00 | 0.00 |
| | | - | 3 | 327159.43 | 269149.27 | 25.00 | 0.00 |
| R96_014 | Label | P106 Ezere - Embute - Grobina | | | Action radius/m | | 3000.00 |
| | Group | Autoceli_fons | | | Emi. variant | | Emission |
| | Number of nodes | 3 | | | | | dB(A) |
| | Length/ m | 8.85 | | | Day (12h) | | 55.01 |
| | Length/ m (2D) | 8.85 | | | Night (8h) | | 46.90 |
| | Area /m² | --- | | | Evening (4h) | | 52.88 |
| | | | | | Max gradient % (z-coord.) | | 0.00 |
| | | | | | Driving direction | | 2 direct./driving on the right |
| | | | | | Dist.:centreline lane - road /m | | 1.75 |
| | | | | | Road surface | | Asphalt (obsolete) |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 55.01 |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 46.90 |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 52.88 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.0 |
| | Night (8h) | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.0 |
| | Geometry | Section profile | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | 1 | 327159.43 | 269149.27 | 25.00 | 0.00 |

| | | | | | | | |
|---------|------------------------|----------------------------|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 2 | 327155.23 | 269147.87 | 25.00 | 0.00 |
| | | - | 3 | 327151.67 | 269145.24 | 25.00 | 0.00 |
| R96_004 | Label | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 144 | | | | dB(A) | |
| | Length/ m | 5147.01 | | Day (12h) | | 66.36 | |
| | Length/ m (2D) | 5146.68 | | Night (8h) | | 58.13 | |
| | Area /m² | --- | | Evening (4h) | | 64.26 | |
| | | | | Max gradient % (z-coord.) | | -3.66 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h |
| | Day (12h) | Continuous flow | | 319.04 | 76.38 | 90.00 | 80.00 |
| | Night (8h) | Continuous flow | | 37.29 | 15.08 | 90.00 | 80.00 |
| | Evening (4h) | Continuous flow | | 211.31 | 42.21 | 90.00 | 80.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 86.4 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 84.3 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 78.1 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 327363.99 | 269312.20 | 27.93 |
| | | Section profile 0 | | 2 | 327385.35 | 269315.51 | 28.00 |
| | | Section profile 0 | | 3 | 327412.59 | 269321.08 | 28.00 |
| | | Section profile 0 | | 4 | 327449.93 | 269331.35 | 28.00 |
| | | Section profile 0 | | 5 | 327459.18 | 269334.53 | 28.00 |
| | | Section profile 0 | | 6 | 327487.43 | 269344.29 | 28.00 |
| | | Section profile 0 | | 7 | 327515.71 | 269356.26 | 28.00 |
| | | Section profile 0 | | 8 | 327542.90 | 269368.96 | 28.00 |
| | | Section profile 0 | | 9 | 327580.88 | 269390.49 | 27.83 |
| | | Section profile 0 | | 10 | 327614.79 | 269412.09 | 27.55 |
| | | Section profile 0 | | 11 | 327654.49 | 269437.92 | 27.27 |
| | | Section profile 0 | | 12 | 327694.18 | 269463.76 | 27.00 |
| | | Section profile 0 | | 13 | 327725.39 | 269485.16 | 26.64 |
| | | Section profile 0 | | 14 | 327756.61 | 269506.56 | 26.17 |
| | | Section profile 0 | | 15 | 327787.82 | 269527.97 | 26.11 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 16 | 327819.04 | 269549.37 | 26.19 | 0.00 |
| | | Section profile 0 | 17 | 327851.15 | 269569.93 | 26.17 | 0.00 |
| | | Section profile 0 | 18 | 327883.26 | 269590.50 | 26.11 | 0.00 |
| | | Section profile 0 | 19 | 327915.38 | 269611.07 | 26.00 | 0.00 |
| | | Section profile 0 | 20 | 327943.89 | 269630.09 | 25.39 | 0.00 |
| | | Section profile 0 | 21 | 327972.41 | 269649.12 | 25.24 | 0.00 |
| | | Section profile 0 | 22 | 328000.93 | 269668.14 | 25.11 | 0.00 |
| | | Section profile 0 | 23 | 328037.00 | 269691.86 | 25.00 | 0.00 |
| | | Section profile 0 | 24 | 328073.07 | 269715.57 | 24.09 | 0.00 |
| | | Section profile 0 | 25 | 328096.57 | 269732.15 | 24.00 | 0.00 |
| | | Section profile 0 | 26 | 328120.08 | 269748.74 | 23.01 | 0.00 |
| | | Section profile 0 | 27 | 328147.05 | 269770.33 | 22.49 | 0.00 |
| | | Section profile 0 | 28 | 328174.03 | 269791.93 | 22.00 | 0.00 |
| | | Section profile 0 | 29 | 328195.22 | 269809.28 | 21.85 | 0.00 |
| | | Section profile 0 | 30 | 328216.42 | 269826.63 | 21.22 | 0.00 |
| | | Section profile 0 | 31 | 328236.46 | 269843.98 | 21.00 | 0.00 |
| | | Section profile 0 | 32 | 328256.50 | 269861.34 | 20.59 | 0.00 |
| | | Section profile 0 | 33 | 328276.92 | 269879.46 | 20.00 | 0.00 |
| | | Section profile 0 | 34 | 328297.34 | 269897.59 | 19.00 | 0.00 |
| | | Section profile 0 | 35 | 328319.31 | 269919.18 | 19.00 | 0.00 |
| | | Section profile 0 | 36 | 328341.28 | 269940.78 | 19.00 | 0.00 |
| | | Section profile 0 | 37 | 328375.48 | 269973.73 | 19.00 | 0.00 |
| | | Section profile 0 | 38 | 328409.68 | 270006.68 | 19.00 | 0.00 |
| | | Section profile 0 | 39 | 328434.34 | 270029.43 | 19.41 | 0.00 |
| | | Section profile 0 | 40 | 328459.00 | 270052.18 | 20.00 | 0.00 |
| | | Section profile 0 | 41 | 328493.69 | 270083.03 | 20.86 | 0.00 |
| | | Section profile 0 | 42 | 328528.37 | 270113.88 | 21.15 | 0.00 |
| | | Section profile 0 | 43 | 328560.35 | 270138.17 | 21.08 | 0.00 |
| | | Section profile 0 | 44 | 328592.34 | 270162.47 | 21.68 | 0.00 |
| | | Section profile 0 | 45 | 328622.78 | 270184.06 | 22.00 | 0.00 |
| | | Section profile 0 | 46 | 328653.22 | 270205.66 | 22.89 | 0.00 |
| | | Section profile 0 | 47 | 328675.96 | 270220.70 | 23.56 | 0.00 |
| | | Section profile 0 | 48 | 328698.70 | 270235.74 | 24.00 | 0.00 |
| | | Section profile 0 | 49 | 328721.05 | 270248.85 | 24.81 | 0.00 |
| | | Section profile 0 | 50 | 328743.40 | 270261.96 | 25.24 | 0.00 |
| | | Section profile 0 | 51 | 328779.93 | 270282.78 | 26.20 | 0.00 |
| | | Section profile 0 | 52 | 328803.05 | 270294.74 | 26.67 | 0.00 |
| | | Section profile 0 | 53 | 328826.17 | 270306.69 | 27.24 | 0.00 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 54 | 328857.77 | 270322.89 | 28.00 | 0.00 |
| | | Section profile 0 | 55 | 328889.37 | 270339.08 | 29.00 | 0.00 |
| | | Section profile 0 | 56 | 328925.98 | 270357.21 | 29.00 | 0.00 |
| | | Section profile 0 | 57 | 328962.59 | 270375.33 | 29.07 | 0.00 |
| | | Section profile 0 | 58 | 328993.42 | 270390.76 | 28.92 | 0.00 |
| | | Section profile 0 | 59 | 329024.25 | 270406.18 | 28.57 | 0.00 |
| | | Section profile 0 | 60 | 329050.26 | 270419.87 | 28.08 | 0.00 |
| | | Section profile 0 | 61 | 329076.27 | 270433.56 | 27.96 | 0.00 |
| | | Section profile 0 | 62 | 329101.32 | 270448.99 | 27.06 | 0.00 |
| | | Section profile 0 | 63 | 329126.37 | 270464.41 | 26.14 | 0.00 |
| | | Section profile 0 | 64 | 329160.67 | 270487.93 | 25.10 | 0.00 |
| | | Section profile 0 | 65 | 329194.96 | 270511.46 | 24.28 | 0.00 |
| | | Section profile 0 | 66 | 329218.86 | 270528.42 | 23.33 | 0.00 |
| | | Section profile 0 | 67 | 329242.75 | 270545.39 | 22.73 | 0.00 |
| | | Section profile 0 | 68 | 329264.71 | 270561.97 | 21.90 | 0.00 |
| | | Section profile 0 | 69 | 329286.68 | 270578.56 | 21.44 | 0.00 |
| | | Section profile 0 | 70 | 329306.72 | 270594.75 | 21.40 | 0.00 |
| | | Section profile 0 | 71 | 329326.76 | 270610.95 | 21.21 | 0.00 |
| | | Section profile 0 | 72 | 329359.90 | 270639.48 | 20.92 | 0.00 |
| | | Section profile 0 | 73 | 329384.18 | 270661.46 | 20.74 | 0.00 |
| | | Section profile 0 | 74 | 329408.45 | 270683.45 | 20.64 | 0.00 |
| | | Section profile 0 | 75 | 329435.56 | 270708.38 | 20.82 | 0.00 |
| | | Section profile 0 | 76 | 329462.66 | 270733.32 | 21.00 | 0.00 |
| | | Section profile 0 | 77 | 329489.76 | 270758.26 | 21.07 | 0.00 |
| | | Section profile 0 | 78 | 329514.04 | 270781.01 | 21.00 | 0.00 |
| | | Section profile 0 | 79 | 329538.32 | 270803.76 | 21.00 | 0.00 |
| | | Section profile 0 | 80 | 329559.51 | 270819.96 | 21.00 | 0.00 |
| | | Section profile 0 | 81 | 329580.71 | 270836.15 | 21.02 | 0.00 |
| | | Section profile 0 | 82 | 329613.08 | 270857.75 | 21.18 | 0.00 |
| | | Section profile 0 | 83 | 329646.99 | 270879.34 | 21.15 | 0.00 |
| | | Section profile 0 | 84 | 329670.50 | 270892.84 | 21.25 | 0.00 |
| | | Section profile 0 | 85 | 329694.00 | 270906.33 | 21.53 | 0.00 |
| | | Section profile 0 | 86 | 329717.90 | 270918.67 | 21.42 | 0.00 |
| | | Section profile 0 | 87 | 329742.18 | 270930.63 | 21.40 | 0.00 |
| | | Section profile 0 | 88 | 329766.45 | 270942.58 | 21.44 | 0.00 |
| | | Section profile 0 | 89 | 329812.85 | 270959.74 | 21.22 | 0.00 |
| | | Section profile 0 | 90 | 329859.25 | 270976.90 | 21.38 | 0.00 |
| | | Section profile 0 | 91 | 329905.18 | 270993.56 | 21.57 | 0.00 |

| | | | | | | | |
|--|--|-------------------|-----|-----------|-----------|-------|------|
| | | Section profile 0 | 92 | 329951.12 | 271010.22 | 21.28 | 0.00 |
| | | Section profile 0 | 93 | 329997.05 | 271026.88 | 20.73 | 0.00 |
| | | Section profile 0 | 94 | 330042.99 | 271043.54 | 20.29 | 0.00 |
| | | Section profile 0 | 95 | 330088.92 | 271060.20 | 20.47 | 0.00 |
| | | Section profile 0 | 96 | 330133.72 | 271076.59 | 20.57 | 0.00 |
| | | Section profile 0 | 97 | 330178.52 | 271092.98 | 20.68 | 0.00 |
| | | Section profile 0 | 98 | 330223.32 | 271109.37 | 20.26 | 0.00 |
| | | Section profile 0 | 99 | 330268.12 | 271125.75 | 19.33 | 0.00 |
| | | Section profile 0 | 100 | 330314.20 | 271142.26 | 18.88 | 0.00 |
| | | Section profile 0 | 101 | 330360.29 | 271158.76 | 18.80 | 0.00 |
| | | Section profile 0 | 102 | 330406.38 | 271175.27 | 18.52 | 0.00 |
| | | Section profile 0 | 103 | 330452.47 | 271191.77 | 18.36 | 0.00 |
| | | Section profile 0 | 104 | 330498.56 | 271208.28 | 18.27 | 0.00 |
| | | Section profile 0 | 105 | 330539.12 | 271222.93 | 18.13 | 0.00 |
| | | Section profile 0 | 106 | 330579.68 | 271237.58 | 18.41 | 0.00 |
| | | Section profile 0 | 107 | 330620.24 | 271252.24 | 18.22 | 0.00 |
| | | Section profile 0 | 108 | 330660.80 | 271266.89 | 18.03 | 0.00 |
| | | Section profile 0 | 109 | 330703.57 | 271282.32 | 18.00 | 0.00 |
| | | Section profile 0 | 110 | 330746.35 | 271297.74 | 17.94 | 0.00 |
| | | Section profile 0 | 111 | 330772.17 | 271305.45 | 18.00 | 0.00 |
| | | Section profile 0 | 112 | 330797.99 | 271313.17 | 18.00 | 0.00 |
| | | Section profile 0 | 113 | 330829.58 | 271320.11 | 18.00 | 0.00 |
| | | Section profile 0 | 114 | 330855.79 | 271322.04 | 18.00 | 0.00 |
| | | Section profile 0 | 115 | 330881.99 | 271323.96 | 18.00 | 0.00 |
| | | Section profile 0 | 116 | 330908.97 | 271324.35 | 17.95 | 0.00 |
| | | Section profile 0 | 117 | 330935.94 | 271324.74 | 18.00 | 0.00 |
| | | Section profile 0 | 118 | 330969.47 | 271323.19 | 18.00 | 0.00 |
| | | Section profile 0 | 119 | 331003.00 | 271321.65 | 18.68 | 0.00 |
| | | Section profile 0 | 120 | 331048.47 | 271319.08 | 18.87 | 0.00 |
| | | Section profile 0 | 121 | 331093.94 | 271316.51 | 18.79 | 0.00 |
| | | Section profile 0 | 122 | 331139.41 | 271313.94 | 19.00 | 0.00 |
| | | Section profile 0 | 123 | 331174.35 | 271312.65 | 19.00 | 0.00 |
| | | Section profile 0 | 124 | 331209.29 | 271311.37 | 19.00 | 0.00 |
| | | Section profile 0 | 125 | 331244.23 | 271310.08 | 18.76 | 0.00 |
| | | Section profile 0 | 126 | 331277.58 | 271308.02 | 18.33 | 0.00 |
| | | Section profile 0 | 127 | 331310.92 | 271305.97 | 18.24 | 0.00 |
| | | Section profile 0 | 128 | 331344.27 | 271303.91 | 18.21 | 0.00 |
| | | Section profile 0 | 129 | 331384.35 | 271302.37 | 18.23 | 0.00 |

| | | | | | | | |
|---------|------------------------|--|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 130 | 331424.43 | 271300.83 | 18.27 | 0.00 |
| | | Section profile 0 | 131 | 331464.50 | 271299.28 | 18.31 | 0.00 |
| | | Section profile 0 | 132 | 331498.42 | 271303.91 | 18.27 | 0.00 |
| | | Section profile 0 | 133 | 331523.85 | 271315.48 | 18.12 | 0.00 |
| | | Section profile 0 | 134 | 331550.05 | 271334.76 | 17.86 | 0.00 |
| | | Section profile 0 | 135 | 331566.24 | 271354.04 | 17.57 | 0.00 |
| | | Section profile 0 | 136 | 331586.28 | 271386.44 | 17.19 | 0.00 |
| | | Section profile 0 | 137 | 331599.76 | 271412.66 | 17.02 | 0.00 |
| | | Section profile 0 | 138 | 331613.25 | 271438.88 | 17.00 | 0.00 |
| | | Section profile 0 | 139 | 331630.72 | 271474.87 | 17.00 | 0.00 |
| | | Section profile 0 | 140 | 331648.19 | 271510.86 | 17.00 | 0.00 |
| | | Section profile 0 | 141 | 331665.66 | 271546.85 | 17.00 | 0.00 |
| | | Section profile 0 | 142 | 331683.39 | 271584.64 | 17.00 | 0.00 |
| | | Section profile 0 | 143 | 331701.89 | 271617.81 | 17.00 | 0.00 |
| | | - | 144 | 331725.01 | 271651.74 | 17.00 | 0.00 |
| R96_036 | Label | Pasvaldības autotels līdz Liepājas RAS | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldības autotels_fons | | Emi. variant | | Emission | |
| | Number of nodes | 105 | | | | dB(A) | |
| | Length/ m | 2324.18 | | Day (12h) | | 52.44 | |
| | Length/ m (2D) | 2324.14 | | Night (8h) | | 35.92 | |
| | Area /m² | --- | | Evening (4h) | | 45.27 | |
| | | | | Max gradient % (z-coord.) | | 2.41 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h |
| | Day (12h) | Continuous flow | | 1.83 | 9.21 | 50.00 | 50.00 |
| | Night (8h) | Continuous flow | | 0.63 | 0.13 | 50.00 | 50.00 |
| | Evening (4h) | Continuous flow | | 3.00 | 1.43 | 50.00 | 50.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 72.4 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 65.3 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 55.9 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 326208.51 | 270375.30 | 23.87 |
| | | Section profile 0 | | 2 | 326209.20 | 270377.48 | 23.88 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 3 | 326209.83 | 270379.46 | 23.89 | 0.00 |
| | | Section profile 0 | 4 | 326211.05 | 270383.36 | 23.90 | 0.00 |
| | | Section profile 0 | 5 | 326215.14 | 270406.01 | 24.00 | 0.00 |
| | | Section profile 0 | 6 | 326215.88 | 270410.10 | 24.00 | 0.00 |
| | | Section profile 0 | 7 | 326216.10 | 270412.31 | 24.00 | 0.00 |
| | | Section profile 0 | 8 | 326218.49 | 270436.17 | 24.00 | 0.00 |
| | | Section profile 0 | 9 | 326219.22 | 270443.53 | 24.00 | 0.00 |
| | | Section profile 0 | 10 | 326221.09 | 270462.24 | 24.00 | 0.00 |
| | | Section profile 0 | 11 | 326221.89 | 270466.67 | 24.00 | 0.00 |
| | | Section profile 0 | 12 | 326222.38 | 270469.39 | 24.00 | 0.00 |
| | | Section profile 0 | 13 | 326224.69 | 270482.18 | 24.00 | 0.00 |
| | | Section profile 0 | 14 | 326225.33 | 270485.71 | 24.00 | 0.00 |
| | | Section profile 0 | 15 | 326227.26 | 270493.86 | 24.00 | 0.00 |
| | | Section profile 0 | 16 | 326231.76 | 270503.99 | 24.00 | 0.00 |
| | | Section profile 0 | 17 | 326232.72 | 270505.62 | 24.00 | 0.00 |
| | | Section profile 0 | 18 | 326233.47 | 270506.89 | 24.00 | 0.00 |
| | | Section profile 0 | 19 | 326240.64 | 270517.65 | 24.00 | 0.00 |
| | | Section profile 0 | 20 | 326247.47 | 270525.39 | 24.00 | 0.00 |
| | | Section profile 0 | 21 | 326250.33 | 270528.63 | 24.00 | 0.00 |
| | | Section profile 0 | 22 | 326253.53 | 270532.26 | 24.00 | 0.00 |
| | | Section profile 0 | 23 | 326255.30 | 270534.27 | 24.00 | 0.00 |
| | | Section profile 0 | 24 | 326282.34 | 270558.38 | 24.13 | 0.00 |
| | | Section profile 0 | 25 | 326306.23 | 270581.25 | 24.35 | 0.00 |
| | | Section profile 0 | 26 | 326330.12 | 270604.12 | 24.57 | 0.00 |
| | | Section profile 0 | 27 | 326343.16 | 270616.65 | 24.69 | 0.00 |
| | | Section profile 0 | 28 | 326365.63 | 270638.25 | 24.70 | 0.00 |
| | | Section profile 0 | 29 | 326388.11 | 270659.84 | 24.82 | 0.00 |
| | | Section profile 0 | 30 | 326417.12 | 270684.16 | 25.00 | 0.00 |
| | | Section profile 0 | 31 | 326430.18 | 270694.92 | 25.00 | 0.00 |
| | | Section profile 0 | 32 | 326450.56 | 270711.08 | 25.00 | 0.00 |
| | | Section profile 0 | 33 | 326474.91 | 270730.37 | 25.00 | 0.00 |
| | | Section profile 0 | 34 | 326479.91 | 270734.24 | 25.00 | 0.00 |
| | | Section profile 0 | 35 | 326485.67 | 270738.69 | 25.00 | 0.00 |
| | | Section profile 0 | 36 | 326490.07 | 270742.10 | 25.00 | 0.00 |
| | | Section profile 0 | 37 | 326513.36 | 270760.11 | 25.00 | 0.00 |
| | | Section profile 0 | 38 | 326520.84 | 270765.89 | 25.00 | 0.00 |
| | | Section profile 0 | 39 | 326533.55 | 270777.63 | 25.00 | 0.00 |
| | | Section profile 0 | 40 | 326554.07 | 270799.78 | 25.00 | 0.00 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 41 | 326571.33 | 270823.90 | 24.82 | 0.00 |
| | | Section profile 0 | 42 | 326597.07 | 270858.77 | 25.00 | 0.00 |
| | | Section profile 0 | 43 | 326614.66 | 270876.69 | 25.00 | 0.00 |
| | | Section profile 0 | 44 | 326640.24 | 270900.91 | 25.13 | 0.00 |
| | | Section profile 0 | 45 | 326664.66 | 270927.55 | 26.00 | 0.00 |
| | | Section profile 0 | 46 | 326671.03 | 270935.40 | 26.00 | 0.00 |
| | | Section profile 0 | 47 | 326686.17 | 270955.99 | 25.93 | 0.00 |
| | | Section profile 0 | 48 | 326713.64 | 270993.14 | 25.00 | 0.00 |
| | | Section profile 0 | 49 | 326741.11 | 271030.29 | 25.00 | 0.00 |
| | | Section profile 0 | 50 | 326768.59 | 271067.44 | 25.15 | 0.00 |
| | | Section profile 0 | 51 | 326793.89 | 271100.45 | 25.40 | 0.00 |
| | | Section profile 0 | 52 | 326812.78 | 271124.89 | 25.61 | 0.00 |
| | | Section profile 0 | 53 | 326831.68 | 271149.34 | 25.91 | 0.00 |
| | | Section profile 0 | 54 | 326837.01 | 271156.25 | 26.02 | 0.00 |
| | | Section profile 0 | 55 | 326844.55 | 271166.05 | 26.07 | 0.00 |
| | | Section profile 0 | 56 | 326859.04 | 271184.86 | 26.37 | 0.00 |
| | | Section profile 0 | 57 | 326882.50 | 271210.93 | 26.65 | 0.00 |
| | | Section profile 0 | 58 | 326901.88 | 271231.13 | 26.71 | 0.00 |
| | | Section profile 0 | 59 | 326921.26 | 271251.34 | 26.73 | 0.00 |
| | | Section profile 0 | 60 | 326944.49 | 271275.18 | 26.83 | 0.00 |
| | | Section profile 0 | 61 | 326967.72 | 271299.03 | 26.88 | 0.00 |
| | | Section profile 0 | 62 | 326986.61 | 271319.56 | 26.81 | 0.00 |
| | | Section profile 0 | 63 | 327000.62 | 271336.84 | 26.77 | 0.00 |
| | | Section profile 0 | 64 | 327027.99 | 271375.94 | 26.71 | 0.00 |
| | | Section profile 0 | 65 | 327037.33 | 271388.97 | 26.73 | 0.00 |
| | | Section profile 0 | 66 | 327044.26 | 271398.62 | 26.74 | 0.00 |
| | | Section profile 0 | 67 | 327048.83 | 271404.99 | 26.74 | 0.00 |
| | | Section profile 0 | 68 | 327066.10 | 271429.06 | 26.77 | 0.00 |
| | | Section profile 0 | 69 | 327081.19 | 271450.96 | 26.79 | 0.00 |
| | | Section profile 0 | 70 | 327096.28 | 271472.87 | 26.82 | 0.00 |
| | | Section profile 0 | 71 | 327098.00 | 271475.37 | 26.82 | 0.00 |
| | | Section profile 0 | 72 | 327099.72 | 271477.86 | 26.83 | 0.00 |
| | | Section profile 0 | 73 | 327123.39 | 271512.23 | 26.87 | 0.00 |
| | | Section profile 0 | 74 | 327140.91 | 271537.66 | 27.00 | 0.00 |
| | | Section profile 0 | 75 | 327168.11 | 271576.12 | 27.33 | 0.00 |
| | | Section profile 0 | 76 | 327185.69 | 271600.97 | 27.76 | 0.00 |
| | | Section profile 0 | 77 | 327189.86 | 271606.85 | 27.89 | 0.00 |
| | | Section profile 0 | 78 | 327195.31 | 271614.57 | 27.95 | 0.00 |

| | | | | | | | |
|----------------|------------------------|----------------------------|-----------------------|--|----------------------|--------------------------------|-------------------|
| | | Section profile 0 | 79 | 327218.51 | 271649.02 | 28.00 | 0.00 |
| | | Section profile 0 | 80 | 327230.75 | 271667.20 | 28.00 | 0.00 |
| | | Section profile 0 | 81 | 327249.32 | 271695.88 | 28.00 | 0.00 |
| | | Section profile 0 | 82 | 327261.37 | 271721.13 | 28.00 | 0.00 |
| | | Section profile 0 | 83 | 327273.43 | 271746.39 | 28.00 | 0.00 |
| | | Section profile 0 | 84 | 327290.13 | 271779.97 | 28.00 | 0.00 |
| | | Section profile 0 | 85 | 327306.83 | 271813.56 | 28.00 | 0.00 |
| | | Section profile 0 | 86 | 327313.40 | 271826.77 | 28.00 | 0.00 |
| | | Section profile 0 | 87 | 327315.93 | 271831.86 | 28.00 | 0.00 |
| | | Section profile 0 | 88 | 327323.53 | 271847.14 | 28.00 | 0.00 |
| | | Section profile 0 | 89 | 327325.14 | 271850.39 | 28.03 | 0.00 |
| | | Section profile 0 | 90 | 327325.67 | 271851.44 | 28.04 | 0.00 |
| | | Section profile 0 | 91 | 327347.41 | 271895.52 | 28.42 | 0.00 |
| | | Section profile 0 | 92 | 327369.15 | 271939.60 | 29.00 | 0.00 |
| | | Section profile 0 | 93 | 327384.67 | 271971.74 | 29.00 | 0.00 |
| | | Section profile 0 | 94 | 327400.20 | 272003.88 | 29.00 | 0.00 |
| | | Section profile 0 | 95 | 327418.42 | 272041.67 | 29.00 | 0.00 |
| | | Section profile 0 | 96 | 327436.65 | 272079.46 | 29.00 | 0.00 |
| | | Section profile 0 | 97 | 327439.68 | 272085.76 | 29.00 | 0.00 |
| | | Section profile 0 | 98 | 327445.31 | 272097.46 | 29.00 | 0.00 |
| | | Section profile 0 | 99 | 327458.90 | 272125.68 | 29.00 | 0.00 |
| | | Section profile 0 | 100 | 327472.50 | 272153.89 | 29.00 | 0.00 |
| | | Section profile 0 | 101 | 327492.22 | 272194.63 | 29.00 | 0.00 |
| | | Section profile 0 | 102 | 327510.59 | 272234.07 | 29.00 | 0.00 |
| | | Section profile 0 | 103 | 327513.64 | 272241.17 | 29.00 | 0.00 |
| | | Section profile 0 | 104 | 327516.21 | 272246.85 | 29.00 | 0.00 |
| | | - | 105 | 327518.42 | 272251.72 | 29.00 | 0.00 |
| R96_010 | Label | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 34 | | | | dB(A) | |
| | Length/ m | 1241.91 | | Day (12h) | | 65.65 | |
| | Length/ m (2D) | 1241.89 | | Night (8h) | | 57.71 | |
| | Area /m² | --- | | Evening (4h) | | 63.45 | |
| | | | | Max gradient % (z-coord.) | | -2.05 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |

| | | | | | | | | | | | | | | | |
|--|------------------------|-----------------|-------------------|----------------|---------------------------|--------|------------------------|-----------|------------------------------|-----------|---------|------------------------|-------------|-------------|--|
| | Day (12h) | Continuous flow | | 706.22 | | 107.79 | | 50.00 | | 50.00 | | 65.65 | | | |
| | Night (8h) | Continuous flow | | 82.55 | | 21.28 | | 50.00 | | 50.00 | | 57.71 | | | |
| | Evening (4h) | Continuous flow | | 467.76 | | 59.57 | | 50.00 | | 50.00 | | 63.45 | | | |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | Special correction /dB | | | |
| | Lden | | | | - | | 0.0 | | 0.0 | | - | | 0.0 | | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lw'r /dB(A) | | |
| | Day (12h) | | 12.00 | Day | 85.7 | | 1.00 | | 12.00000 | | 0.00 | | 0.0 | | |
| | Evening (4h) | | 4.00 | Evening | 83.5 | | 1.00 | | 4.00000 | | 0.00 | | 0.0 | | |
| | Night (8h) | | 8.00 | Night | 77.7 | | 1.00 | | 8.00000 | | 0.00 | | 0.0 | | |
| | Geometry | | Section profile | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | | Section profile 0 | | | 1 | | 327091.54 | | 269328.83 | | 25.00 | | 0.00 | |
| | | | Section profile 0 | | | 2 | | 327054.87 | | 269340.63 | | 24.73 | | 0.00 | |
| | | | Section profile 0 | | | 3 | | 327038.68 | | 269346.04 | | 24.49 | | 0.00 | |
| | | | Section profile 0 | | | 4 | | 327018.60 | | 269353.43 | | 24.19 | | 0.00 | |
| | | | Section profile 0 | | | 5 | | 326972.26 | | 269371.50 | | 24.00 | | 0.00 | |
| | | | Section profile 0 | | | 6 | | 326948.34 | | 269380.83 | | 23.94 | | 0.00 | |
| | | | Section profile 0 | | | 7 | | 326915.24 | | 269394.09 | | 23.21 | | 0.00 | |
| | | | Section profile 0 | | | 8 | | 326882.14 | | 269407.34 | | 23.00 | | 0.00 | |
| | | | Section profile 0 | | | 9 | | 326846.25 | | 269423.03 | | 23.00 | | 0.00 | |
| | | | Section profile 0 | | | 10 | | 326810.37 | | 269438.72 | | 22.36 | | 0.00 | |
| | | | Section profile 0 | | | 11 | | 326772.73 | | 269453.41 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 12 | | 326735.09 | | 269468.10 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 13 | | 326697.44 | | 269482.78 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 14 | | 326672.20 | | 269492.56 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 15 | | 326646.95 | | 269502.34 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 16 | | 326631.05 | | 269508.89 | | 21.94 | | 0.00 | |
| | | | Section profile 0 | | | 17 | | 326593.01 | | 269523.90 | | 21.69 | | 0.00 | |
| | | | Section profile 0 | | | 18 | | 326554.97 | | 269538.90 | | 21.46 | | 0.00 | |
| | | | Section profile 0 | | | 19 | | 326516.92 | | 269553.91 | | 21.21 | | 0.00 | |
| | | | Section profile 0 | | | 20 | | 326476.53 | | 269570.32 | | 21.11 | | 0.00 | |
| | | | Section profile 0 | | | 21 | | 326435.03 | | 269586.35 | | 21.13 | | 0.00 | |
| | | | Section profile 0 | | | 22 | | 326393.54 | | 269602.37 | | 21.14 | | 0.00 | |
| | | | Section profile 0 | | | 23 | | 326352.05 | | 269618.40 | | 21.52 | | 0.00 | |
| | | | Section profile 0 | | | 24 | | 326310.56 | | 269634.43 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 25 | | 326275.86 | | 269644.44 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 26 | | 326241.15 | | 269657.29 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 27 | | 326209.45 | | 269670.10 | | 22.00 | | 0.00 | |
| | | | Section profile 0 | | | 28 | | 326177.74 | | 269682.92 | | 22.00 | | 0.00 | |

| | | | | | | | | | |
|---------|------------------------|-------------------|----------------------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|-------------|
| | | Section profile 0 | | 29 | 326137.15 | 269698.83 | 22.00 | 0.00 | |
| | | Section profile 0 | | 30 | 326096.57 | 269714.73 | 22.00 | 0.00 | |
| | | Section profile 0 | | 31 | 326055.98 | 269730.64 | 22.00 | 0.00 | |
| | | Section profile 0 | | 32 | 326015.39 | 269746.54 | 22.00 | 0.00 | |
| | | Section profile 0 | | 33 | 325974.81 | 269762.45 | 22.00 | 0.00 | |
| | | - | | 34 | 325934.22 | 269778.35 | 22.30 | 0.00 | |
| R96_009 | Label | | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | | |
| | Group | | Autoceli_fons | | Emi. variant | | Emission | | |
| | Number of nodes | | 27 | | | | dB(A) | | |
| | Length/ m | | 858.69 | | Day (12h) | | 65.65 | | |
| | Length/ m (2D) | | 858.65 | | Night (8h) | | 57.71 | | |
| | Area /m² | | --- | | Evening (4h) | | 63.45 | | |
| | | | | | Max gradient % (z-coord.) | | 2.59 | | |
| | | | | | Driving direction | | 2 direct./driving on the right | | |
| | | | | | Dist.:centreline lane - road /m | | 1.75 | | |
| | | | | | Road surface | | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 706.22 | 107.79 | 50.00 | 50.00 | 65.65 | |
| | Night (8h) | Continuous flow | | 82.55 | 21.28 | 50.00 | 50.00 | 57.71 | |
| | Evening (4h) | Continuous flow | | 467.76 | 59.57 | 50.00 | 50.00 | 63.45 | |
| | Rating method | | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 85.7 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 83.5 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 77.7 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 325934.22 | 269778.35 | 22.30 | 0.00 |
| | | | Section profile 0 | | 2 | 325891.63 | 269795.73 | 23.00 | 0.00 |
| | | | Section profile 0 | | 3 | 325849.04 | 269813.11 | 23.00 | 0.00 |
| | | | Section profile 0 | | 4 | 325832.78 | 269822.22 | 23.00 | 0.00 |
| | | | Section profile 0 | | 5 | 325796.14 | 269836.27 | 22.67 | 0.00 |
| | | | Section profile 0 | | 6 | 325759.50 | 269850.32 | 22.18 | 0.00 |
| | | | Section profile 0 | | 7 | 325722.86 | 269864.36 | 22.00 | 0.00 |
| | | | Section profile 0 | | 8 | 325684.93 | 269877.78 | 22.00 | 0.00 |
| | | | Section profile 0 | | 9 | 325667.85 | 269883.99 | 22.00 | 0.00 |
| | | | Section profile 0 | | 10 | 325662.44 | 269885.96 | 22.00 | 0.00 |
| | | | Section profile 0 | | 11 | 325635.13 | 269892.68 | 22.00 | 0.00 |

| | | | | | | | |
|---------|------------------------|----------------------------|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 12 | 325608.31 | 269899.95 | 21.64 | 0.00 |
| | | Section profile 0 | 13 | 325581.29 | 269904.79 | 21.00 | 0.00 |
| | | Section profile 0 | 14 | 325539.68 | 269909.63 | 21.00 | 0.00 |
| | | Section profile 0 | 15 | 325502.78 | 269911.95 | 21.00 | 0.00 |
| | | Section profile 0 | 16 | 325466.98 | 269912.01 | 21.00 | 0.00 |
| | | Section profile 0 | 17 | 325417.78 | 269908.01 | 20.93 | 0.00 |
| | | Section profile 0 | 18 | 325379.11 | 269902.41 | 21.00 | 0.00 |
| | | Section profile 0 | 19 | 325372.82 | 269901.22 | 21.00 | 0.00 |
| | | Section profile 0 | 20 | 325331.86 | 269891.80 | 21.00 | 0.00 |
| | | Section profile 0 | 21 | 325313.58 | 269886.31 | 21.00 | 0.00 |
| | | Section profile 0 | 22 | 325296.01 | 269880.13 | 21.00 | 0.00 |
| | | Section profile 0 | 23 | 325257.26 | 269865.13 | 20.72 | 0.00 |
| | | Section profile 0 | 24 | 325218.14 | 269849.77 | 20.13 | 0.00 |
| | | Section profile 0 | 25 | 325190.17 | 269831.48 | 21.00 | 0.00 |
| | | Section profile 0 | 26 | 325158.57 | 269809.91 | 21.00 | 0.00 |
| | | - | 27 | 325126.96 | 269788.33 | 21.00 | 0.00 |
| R96_005 | Label | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 11 | | | | dB(A) | |
| | Length/ m | 275.39 | | Day (12h) | | 63.37 | |
| | Length/ m (2D) | 275.37 | | Night (8h) | | 55.66 | |
| | Area /m² | --- | | Evening (4h) | | 61.09 | |
| | | | | Max gradient % (z-coord.) | | 2.39 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h |
| | Day (12h) | Continuous flow | | 319.04 | 76.38 | 50.00 | 50.00 |
| | Night (8h) | Continuous flow | | 37.29 | 15.08 | 50.00 | 50.00 |
| | Evening (4h) | Continuous flow | | 211.31 | 42.21 | 50.00 | 50.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 85.2 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 83.1 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 77.3 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 327091.54 | 269328.83 | 25.00 |
| | | | | | | | 0.00 |

| | | | | | | | |
|---------|------------------------|-------------------------------|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 2 | 327094.86 | 269327.55 | 25.00 | 0.00 |
| | | Section profile 0 | 3 | 327105.79 | 269324.72 | 25.00 | 0.00 |
| | | Section profile 0 | 4 | 327145.63 | 269314.60 | 25.00 | 0.00 |
| | | Section profile 0 | 5 | 327177.57 | 269309.50 | 25.00 | 0.00 |
| | | Section profile 0 | 6 | 327220.02 | 269304.48 | 25.66 | 0.00 |
| | | Section profile 0 | 7 | 327245.16 | 269305.38 | 26.00 | 0.00 |
| | | Section profile 0 | 8 | 327274.75 | 269305.63 | 26.16 | 0.00 |
| | | Section profile 0 | 9 | 327304.35 | 269305.88 | 26.83 | 0.00 |
| | | Section profile 0 | 10 | 327334.17 | 269309.04 | 27.21 | 0.00 |
| | | - | 11 | 327363.99 | 269312.20 | 27.93 | 0.00 |
| R96_021 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 74 | | | | dB(A) | |
| | Length/ m | 2543.92 | | Day (12h) | | 61.79 | |
| | Length/ m (2D) | 2543.67 | | Night (8h) | | 53.15 | |
| | Area /m² | --- | | Evening (4h) | | 59.82 | |
| | | | | Max gradient % (z-coord.) | | -4.90 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 143.22 | 15.90 | 90.00 | 61.79 |
| | Night (8h) | Continuous flow | | 16.74 | 3.14 | 90.00 | 53.15 |
| | Evening (4h) | Continuous flow | | 94.86 | 8.79 | 90.00 | 59.82 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 81.8 | 1.00 | 12.00000 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 79.8 | 1.00 | 4.00000 | 0.0 |
| | Night (8h) | 8.00 | Night | 73.2 | 1.00 | 8.00000 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 329173.24 | 267701.04 | 24.16 |
| | | Section profile 0 | | 2 | 329143.17 | 267738.54 | 24.33 |
| | | Section profile 0 | | 3 | 329113.10 | 267776.04 | 24.50 |
| | | Section profile 0 | | 4 | 329083.03 | 267813.54 | 24.67 |
| | | Section profile 0 | | 5 | 329057.49 | 267847.10 | 24.81 |
| | | Section profile 0 | | 6 | 329031.96 | 267880.66 | 24.96 |
| | | Section profile 0 | | 7 | 329006.42 | 267914.23 | 25.03 |
| | | | | | | | 0.00 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 8 | 328983.52 | 267942.47 | 25.10 | 0.00 |
| | | Section profile 0 | 9 | 328960.62 | 267970.71 | 25.61 | 0.00 |
| | | Section profile 0 | 10 | 328937.72 | 267998.94 | 26.05 | 0.00 |
| | | Section profile 0 | 11 | 328917.94 | 268022.90 | 26.79 | 0.00 |
| | | Section profile 0 | 12 | 328898.17 | 268046.86 | 27.05 | 0.00 |
| | | Section profile 0 | 13 | 328881.86 | 268067.34 | 27.27 | 0.00 |
| | | Section profile 0 | 14 | 328865.55 | 268087.83 | 27.40 | 0.00 |
| | | Section profile 0 | 15 | 328845.43 | 268113.52 | 27.30 | 0.00 |
| | | Section profile 0 | 16 | 328832.35 | 268137.51 | 27.42 | 0.00 |
| | | Section profile 0 | 17 | 328809.45 | 268180.57 | 26.14 | 0.00 |
| | | Section profile 0 | 18 | 328793.49 | 268224.31 | 24.54 | 0.00 |
| | | Section profile 0 | 19 | 328783.77 | 268254.17 | 23.00 | 0.00 |
| | | Section profile 0 | 20 | 328774.06 | 268284.03 | 23.00 | 0.00 |
| | | Section profile 0 | 21 | 328768.51 | 268298.61 | 23.00 | 0.00 |
| | | Section profile 0 | 22 | 328757.75 | 268325.70 | 22.56 | 0.00 |
| | | Section profile 0 | 23 | 328746.99 | 268352.78 | 21.88 | 0.00 |
| | | Section profile 0 | 24 | 328732.42 | 268388.54 | 21.00 | 0.00 |
| | | Section profile 0 | 25 | 328717.85 | 268424.30 | 21.00 | 0.00 |
| | | Section profile 0 | 26 | 328704.66 | 268447.74 | 21.00 | 0.00 |
| | | Section profile 0 | 27 | 328691.48 | 268471.17 | 21.00 | 0.00 |
| | | Section profile 0 | 28 | 328676.21 | 268495.83 | 21.00 | 0.00 |
| | | Section profile 0 | 29 | 328660.95 | 268520.48 | 21.00 | 0.00 |
| | | Section profile 0 | 30 | 328638.05 | 268557.28 | 21.00 | 0.00 |
| | | Section profile 0 | 31 | 328620.00 | 268581.59 | 21.00 | 0.00 |
| | | Section profile 0 | 32 | 328596.41 | 268603.81 | 21.00 | 0.00 |
| | | Section profile 0 | 33 | 328567.96 | 268626.72 | 21.00 | 0.00 |
| | | Section profile 0 | 34 | 328540.90 | 268645.47 | 21.00 | 0.00 |
| | | Section profile 0 | 35 | 328513.83 | 268664.22 | 21.00 | 0.00 |
| | | Section profile 0 | 36 | 328486.42 | 268679.84 | 21.00 | 0.00 |
| | | Section profile 0 | 37 | 328459.01 | 268695.47 | 20.15 | 0.00 |
| | | Section profile 0 | 38 | 328434.72 | 268706.93 | 20.00 | 0.00 |
| | | Section profile 0 | 39 | 328410.44 | 268718.38 | 20.00 | 0.00 |
| | | Section profile 0 | 40 | 328367.20 | 268736.78 | 20.00 | 0.00 |
| | | Section profile 0 | 41 | 328323.97 | 268755.19 | 20.00 | 0.00 |
| | | Section profile 0 | 42 | 328278.87 | 268774.63 | 19.43 | 0.00 |
| | | Section profile 0 | 43 | 328233.76 | 268794.07 | 19.00 | 0.00 |
| | | Section profile 0 | 44 | 328191.54 | 268811.15 | 18.00 | 0.00 |
| | | Section profile 0 | 45 | 328149.31 | 268828.24 | 17.51 | 0.00 |

| | | | | | | | |
|----------------|------------------------|----------------------------|----|--|-----------|--------------------------------|------|
| | | Section profile 0 | 46 | 328107.08 | 268845.32 | 16.51 | 0.00 |
| | | Section profile 0 | 47 | 328064.86 | 268862.40 | 17.00 | 0.00 |
| | | Section profile 0 | 48 | 328022.63 | 268879.48 | 17.53 | 0.00 |
| | | Section profile 0 | 49 | 327980.41 | 268896.56 | 18.00 | 0.00 |
| | | Section profile 0 | 50 | 327938.18 | 268913.64 | 18.00 | 0.00 |
| | | Section profile 0 | 51 | 327897.29 | 268930.80 | 18.00 | 0.00 |
| | | Section profile 0 | 52 | 327856.40 | 268947.96 | 18.00 | 0.00 |
| | | Section profile 0 | 53 | 327815.50 | 268965.12 | 18.00 | 0.00 |
| | | Section profile 0 | 54 | 327774.28 | 268980.96 | 18.43 | 0.00 |
| | | Section profile 0 | 55 | 327733.06 | 268996.80 | 19.00 | 0.00 |
| | | Section profile 0 | 56 | 327691.84 | 269012.64 | 20.00 | 0.00 |
| | | Section profile 0 | 57 | 327650.62 | 269028.48 | 21.56 | 0.00 |
| | | Section profile 0 | 58 | 327634.79 | 269036.40 | 22.00 | 0.00 |
| | | Section profile 0 | 59 | 327624.99 | 269041.33 | 21.92 | 0.00 |
| | | Section profile 0 | 60 | 327622.36 | 269042.21 | 21.88 | 0.00 |
| | | Section profile 0 | 61 | 327620.50 | 269043.00 | 21.86 | 0.00 |
| | | Section profile 0 | 62 | 327618.64 | 269043.74 | 21.84 | 0.00 |
| | | Section profile 0 | 63 | 327600.65 | 269047.72 | 22.71 | 0.00 |
| | | Section profile 0 | 64 | 327570.67 | 269055.48 | 23.00 | 0.00 |
| | | Section profile 0 | 65 | 327538.89 | 269066.00 | 23.00 | 0.00 |
| | | Section profile 0 | 66 | 327507.11 | 269076.53 | 23.00 | 0.00 |
| | | Section profile 0 | 67 | 327488.56 | 269080.36 | 23.21 | 0.00 |
| | | Section profile 0 | 68 | 327460.48 | 269086.18 | 23.63 | 0.00 |
| | | Section profile 0 | 69 | 327421.54 | 269093.29 | 24.00 | 0.00 |
| | | Section profile 0 | 70 | 327382.60 | 269100.40 | 24.00 | 0.00 |
| | | Section profile 0 | 71 | 327343.66 | 269107.50 | 24.11 | 0.00 |
| | | Section profile 0 | 72 | 327297.81 | 269115.67 | 24.17 | 0.00 |
| | | Section profile 0 | 73 | 327269.41 | 269120.70 | 24.28 | 0.00 |
| | | - | 74 | 327241.00 | 269125.73 | 24.76 | 0.00 |
| R96_007 | Label | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 29 | | | | dB(A) | |
| | Length/ m | 998.99 | | Day (12h) | | 65.65 | |
| | Length/ m (2D) | 998.94 | | Night (8h) | | 57.71 | |
| | Area /m² | --- | | Evening (4h) | | 63.45 | |
| | | | | Max gradient % (z-coord.) | | -2.20 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |

| | | | | | Road surface | | Asphalt (obsolete) | | |
|--|------------------------|-----------------|-------------------|----------------|---------------------------|------------------------|------------------------------|------------------------|-------------|
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 706.22 | 107.79 | 50.00 | 50.00 | 65.65 | |
| | Night (8h) | Continuous flow | | 82.55 | 21.28 | 50.00 | 50.00 | 57.71 | |
| | Evening (4h) | Continuous flow | | 467.76 | 59.57 | 50.00 | 50.00 | 63.45 | |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB | |
| | Lden | | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 85.7 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 83.5 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 77.7 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 324971.59 | 269682.53 | 18.00 | 0.00 |
| | | | Section profile 0 | | 2 | 324948.45 | 269666.87 | 17.90 | 0.00 |
| | | | Section profile 0 | | 3 | 324925.31 | 269651.20 | 17.66 | 0.00 |
| | | | Section profile 0 | | 4 | 324886.57 | 269629.04 | 17.00 | 0.00 |
| | | | Section profile 0 | | 5 | 324857.70 | 269615.83 | 16.85 | 0.00 |
| | | | Section profile 0 | | 6 | 324832.07 | 269605.05 | 16.45 | 0.00 |
| | | | Section profile 0 | | 7 | 324799.47 | 269594.48 | 16.00 | 0.00 |
| | | | Section profile 0 | | 8 | 324766.87 | 269583.90 | 15.25 | 0.00 |
| | | | Section profile 0 | | 9 | 324731.28 | 269573.61 | 15.00 | 0.00 |
| | | | Section profile 0 | | 10 | 324695.69 | 269563.33 | 14.90 | 0.00 |
| | | | Section profile 0 | | 11 | 324662.96 | 269552.58 | 14.42 | 0.00 |
| | | | Section profile 0 | | 12 | 324630.23 | 269541.84 | 14.00 | 0.00 |
| | | | Section profile 0 | | 13 | 324597.50 | 269531.09 | 13.94 | 0.00 |
| | | | Section profile 0 | | 14 | 324569.30 | 269522.35 | 13.60 | 0.00 |
| | | | Section profile 0 | | 15 | 324541.10 | 269513.61 | 13.28 | 0.00 |
| | | | Section profile 0 | | 16 | 324515.89 | 269505.82 | 13.00 | 0.00 |
| | | | Section profile 0 | | 17 | 324490.68 | 269498.04 | 13.00 | 0.00 |
| | | | Section profile 0 | | 18 | 324444.25 | 269483.70 | 12.80 | 0.00 |
| | | | Section profile 0 | | 19 | 324397.81 | 269469.37 | 12.32 | 0.00 |
| | | | Section profile 0 | | 20 | 324350.68 | 269453.85 | 12.00 | 0.00 |
| | | | Section profile 0 | | 21 | 324318.69 | 269444.19 | 11.77 | 0.00 |
| | | | Section profile 0 | | 22 | 324286.70 | 269434.54 | 11.43 | 0.00 |
| | | | Section profile 0 | | 23 | 324254.71 | 269424.88 | 11.13 | 0.00 |
| | | | Section profile 0 | | 24 | 324208.10 | 269412.78 | 11.00 | 0.00 |
| | | | Section profile 0 | | 25 | 324170.87 | 269404.21 | 10.66 | 0.00 |
| | | | Section profile 0 | | 26 | 324133.63 | 269395.63 | 10.25 | 0.00 |

| | | | | | | | |
|---------|------------------------|---------------------------------|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 27 | 324096.40 | 269387.06 | 10.00 | 0.00 |
| | | Section profile 0 | 28 | 324061.64 | 269379.31 | 10.00 | 0.00 |
| | | - | 29 | 324026.88 | 269371.56 | 9.95 | 0.00 |
| R96_017 | Label | P111 Ventspiis (Leci) - Grobina | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 58 | | | | dB(A) | |
| | Length/ m | 2141.07 | | Day (12h) | | 56.50 | |
| | Length/ m (2D) | 2141.01 | | Night (8h) | | 48.38 | |
| | Area /m² | --- | | Evening (4h) | | 54.36 | |
| | | | | Max gradient % (z-coord.) | | -2.53 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 100.93 | 11.16 | 50.00 | 56.50 |
| | Night (8h) | Continuous flow | | 11.80 | 2.20 | 50.00 | 48.38 |
| | Evening (4h) | Continuous flow | | 66.85 | 6.16 | 50.00 | 54.36 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 76.5 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 74.4 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 68.4 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 324650.10 | 271872.54 | 20.62 |
| | | Section profile 0 | | 2 | 324656.67 | 271845.04 | 20.95 |
| | | Section profile 0 | | 3 | 324663.25 | 271817.54 | 20.44 |
| | | Section profile 0 | | 4 | 324671.80 | 271773.44 | 20.63 |
| | | Section profile 0 | | 5 | 324680.35 | 271729.34 | 21.00 |
| | | Section profile 0 | | 6 | 324688.90 | 271685.24 | 20.90 |
| | | Section profile 0 | | 7 | 324697.45 | 271641.14 | 21.00 |
| | | Section profile 0 | | 8 | 324705.75 | 271595.79 | 20.32 |
| | | Section profile 0 | | 9 | 324714.05 | 271550.45 | 20.87 |
| | | Section profile 0 | | 10 | 324722.35 | 271505.10 | 20.59 |
| | | Section profile 0 | | 11 | 324729.21 | 271464.73 | 20.29 |
| | | Section profile 0 | | 12 | 324736.06 | 271424.37 | 20.29 |
| | | Section profile 0 | | 13 | 324742.91 | 271384.01 | 20.30 |
| | | Section profile 0 | | 14 | 324749.77 | 271343.65 | 20.16 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 15 | 324756.62 | 271303.28 | 20.00 | 0.00 |
| | | Section profile 0 | 16 | 324766.47 | 271255.81 | 19.78 | 0.00 |
| | | Section profile 0 | 17 | 324776.31 | 271208.34 | 20.00 | 0.00 |
| | | Section profile 0 | 18 | 324786.16 | 271160.87 | 20.00 | 0.00 |
| | | Section profile 0 | 19 | 324795.96 | 271117.09 | 20.18 | 0.00 |
| | | Section profile 0 | 20 | 324805.77 | 271073.31 | 20.11 | 0.00 |
| | | Section profile 0 | 21 | 324815.87 | 271033.45 | 20.00 | 0.00 |
| | | Section profile 0 | 22 | 324825.98 | 270993.59 | 20.00 | 0.00 |
| | | Section profile 0 | 23 | 324835.44 | 270955.14 | 20.18 | 0.00 |
| | | Section profile 0 | 24 | 324844.90 | 270916.70 | 20.22 | 0.00 |
| | | Section profile 0 | 25 | 324854.36 | 270878.25 | 20.18 | 0.00 |
| | | Section profile 0 | 26 | 324862.94 | 270843.21 | 20.27 | 0.00 |
| | | Section profile 0 | 27 | 324871.51 | 270808.17 | 20.18 | 0.00 |
| | | Section profile 0 | 28 | 324880.09 | 270773.13 | 20.30 | 0.00 |
| | | Section profile 0 | 29 | 324886.95 | 270743.61 | 20.36 | 0.00 |
| | | Section profile 0 | 30 | 324893.82 | 270714.09 | 20.33 | 0.00 |
| | | Section profile 0 | 31 | 324895.78 | 270705.19 | 20.34 | 0.00 |
| | | Section profile 0 | 32 | 324904.86 | 270666.02 | 20.43 | 0.00 |
| | | Section profile 0 | 33 | 324913.94 | 270626.86 | 20.98 | 0.00 |
| | | Section profile 0 | 34 | 324923.02 | 270587.69 | 21.00 | 0.00 |
| | | Section profile 0 | 35 | 324932.10 | 270548.53 | 20.83 | 0.00 |
| | | Section profile 0 | 36 | 324940.27 | 270515.03 | 21.00 | 0.00 |
| | | Section profile 0 | 37 | 324948.44 | 270481.54 | 20.52 | 0.00 |
| | | Section profile 0 | 38 | 324956.61 | 270448.05 | 21.07 | 0.00 |
| | | Section profile 0 | 39 | 324965.42 | 270411.78 | 20.94 | 0.00 |
| | | Section profile 0 | 40 | 324974.24 | 270375.51 | 21.06 | 0.00 |
| | | Section profile 0 | 41 | 324983.06 | 270339.24 | 21.14 | 0.00 |
| | | Section profile 0 | 42 | 324991.56 | 270304.47 | 21.10 | 0.00 |
| | | Section profile 0 | 43 | 325000.07 | 270269.70 | 21.32 | 0.00 |
| | | Section profile 0 | 44 | 325008.57 | 270234.93 | 21.19 | 0.00 |
| | | Section profile 0 | 45 | 325016.24 | 270201.95 | 21.54 | 0.00 |
| | | Section profile 0 | 46 | 325023.92 | 270168.96 | 21.59 | 0.00 |
| | | Section profile 0 | 47 | 325031.59 | 270135.97 | 21.43 | 0.00 |
| | | Section profile 0 | 48 | 325040.46 | 270089.08 | 21.00 | 0.00 |
| | | Section profile 0 | 49 | 325049.33 | 270042.19 | 20.41 | 0.00 |
| | | Section profile 0 | 50 | 325058.21 | 269995.29 | 21.00 | 0.00 |
| | | Section profile 0 | 51 | 325065.62 | 269961.47 | 20.69 | 0.00 |
| | | Section profile 0 | 52 | 325073.03 | 269927.65 | 20.82 | 0.00 |

| | | | | | | | | | |
|---------|------------------------|-----------------|---------------------------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|-------------|
| | | | Section profile 0 | 53 | 325080.44 | 269893.83 | 21.00 | 0.00 | |
| | | | Section profile 0 | 54 | 325087.50 | 269874.13 | 20.47 | 0.00 | |
| | | | Section profile 0 | 55 | 325091.73 | 269864.72 | 20.58 | 0.00 | |
| | | | Section profile 0 | 56 | 325102.06 | 269843.57 | 21.00 | 0.00 | |
| | | | Section profile 0 | 57 | 325114.51 | 269815.95 | 20.97 | 0.00 | |
| | | | - | 58 | 325126.96 | 269788.33 | 21.00 | 0.00 | |
| R96_008 | Label | | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | | |
| | Group | | Autoceli_fons | | Emi. variant | | Emission | | |
| | Number of nodes | | 5 | | | | dB(A) | | |
| | Length/ m | | 188.03 | | Day (12h) | | 65.65 | | |
| | Length/ m (2D) | | 188.00 | | Night (8h) | | 57.71 | | |
| | Area /m² | | --- | | Evening (4h) | | 63.45 | | |
| | | | | | Max gradient % (z-coord.) | | -2.23 | | |
| | | | | | Driving direction | | 2 direct./driving on the right | | |
| | | | | | Dist.:centreline lane - road /m | | 1.75 | | |
| | | | | | Road surface | | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 706.22 | 107.79 | 50.00 | 50.00 | 65.65 | |
| | Night (8h) | Continuous flow | | 82.55 | 21.28 | 50.00 | 50.00 | 57.71 | |
| | Evening (4h) | Continuous flow | | 467.76 | 59.57 | 50.00 | 50.00 | 63.45 | |
| | Rating method | | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 85.7 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 83.5 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 77.7 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 325126.96 | 269788.33 | 21.00 | 0.00 |
| | | | Section profile 0 | | 2 | 325087.85 | 269762.68 | 19.95 | 0.00 |
| | | | Section profile 0 | | 3 | 325048.73 | 269737.02 | 19.00 | 0.00 |
| | | | Section profile 0 | | 4 | 325010.16 | 269709.78 | 18.71 | 0.00 |
| | | | - | | 5 | 324971.59 | 269682.53 | 18.00 | 0.00 |
| R96_001 | Label | | P111 Ventspils (Leci) - Grobina | | Action radius/m | | 3000.00 | | |
| | Group | | Autoceli_fons | | Emi. variant | | Emission | | |
| | Number of nodes | | 64 | | | | dB(A) | | |
| | Length/ m | | 2416.59 | | Day (12h) | | 60.26 | | |
| | Length/ m (2D) | | 2416.51 | | Night (8h) | | 51.62 | | |
| | Area /m² | | --- | | Evening (4h) | | 58.29 | | |

| | | | | | | | | | |
|--|------------------------|-----------------|---------------------------------|---------------------------|------------------------|------------------------------|--------------------------------|------------------------|-------------|
| | | | Max gradient % (z-coord.) | | | | -2.61 | | |
| | | | Driving direction | | | | 2 direct./driving on the right | | |
| | | | Dist.:centreline lane - road /m | | | | 1.75 | | |
| | | | Road surface | | | | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 100.93 | 11.15 | 90.00 | 80.00 | 60.26 | |
| | Night (8h) | Continuous flow | | 11.80 | 2.20 | 90.00 | 80.00 | 51.62 | |
| | Evening (4h) | Continuous flow | | 66.85 | 6.16 | 90.00 | 80.00 | 58.29 | |
| | Rating method | | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 80.3 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 78.3 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 71.6 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 324254.67 | 274254.12 | 20.22 | 0.00 |
| | | | Section profile 0 | | 2 | 324261.32 | 274216.37 | 20.42 | 0.00 |
| | | | Section profile 0 | | 3 | 324267.97 | 274178.62 | 20.63 | 0.00 |
| | | | Section profile 0 | | 4 | 324274.79 | 274142.93 | 20.88 | 0.00 |
| | | | Section profile 0 | | 5 | 324281.61 | 274107.24 | 21.15 | 0.00 |
| | | | Section profile 0 | | 6 | 324287.12 | 274074.43 | 21.15 | 0.00 |
| | | | Section profile 0 | | 7 | 324292.62 | 274041.63 | 21.13 | 0.00 |
| | | | Section profile 0 | | 8 | 324298.92 | 274000.43 | 21.18 | 0.00 |
| | | | Section profile 0 | | 9 | 324305.21 | 273959.23 | 21.14 | 0.00 |
| | | | Section profile 0 | | 10 | 324310.46 | 273926.69 | 21.03 | 0.00 |
| | | | Section profile 0 | | 11 | 324315.70 | 273894.14 | 21.25 | 0.00 |
| | | | Section profile 0 | | 12 | 324321.73 | 273866.06 | 21.30 | 0.00 |
| | | | Section profile 0 | | 13 | 324327.76 | 273837.98 | 21.00 | 0.00 |
| | | | Section profile 0 | | 14 | 324334.32 | 273798.09 | 21.00 | 0.00 |
| | | | Section profile 0 | | 15 | 324340.88 | 273758.21 | 21.00 | 0.00 |
| | | | Section profile 0 | | 16 | 324347.00 | 273715.87 | 19.88 | 0.00 |
| | | | Section profile 0 | | 17 | 324353.12 | 273673.53 | 20.65 | 0.00 |
| | | | Section profile 0 | | 18 | 324359.24 | 273631.19 | 21.00 | 0.00 |
| | | | Section profile 0 | | 19 | 324363.17 | 273603.37 | 20.79 | 0.00 |
| | | | Section profile 0 | | 20 | 324367.10 | 273575.55 | 20.69 | 0.00 |
| | | | Section profile 0 | | 21 | 324372.70 | 273527.97 | 20.98 | 0.00 |
| | | | Section profile 0 | | 22 | 324378.29 | 273480.38 | 21.00 | 0.00 |
| | | | Section profile 0 | | 23 | 324383.89 | 273432.79 | 20.86 | 0.00 |

| | | | | | | | |
|--|--|-------------------|----|-----------|-----------|-------|------|
| | | Section profile 0 | 24 | 324387.56 | 273404.97 | 20.82 | 0.00 |
| | | Section profile 0 | 25 | 324391.23 | 273377.16 | 20.89 | 0.00 |
| | | Section profile 0 | 26 | 324395.69 | 273347.37 | 21.00 | 0.00 |
| | | Section profile 0 | 27 | 324400.15 | 273317.59 | 21.00 | 0.00 |
| | | Section profile 0 | 28 | 324406.96 | 273277.17 | 20.93 | 0.00 |
| | | Section profile 0 | 29 | 324413.87 | 273239.59 | 21.00 | 0.00 |
| | | Section profile 0 | 30 | 324420.77 | 273202.01 | 21.00 | 0.00 |
| | | Section profile 0 | 31 | 324427.67 | 273164.43 | 21.00 | 0.00 |
| | | Section profile 0 | 32 | 324436.99 | 273120.76 | 21.11 | 0.00 |
| | | Section profile 0 | 33 | 324446.31 | 273077.09 | 21.02 | 0.00 |
| | | Section profile 0 | 34 | 324455.63 | 273033.43 | 21.17 | 0.00 |
| | | Section profile 0 | 35 | 324464.15 | 272998.97 | 21.43 | 0.00 |
| | | Section profile 0 | 36 | 324472.67 | 272964.51 | 21.66 | 0.00 |
| | | Section profile 0 | 37 | 324480.17 | 272934.49 | 22.08 | 0.00 |
| | | Section profile 0 | 38 | 324488.58 | 272899.92 | 21.83 | 0.00 |
| | | Section profile 0 | 39 | 324496.99 | 272865.35 | 22.15 | 0.00 |
| | | Section profile 0 | 40 | 324505.40 | 272830.78 | 22.28 | 0.00 |
| | | Section profile 0 | 41 | 324513.59 | 272793.93 | 22.56 | 0.00 |
| | | Section profile 0 | 42 | 324521.77 | 272757.09 | 22.97 | 0.00 |
| | | Section profile 0 | 43 | 324529.34 | 272707.96 | 21.86 | 0.00 |
| | | Section profile 0 | 44 | 324536.91 | 272658.83 | 22.83 | 0.00 |
| | | Section profile 0 | 45 | 324542.02 | 272618.24 | 22.13 | 0.00 |
| | | Section profile 0 | 46 | 324547.13 | 272577.64 | 22.00 | 0.00 |
| | | Section profile 0 | 47 | 324550.54 | 272537.04 | 21.69 | 0.00 |
| | | Section profile 0 | 48 | 324553.95 | 272496.44 | 21.95 | 0.00 |
| | | Section profile 0 | 49 | 324558.04 | 272454.14 | 22.00 | 0.00 |
| | | Section profile 0 | 50 | 324562.13 | 272411.84 | 21.54 | 0.00 |
| | | Section profile 0 | 51 | 324564.52 | 272375.67 | 21.50 | 0.00 |
| | | Section profile 0 | 52 | 324566.91 | 272339.51 | 21.14 | 0.00 |
| | | Section profile 0 | 53 | 324571.68 | 272297.55 | 21.06 | 0.00 |
| | | Section profile 0 | 54 | 324578.50 | 272255.24 | 21.24 | 0.00 |
| | | Section profile 0 | 55 | 324585.32 | 272212.94 | 20.81 | 0.00 |
| | | Section profile 0 | 56 | 324593.05 | 272172.45 | 20.89 | 0.00 |
| | | Section profile 0 | 57 | 324600.77 | 272131.97 | 21.08 | 0.00 |
| | | Section profile 0 | 58 | 324608.50 | 272091.49 | 20.77 | 0.00 |
| | | Section profile 0 | 59 | 324616.23 | 272055.89 | 21.04 | 0.00 |
| | | Section profile 0 | 60 | 324623.96 | 272020.30 | 20.94 | 0.00 |
| | | Section profile 0 | 61 | 324631.68 | 271984.70 | 20.81 | 0.00 |

| | | | | | | | |
|---------|------------------------|--|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 62 | 324637.82 | 271947.32 | 21.05 | 0.00 |
| | | Section profile 0 | 63 | 324643.96 | 271909.93 | 20.55 | 0.00 |
| | | - | 64 | 324650.10 | 271872.54 | 20.62 | 0.00 |
| R96_034 | Label | Pasvaldības autocels līdz Liepājas RAS | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldības autocels_fons | | Emi. variant | | Emission | |
| | Number of nodes | 22 | | | | dB(A) | |
| | Length/ m | 359.79 | | Day (12h) | | 54.71 | |
| | Length/ m (2D) | 359.79 | | Night (8h) | | 39.63 | |
| | Area /m² | --- | | Evening (4h) | | 47.68 | |
| | | | | Max gradient % (z-coord.) | | -0.80 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 3.83 | 9.29 | 30.00 | 54.71 |
| | Night (8h) | Continuous flow | | 1.50 | 0.25 | 30.00 | 39.63 |
| | Evening (4h) | Continuous flow | | 6.50 | 1.68 | 30.00 | 47.68 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 74.7 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 67.7 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 59.6 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 325932.65 | 269778.99 | 22.35 |
| | | Section profile 0 | | 2 | 325935.85 | 269787.63 | 22.37 |
| | | Section profile 0 | | 3 | 325936.99 | 269790.15 | 22.37 |
| | | Section profile 0 | | 4 | 325943.85 | 269805.24 | 22.30 |
| | | Section profile 0 | | 5 | 325948.55 | 269813.40 | 22.34 |
| | | Section profile 0 | | 6 | 325952.75 | 269818.84 | 22.28 |
| | | Section profile 0 | | 7 | 325958.68 | 269825.51 | 22.25 |
| | | Section profile 0 | | 8 | 325966.60 | 269833.42 | 22.26 |
| | | Section profile 0 | | 9 | 325991.20 | 269854.07 | 22.26 |
| | | Section profile 0 | | 10 | 326015.79 | 269874.71 | 22.39 |
| | | Section profile 0 | | 11 | 326017.58 | 269876.49 | 22.40 |
| | | Section profile 0 | | 12 | 326019.09 | 269878.00 | 22.40 |
| | | Section profile 0 | | 13 | 326020.28 | 269879.19 | 22.41 |
| | | Section profile 0 | | 14 | 326025.93 | 269884.85 | 22.43 |

| | | | | | | | |
|---------|------------------------|---|----------------|---------------------------------|------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 15 | 326028.41 | 269887.58 | 22.44 | 0.00 |
| | | Section profile 0 | 16 | 326040.76 | 269901.16 | 22.50 | 0.00 |
| | | Section profile 0 | 17 | 326052.63 | 269916.49 | 22.58 | 0.00 |
| | | Section profile 0 | 18 | 326068.21 | 269940.47 | 22.72 | 0.00 |
| | | Section profile 0 | 19 | 326086.01 | 269973.11 | 22.92 | 0.00 |
| | | Section profile 0 | 20 | 326119.81 | 270033.32 | 23.00 | 0.00 |
| | | Section profile 0 | 21 | 326134.30 | 270059.26 | 23.00 | 0.00 |
| | | - | 22 | 326137.66 | 270068.99 | 23.00 | 0.00 |
| R96_035 | Label | Pasvaldības autotceļš līdz Liepājas RAS | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldības autotceļš_fons | | Emi. variant | | Emission | |
| | Number of nodes | 27 | | | | dB(A) | |
| | Length/ m | 321.96 | | Day (12h) | | 52.44 | |
| | Length/ m (2D) | 321.96 | | Night (8h) | | 35.92 | |
| | Area /m² | --- | | Evening (4h) | | 45.27 | |
| | | | | Max gradient % (z-coord.) | | 0.81 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 1.83 | 9.21 | 50.00 | 52.44 |
| | Night (8h) | Continuous flow | | 0.63 | 0.13 | 50.00 | 35.92 |
| | Evening (4h) | Continuous flow | | 3.00 | 1.43 | 50.00 | 45.27 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 72.4 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 65.3 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 55.9 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 326137.66 | 270068.99 | 23.00 |
| | | Section profile 0 | | 2 | 326138.38 | 270071.09 | 23.00 |
| | | Section profile 0 | | 3 | 326138.74 | 270072.13 | 23.00 |
| | | Section profile 0 | | 4 | 326139.19 | 270073.43 | 23.00 |
| | | Section profile 0 | | 5 | 326139.79 | 270075.94 | 23.00 |
| | | Section profile 0 | | 6 | 326142.28 | 270086.32 | 23.00 |
| | | Section profile 0 | | 7 | 326144.01 | 270101.50 | 23.00 |
| | | Section profile 0 | | 8 | 326144.03 | 270104.54 | 23.00 |
| | | Section profile 0 | | 9 | 326144.04 | 270108.06 | 23.00 |

| | | | | | | | | |
|---------|------------------------|-------------------------------|-------------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|
| | | | Section profile 0 | 10 | 326144.17 | 270132.81 | 23.00 | 0.00 |
| | | | Section profile 0 | 11 | 326143.77 | 270139.97 | 23.00 | 0.00 |
| | | | Section profile 0 | 12 | 326141.38 | 270169.42 | 23.00 | 0.00 |
| | | | Section profile 0 | 13 | 326141.18 | 270171.86 | 23.00 | 0.00 |
| | | | Section profile 0 | 14 | 326140.55 | 270179.68 | 23.00 | 0.00 |
| | | | Section profile 0 | 15 | 326139.89 | 270195.81 | 23.00 | 0.00 |
| | | | Section profile 0 | 16 | 326141.58 | 270212.69 | 23.00 | 0.00 |
| | | | Section profile 0 | 17 | 326145.50 | 270237.39 | 23.00 | 0.00 |
| | | | Section profile 0 | 18 | 326153.43 | 270264.73 | 23.21 | 0.00 |
| | | | Section profile 0 | 19 | 326160.71 | 270281.05 | 23.35 | 0.00 |
| | | | Section profile 0 | 20 | 326167.31 | 270293.53 | 23.38 | 0.00 |
| | | | Section profile 0 | 21 | 326181.10 | 270317.77 | 23.51 | 0.00 |
| | | | Section profile 0 | 22 | 326197.07 | 270346.12 | 23.75 | 0.00 |
| | | | Section profile 0 | 23 | 326199.45 | 270351.23 | 23.77 | 0.00 |
| | | | Section profile 0 | 24 | 326200.29 | 270353.03 | 23.77 | 0.00 |
| | | | Section profile 0 | 25 | 326203.91 | 270360.77 | 23.81 | 0.00 |
| | | | Section profile 0 | 26 | 326205.45 | 270365.60 | 23.84 | 0.00 |
| | | | - | 27 | 326208.51 | 270375.30 | 23.87 | 0.00 |
| R96_022 | Label | P106 Ezere - Embute - Grobina | | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | | Emi. variant | | Emission | |
| | Number of nodes | 8 | | | | | dB(A) | |
| | Length/ m | 128.36 | | | Day (12h) | | 58.02 | |
| | Length/ m (2D) | 128.36 | | | Night (8h) | | 49.91 | |
| | Area /m² | --- | | | Evening (4h) | | 55.89 | |
| | | | | | Max gradient % (z-coord.) | | 0.13 | |
| | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 143.22 | 15.90 | 50.00 | 50.00 | 58.02 |
| | Night (8h) | Continuous flow | | 16.74 | 3.14 | 50.00 | 50.00 | 49.91 |
| | Evening (4h) | Continuous flow | | 94.86 | 8.79 | 50.00 | 50.00 | 55.89 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 78.0 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 75.9 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 69.9 | 1.00 | 8.00000 | 0.00 | 0.0 |

| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
|---------|------------------------|-----------------|-------------------------------|----------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|
| | | | Section profile 0 | | 1 | 327142.09 | 269176.71 | 25.00 | 0.00 |
| | | | Section profile 0 | | 2 | 327137.50 | 269184.99 | 24.99 | 0.00 |
| | | | Section profile 0 | | 3 | 327123.56 | 269211.77 | 24.96 | 0.00 |
| | | | Section profile 0 | | 4 | 327109.63 | 269238.54 | 24.93 | 0.00 |
| | | | Section profile 0 | | 5 | 327096.05 | 269265.13 | 24.90 | 0.00 |
| | | | Section profile 0 | | 6 | 327091.39 | 269274.51 | 24.89 | 0.00 |
| | | | Section profile 0 | | 7 | 327088.97 | 269280.65 | 24.89 | 0.00 |
| | | | - | | 8 | 327087.00 | 269292.08 | 24.90 | 0.00 |
| R96_046 | Label | | P113 Grobina - Barta - Rucava | | | Action radius/m | | 3000.00 | |
| | Group | | Autoceli_fons | | | Emi. variant | | Emission | |
| | Number of nodes | | 31 | | | | | dB(A) | |
| | Length/ m | | 968.51 | | | Day (12h) | | 57.12 | |
| | Length/ m (2D) | | 968.40 | | | Night (8h) | | 48.81 | |
| | Area /m² | | --- | | | Evening (4h) | | 55.04 | |
| | | | | | | Max gradient % (z-coord.) | | -4.82 | |
| | | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 133.85 | | 10.64 | 50.00 | 50.00 | 57.12 |
| | Night (8h) | Continuous flow | | 15.65 | | 2.10 | 50.00 | 50.00 | 48.81 |
| | Evening (4h) | Continuous flow | | 88.66 | | 5.88 | 50.00 | 50.00 | 55.04 |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 77.1 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 75.0 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 68.8 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 325437.24 | 268290.83 | 21.00 | 0.00 |
| | | | Section profile 0 | | 2 | 325435.29 | 268338.44 | 21.00 | 0.00 |
| | | | Section profile 0 | | 3 | 325433.02 | 268383.28 | 21.00 | 0.00 |
| | | | Section profile 0 | | 4 | 325430.75 | 268431.52 | 20.79 | 0.00 |
| | | | Section profile 0 | | 5 | 325428.86 | 268467.16 | 20.76 | 0.00 |
| | | | Section profile 0 | | 6 | 325426.97 | 268502.80 | 20.50 | 0.00 |
| | | | Section profile 0 | | 7 | 325425.08 | 268538.44 | 20.00 | 0.00 |
| | | | Section profile 0 | | 8 | 325423.48 | 268581.70 | 20.58 | 0.00 |

| | | | | | | | |
|----------------|------------------------|----------------------------|----------------------------------|--|-------------------------------------|--------------------------------|-------------------------------|
| | | Section profile 0 | 9 | 325421.87 | 268624.96 | 21.00 | 0.00 |
| | | Section profile 0 | 10 | 325419.83 | 268663.35 | 21.00 | 0.00 |
| | | Section profile 0 | 11 | 325417.79 | 268701.74 | 21.00 | 0.00 |
| | | Section profile 0 | 12 | 325415.75 | 268740.13 | 21.00 | 0.00 |
| | | Section profile 0 | 13 | 325413.71 | 268778.52 | 21.00 | 0.00 |
| | | Section profile 0 | 14 | 325410.79 | 268813.54 | 20.71 | 0.00 |
| | | Section profile 0 | 15 | 325406.01 | 268839.64 | 20.00 | 0.00 |
| | | Section profile 0 | 16 | 325396.23 | 268868.46 | 21.00 | 0.00 |
| | | Section profile 0 | 17 | 325387.48 | 268886.11 | 21.00 | 0.00 |
| | | Section profile 0 | 18 | 325377.55 | 268901.16 | 21.00 | 0.00 |
| | | Section profile 0 | 19 | 325352.01 | 268930.67 | 21.00 | 0.00 |
| | | Section profile 0 | 20 | 325323.63 | 268955.46 | 21.00 | 0.00 |
| | | Section profile 0 | 21 | 325295.25 | 268980.25 | 21.00 | 0.00 |
| | | Section profile 0 | 22 | 325287.37 | 268988.22 | 21.00 | 0.00 |
| | | Section profile 0 | 23 | 325265.36 | 269007.12 | 21.00 | 0.00 |
| | | Section profile 0 | 24 | 325244.94 | 269028.69 | 21.00 | 0.00 |
| | | Section profile 0 | 25 | 325230.76 | 269049.12 | 20.79 | 0.00 |
| | | Section profile 0 | 26 | 325219.42 | 269071.82 | 20.03 | 0.00 |
| | | Section profile 0 | 27 | 325211.17 | 269091.93 | 20.00 | 0.00 |
| | | Section profile 0 | 28 | 325201.98 | 269112.40 | 19.42 | 0.00 |
| | | Section profile 0 | 29 | 325191.41 | 269138.93 | 18.38 | 0.00 |
| | | Section profile 0 | 30 | 325180.84 | 269165.46 | 17.00 | 0.00 |
| | | - | 31 | 325175.44 | 269178.86 | 17.00 | 0.00 |
| R96_006 | Label | A9 Riga (Skulte) - Liepaja | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 14 | | | | dB(A) | |
| | Length/ m | 541.83 | | Day (12h) | | 65.65 | |
| | Length/ m (2D) | 541.82 | | Night (8h) | | 57.71 | |
| | Area /m² | --- | | Evening (4h) | | 63.45 | |
| | | | | Max gradient % (z-coord.) | | -1.51 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | 706.22 | 107.79 | 50.00 | 50.00 | 65.65 |
| | Night (8h) | Continuous flow | 82.55 | 21.28 | 50.00 | 50.00 | 57.71 |
| | Evening (4h) | Continuous flow | 467.76 | 59.57 | 50.00 | 50.00 | 63.45 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |

| | | | | | | | | |
|---------|------------------------|-------------------------------|----------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 85.7 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 83.5 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 77.7 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | | 1 | 324026.88 | 269371.56 | 9.95 | 0.00 |
| | | Section profile 0 | | 2 | 323998.88 | 269364.39 | 9.68 | 0.00 |
| | | Section profile 0 | | 3 | 323970.88 | 269357.22 | 9.25 | 0.00 |
| | | Section profile 0 | | 4 | 323929.45 | 269348.44 | 9.00 | 0.00 |
| | | Section profile 0 | | 5 | 323888.03 | 269339.65 | 9.00 | 0.00 |
| | | Section profile 0 | | 6 | 323846.60 | 269330.86 | 9.00 | 0.00 |
| | | Section profile 0 | | 7 | 323805.18 | 269322.07 | 9.00 | 0.00 |
| | | Section profile 0 | | 8 | 323763.75 | 269313.28 | 8.95 | 0.00 |
| | | Section profile 0 | | 9 | 323720.18 | 269302.80 | 8.76 | 0.00 |
| | | Section profile 0 | | 10 | 323676.61 | 269292.33 | 8.49 | 0.00 |
| | | Section profile 0 | | 11 | 323633.04 | 269281.85 | 8.26 | 0.00 |
| | | Section profile 0 | | 12 | 323588.05 | 269272.51 | 8.22 | 0.00 |
| | | Section profile 0 | | 13 | 323543.07 | 269263.17 | 8.17 | 0.00 |
| | | - | | 14 | 323498.08 | 269253.82 | 8.13 | 0.00 |
| R96_023 | Label | P113 Grobina - Barta - Rucava | | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | | Emi. variant | | Emission | |
| | Number of nodes | 14 | | | | | dB(A) | |
| | Length/ m | 508.60 | | | Day (12h) | | 57.12 | |
| | Length/ m (2D) | 508.58 | | | Night (8h) | | 48.81 | |
| | Area /m² | --- | | | Evening (4h) | | 55.04 | |
| | | | | | Max gradient % (z-coord.) | | 1.82 | |
| | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 133.85 | 10.64 | 50.00 | 50.00 | 57.12 |
| | Night (8h) | Continuous flow | | 15.65 | 2.10 | 50.00 | 50.00 | 48.81 |
| | Evening (4h) | Continuous flow | | 88.66 | 5.88 | 50.00 | 50.00 | 55.04 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 77.1 | 1.00 | 12.00000 | 0.00 | 0.0 |

| | | | | | | | | |
|----------------|-------------------------------|--------------------------------|-----------------------|----------------------------------|--|-------------------------------------|--------------------------------|-------------------------------|
| | Evening (4h) | 4.00 | Evening | 75.0 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 68.8 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | | 1 | 325162.41 | 269211.14 | 17.00 | 0.00 |
| | | Section profile 0 | | 2 | 325151.92 | 269237.14 | 17.00 | 0.00 |
| | | Section profile 0 | | 3 | 325137.46 | 269272.98 | 17.30 | 0.00 |
| | | Section profile 0 | | 4 | 325123.00 | 269308.82 | 18.00 | 0.00 |
| | | Section profile 0 | | 5 | 325110.52 | 269340.87 | 18.18 | 0.00 |
| | | Section profile 0 | | 6 | 325098.05 | 269372.92 | 18.53 | 0.00 |
| | | Section profile 0 | | 7 | 325085.58 | 269404.96 | 18.89 | 0.00 |
| | | Section profile 0 | | 8 | 325067.71 | 269449.37 | 19.19 | 0.00 |
| | | Section profile 0 | | 9 | 325049.83 | 269493.78 | 19.00 | 0.00 |
| | | Section profile 0 | | 10 | 325033.95 | 269531.51 | 18.98 | 0.00 |
| | | Section profile 0 | | 11 | 325018.07 | 269569.23 | 18.28 | 0.00 |
| | | Section profile 0 | | 12 | 325002.19 | 269606.95 | 18.00 | 0.00 |
| | | Section profile 0 | | 13 | 324986.31 | 269647.81 | 18.00 | 0.00 |
| | | - | | 14 | 324971.59 | 269682.53 | 18.00 | 0.00 |
| R96_002 | Label | P113 GrobiAța - BĂrta - Rucava | | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | | Emi. variant | | Emission | |
| | Number of nodes | 17 | | | | | dB(A) | |
| | Length/ m | 684.61 | | | Day (12h) | | 61.18 | |
| | Length/ m (2D) | 684.61 | | | Night (8h) | | 52.39 | |
| | Area /m² | --- | | | Evening (4h) | | 59.25 | |
| | | | | | Max gradient % (z-coord.) | | 0.73 | |
| | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 133.85 | 10.64 | 90.00 | 80.00 | 61.18 |
| | Night (8h) | Continuous flow | | 15.65 | 2.10 | 90.00 | 80.00 | 52.39 |
| | Evening (4h) | Continuous flow | | 88.66 | 5.88 | 90.00 | 80.00 | 59.25 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 81.2 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 79.2 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 72.4 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |

| | | | | | | | |
|---------|------------------------|-------------------------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|
| | | Section profile 0 | 1 | 325487.39 | 267608.45 | 19.98 | 0.00 |
| | | Section profile 0 | 2 | 325482.27 | 267646.47 | 19.98 | 0.00 |
| | | Section profile 0 | 3 | 325477.15 | 267684.48 | 19.98 | 0.00 |
| | | Section profile 0 | 4 | 325472.03 | 267722.50 | 19.97 | 0.00 |
| | | Section profile 0 | 5 | 325466.78 | 267771.23 | 20.01 | 0.00 |
| | | Section profile 0 | 6 | 325461.52 | 267819.96 | 20.30 | 0.00 |
| | | Section profile 0 | 7 | 325459.50 | 267859.19 | 20.49 | 0.00 |
| | | Section profile 0 | 8 | 325457.48 | 267898.42 | 20.67 | 0.00 |
| | | Section profile 0 | 9 | 325455.59 | 267939.67 | 20.97 | 0.00 |
| | | Section profile 0 | 10 | 325453.71 | 267980.92 | 21.00 | 0.00 |
| | | Section profile 0 | 11 | 325451.82 | 268022.18 | 21.00 | 0.00 |
| | | Section profile 0 | 12 | 325449.40 | 268066.93 | 21.00 | 0.00 |
| | | Section profile 0 | 13 | 325446.97 | 268111.69 | 21.00 | 0.00 |
| | | Section profile 0 | 14 | 325444.55 | 268156.44 | 20.94 | 0.00 |
| | | Section profile 0 | 15 | 325441.62 | 268206.01 | 20.86 | 0.00 |
| | | Section profile 0 | 16 | 325438.69 | 268255.58 | 21.00 | 0.00 |
| | | - | 17 | 325437.24 | 268290.83 | 21.00 | 0.00 |
| R96_020 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 7 | | | | dB(A) | |
| | Length/ m | 60.91 | | Day (12h) | | 55.01 | |
| | Length/ m (2D) | 60.90 | | Night (8h) | | 46.90 | |
| | Area /m² | --- | | Evening (4h) | | 52.88 | |
| | | | | Max gradient % (z-coord.) | | -1.47 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 55.01 |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 46.90 |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 52.88 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | | | | | | ! z(rel) /m |

| | | | | | | | | |
|---------|------------------------|-------------------------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|-------------|
| | | Section profile 0 | 1 | 327087.00 | 269292.08 | 24.90 | 0.00 | |
| | | Section profile 0 | 2 | 327084.33 | 269300.26 | 24.91 | 0.00 | |
| | | Section profile 0 | 3 | 327081.55 | 269313.00 | 24.95 | 0.00 | |
| | | Section profile 0 | 4 | 327077.07 | 269322.56 | 24.97 | 0.00 | |
| | | Section profile 0 | 5 | 327069.45 | 269330.02 | 24.93 | 0.00 | |
| | | Section profile 0 | 6 | 327065.03 | 269333.48 | 24.92 | 0.00 | |
| | | - | 7 | 327054.87 | 269340.63 | 24.73 | 0.00 | |
| R96_012 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | | |
| | Number of nodes | 4 | | | | dB(A) | | |
| | Length/ m | 69.02 | | Day (12h) | | 55.01 | | |
| | Length/ m (2D) | 69.02 | | Night (8h) | | 46.90 | | |
| | Area /m² | --- | | Evening (4h) | | 52.88 | | |
| | | | | Max gradient % (z-coord.) | | 0.82 | | |
| | | | | Driving direction | | 2 direct./driving on the right | | |
| | | | | Dist.:centreline lane - road /m | | 0.88 | | |
| | | | | Road surface | | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 50.00 | 55.01 |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 50.00 | 46.90 |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 50.00 | 52.88 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | | 1 | 327241.00 | 269125.72 | 24.76 | 0.00 |
| | | Section profile 0 | | 2 | 327212.39 | 269131.25 | 25.00 | 0.00 |
| | | Section profile 0 | | 3 | 327183.78 | 269136.78 | 25.00 | 0.00 |
| | | - | | 4 | 327174.30 | 269141.82 | 25.00 | 0.00 |
| R96_013 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | | |
| | Number of nodes | 4 | | | | dB(A) | | |
| | Length/ m | 66.69 | | Day (12h) | | 55.01 | | |
| | Length/ m (2D) | 66.69 | | Night (8h) | | 46.90 | | |
| | Area /m² | --- | | Evening (4h) | | 52.88 | | |

| | | | | | | | | | |
|---------|------------------------|-----------------|-------------------------------|---------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------------|-------------|
| | | | | | Max gradient % (z-coord.) | | 0.44 | | |
| | | | | | Driving direction | | 2 direct./driving on the right | | |
| | | | | | Dist.:centreline lane - road /m | | 0.88 | | |
| | | | | | Road surface | | Asphalt (obsolete) | | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 50.00 | 55.01 | |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 50.00 | 46.90 | |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 50.00 | 52.88 | |
| | Rating method | | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 327241.00 | 269125.72 | 24.76 | 0.00 |
| | | | Section profile 0 | | 2 | 327212.27 | 269126.96 | 24.87 | 0.00 |
| | | | Section profile 0 | | 3 | 327183.53 | 269128.21 | 25.00 | 0.00 |
| | | | - | | 4 | 327174.39 | 269128.98 | 25.00 | 0.00 |
| R96_019 | Label | | P106 Ezere - Embute - Grobina | | | Action radius/m | | 3000.00 | |
| | Group | | Autoceli_fons | | | Emi. variant | | Emission | |
| | Number of nodes | | 16 | | | | | dB(A) | |
| | Length/ m | | 81.60 | | | Day (12h) | | 53.67 | |
| | Length/ m (2D) | | 81.60 | | | Night (8h) | | 45.92 | |
| | Area /m² | | --- | | | Evening (4h) | | 51.39 | |
| | | | | | | Max gradient % (z-coord.) | | -0.06 | |
| | | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | | Dist.:centreline lane - road /m | | 0.88 | |
| | | | | | | Road surface | | No correction | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 50.00 | 53.67 | |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 50.00 | 45.92 | |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 50.00 | 51.39 | |
| | Rating method | | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 73.7 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | | 4.00 | Evening | 71.4 | 1.00 | 4.00000 | 0.00 | 0.0 |

| | | | | | | | | |
|----------------|-------------------------------|---------------------------------------|-----------------------|----------------------------------|--|-------------------------------------|--------------------------------|-------------------------------|
| | Night (8h) | 8.00 | Night | 65.9 | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Section profile 0 | | 1 | 327142.09 | 269176.71 | 25.00 | 0.00 |
| | | Section profile 0 | | 2 | 327144.71 | 269166.49 | 24.99 | 0.00 |
| | | Section profile 0 | | 3 | 327149.06 | 269153.01 | 25.00 | 0.00 |
| | | Section profile 0 | | 4 | 327151.67 | 269145.24 | 25.00 | 0.00 |
| | | Section profile 0 | | 5 | 327149.10 | 269141.64 | 25.00 | 0.00 |
| | | Section profile 0 | | 6 | 327148.43 | 269139.53 | 25.00 | 0.00 |
| | | Section profile 0 | | 7 | 327147.76 | 269137.42 | 25.00 | 0.00 |
| | | Section profile 0 | | 8 | 327147.79 | 269133.00 | 25.00 | 0.00 |
| | | Section profile 0 | | 9 | 327149.19 | 269128.80 | 25.00 | 0.00 |
| | | Section profile 0 | | 10 | 327151.82 | 269125.24 | 25.00 | 0.00 |
| | | Section profile 0 | | 11 | 327155.41 | 269122.66 | 25.00 | 0.00 |
| | | Section profile 0 | | 12 | 327159.63 | 269121.32 | 25.00 | 0.00 |
| | | Section profile 0 | | 13 | 327164.06 | 269121.36 | 25.00 | 0.00 |
| | | Section profile 0 | | 14 | 327168.26 | 269122.75 | 25.00 | 0.00 |
| | | Section profile 0 | | 15 | 327171.82 | 269125.38 | 25.00 | 0.00 |
| | | - | | 16 | 327174.39 | 269128.98 | 25.00 | 0.00 |
| R96_038 | Label | Pasvaldības autocels aiz Liepajas RAS | | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldības autocels_fons | | | Emi. variant | | Emission | |
| | Number of nodes | 65 | | | | | dB(A) | |
| | Length/ m | 1222.16 | | | Day (12h) | | 35.50 | |
| | Length/ m (2D) | 1222.13 | | | Night (8h) | | 34.33 | |
| | Area /m² | --- | | | Evening (4h) | | 37.66 | |
| | | | | | Max gradient % (z-coord.) | | 2.32 | |
| | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | Dist.:centreline lane - road /m | | 1.50 | |
| | | | | | Road surface | | No correction | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 0.33 | 0.17 | 50.00 | 50.00 | 35.50 |
| | Night (8h) | Continuous flow | | 0.25 | 0.13 | 50.00 | 50.00 | 34.33 |
| | Evening (4h) | Continuous flow | | 1.00 | 0.25 | 50.00 | 50.00 | 37.66 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 3.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 55.5 | 1.00 | 12.00000 | 3.00 | 3.0 |
| | Evening (4h) | 4.00 | Evening | 57.7 | 1.00 | 4.00000 | 3.00 | 3.0 |
| | Night (8h) | 8.00 | Night | 54.3 | 1.00 | 8.00000 | 3.00 | 3.0 |

| | Geometry | Section profile | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
|--|----------|-------------------|----|-----------|-----------|-----------|-------------|
| | | Section profile 0 | 1 | 327530.29 | 272283.52 | 28.88 | 0.00 |
| | | Section profile 0 | 2 | 327530.82 | 272285.10 | 28.87 | 0.00 |
| | | Section profile 0 | 3 | 327532.95 | 272294.04 | 28.80 | 0.00 |
| | | Section profile 0 | 4 | 327533.72 | 272299.93 | 28.74 | 0.00 |
| | | Section profile 0 | 5 | 327534.67 | 272313.73 | 28.70 | 0.00 |
| | | Section profile 0 | 6 | 327536.18 | 272329.35 | 28.83 | 0.00 |
| | | Section profile 0 | 7 | 327536.73 | 272337.05 | 28.89 | 0.00 |
| | | Section profile 0 | 8 | 327536.87 | 272343.08 | 28.93 | 0.00 |
| | | Section profile 0 | 9 | 327537.52 | 272370.61 | 28.78 | 0.00 |
| | | Section profile 0 | 10 | 327538.36 | 272406.83 | 28.58 | 0.00 |
| | | Section profile 0 | 11 | 327539.85 | 272434.25 | 28.36 | 0.00 |
| | | Section profile 0 | 12 | 327541.34 | 272461.67 | 28.00 | 0.00 |
| | | Section profile 0 | 13 | 327543.04 | 272491.75 | 28.03 | 0.00 |
| | | Section profile 0 | 14 | 327544.55 | 272518.57 | 28.09 | 0.00 |
| | | Section profile 0 | 15 | 327544.79 | 272525.45 | 27.99 | 0.00 |
| | | Section profile 0 | 16 | 327545.57 | 272569.54 | 27.92 | 0.00 |
| | | Section profile 0 | 17 | 327544.73 | 272602.89 | 27.93 | 0.00 |
| | | Section profile 0 | 18 | 327543.89 | 272623.82 | 27.97 | 0.00 |
| | | Section profile 0 | 19 | 327541.78 | 272640.70 | 28.03 | 0.00 |
| | | Section profile 0 | 20 | 327540.87 | 272653.45 | 28.00 | 0.00 |
| | | Section profile 0 | 21 | 327542.85 | 272665.34 | 28.00 | 0.00 |
| | | Section profile 0 | 22 | 327548.84 | 272676.32 | 28.00 | 0.00 |
| | | Section profile 0 | 23 | 327556.70 | 272684.18 | 28.00 | 0.00 |
| | | Section profile 0 | 24 | 327582.20 | 272700.60 | 28.37 | 0.00 |
| | | Section profile 0 | 25 | 327603.90 | 272716.23 | 28.44 | 0.00 |
| | | Section profile 0 | 26 | 327613.91 | 272723.44 | 28.61 | 0.00 |
| | | Section profile 0 | 27 | 327619.52 | 272730.19 | 28.62 | 0.00 |
| | | Section profile 0 | 28 | 327621.11 | 272733.69 | 28.57 | 0.00 |
| | | Section profile 0 | 29 | 327621.90 | 272736.94 | 28.52 | 0.00 |
| | | Section profile 0 | 30 | 327622.38 | 272740.51 | 28.49 | 0.00 |
| | | Section profile 0 | 31 | 327622.31 | 272744.84 | 28.44 | 0.00 |
| | | Section profile 0 | 32 | 327620.94 | 272750.25 | 28.42 | 0.00 |
| | | Section profile 0 | 33 | 327619.62 | 272755.50 | 28.39 | 0.00 |
| | | Section profile 0 | 34 | 327614.72 | 272774.89 | 28.47 | 0.00 |
| | | Section profile 0 | 35 | 327603.85 | 272817.93 | 28.96 | 0.00 |
| | | Section profile 0 | 36 | 327592.96 | 272862.63 | 29.00 | 0.00 |
| | | Section profile 0 | 37 | 327582.08 | 272907.34 | 29.38 | 0.00 |

| | | | | | | | |
|----------------|------------------------|-------------------------------|----|--|-----------|--------------------------------|------|
| | | Section profile 0 | 38 | 327577.32 | 272908.24 | 29.36 | 0.00 |
| | | Section profile 0 | 39 | 327571.84 | 272910.98 | 29.32 | 0.00 |
| | | Section profile 0 | 40 | 327561.15 | 272918.38 | 29.24 | 0.00 |
| | | Section profile 0 | 41 | 327554.85 | 272922.77 | 29.19 | 0.00 |
| | | Section profile 0 | 42 | 327546.08 | 272926.60 | 29.12 | 0.00 |
| | | Section profile 0 | 43 | 327539.23 | 272929.62 | 29.06 | 0.00 |
| | | Section profile 0 | 44 | 327535.40 | 272931.97 | 29.03 | 0.00 |
| | | Section profile 0 | 45 | 327532.06 | 272932.88 | 29.00 | 0.00 |
| | | Section profile 0 | 46 | 327529.94 | 272936.83 | 29.00 | 0.00 |
| | | Section profile 0 | 47 | 327530.01 | 272941.50 | 29.02 | 0.00 |
| | | Section profile 0 | 48 | 327529.73 | 272967.29 | 29.13 | 0.00 |
| | | Section profile 0 | 49 | 327528.42 | 273006.38 | 29.47 | 0.00 |
| | | Section profile 0 | 50 | 327530.09 | 273020.46 | 29.80 | 0.00 |
| | | Section profile 0 | 51 | 327530.81 | 273026.57 | 29.93 | 0.00 |
| | | Section profile 0 | 52 | 327531.63 | 273033.52 | 30.00 | 0.00 |
| | | Section profile 0 | 53 | 327534.00 | 273093.01 | 30.70 | 0.00 |
| | | Section profile 0 | 54 | 327534.17 | 273122.51 | 30.80 | 0.00 |
| | | Section profile 0 | 55 | 327534.59 | 273140.20 | 30.79 | 0.00 |
| | | Section profile 0 | 56 | 327535.09 | 273156.91 | 30.85 | 0.00 |
| | | Section profile 0 | 57 | 327535.85 | 273182.83 | 30.84 | 0.00 |
| | | Section profile 0 | 58 | 327536.62 | 273208.76 | 30.75 | 0.00 |
| | | Section profile 0 | 59 | 327538.13 | 273246.58 | 30.29 | 0.00 |
| | | Section profile 0 | 60 | 327539.65 | 273284.40 | 30.00 | 0.00 |
| | | Section profile 0 | 61 | 327540.71 | 273329.36 | 30.00 | 0.00 |
| | | Section profile 0 | 62 | 327541.77 | 273374.32 | 30.00 | 0.00 |
| | | Section profile 0 | 63 | 327543.26 | 273415.91 | 30.00 | 0.00 |
| | | Section profile 0 | 64 | 327543.42 | 273420.66 | 30.00 | 0.00 |
| | | - | 65 | 327543.75 | 273430.18 | 30.00 | 0.00 |
| R96_015 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 5 | | | | dB(A) | |
| | Length/ m | 38.11 | | Day (12h) | | 55.01 | |
| | Length/ m (2D) | 38.11 | | Night (8h) | | 46.90 | |
| | Area /m² | --- | | Evening (4h) | | 52.88 | |
| | | | | Max gradient % (z-coord.) | | -0.46 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.75 | |
| | | | | Road surface | | Asphalt (obsolete) | |

| | | | | | | | | | | | | | | |
|---------|------------------------|-----------------|-------------------------------|----------------|---------------------------|----------------|---------------------------------|---------------|------------------------------|-------------|--------------------------------|------------------------|------------|-------------|
| | Emiss. variant | Traffic flow | | Q car /vehic/h | | Q HGV /vehic/h | | v (car) /km/h | | v HGV /km/h | | Leq /dB(A) | | |
| | Day (12h) | Continuous flow | | 71.61 | | 7.95 | | 50.00 | | 50.00 | | 55.01 | | |
| | Night (8h) | Continuous flow | | 8.37 | | 1.57 | | 50.00 | | 50.00 | | 46.90 | | |
| | Evening (4h) | Continuous flow | | 47.43 | | 4.39 | | 50.00 | | 50.00 | | 52.88 | | |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | Special correction /dB | | |
| | Lden | | - | | 0.0 | | 0.0 | | 0.0 | | - | 0.0 | | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | | n times | | Impact time /h | | dLi /dB | Lw'r /dB(A) | | |
| | Day (12h) | | 12.00 | Day | 75.0 | | 1.00 | | 12.00000 | | 0.00 | 0.0 | | |
| | Evening (4h) | | 4.00 | Evening | 72.9 | | 1.00 | | 4.00000 | | 0.00 | 0.0 | | |
| | Night (8h) | | 8.00 | Night | 66.9 | | 1.00 | | 8.00000 | | 0.00 | 0.0 | | |
| | Geometry | | Section profile | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m |
| | | | Section profile 0 | | | 1 | | 327091.54 | | 269328.83 | | 25.00 | | 0.00 |
| | | | Section profile 0 | | | 2 | | 327094.14 | | 269322.61 | | 25.00 | | 0.00 |
| | | | Section profile 0 | | | 3 | | 327093.62 | | 269319.10 | | 25.00 | | 0.00 |
| | | | Section profile 0 | | | 4 | | 327092.03 | | 269312.64 | | 25.00 | | 0.00 |
| | | | - | | | 5 | | 327086.99 | | 269292.08 | | 24.90 | | 0.00 |
| R96_016 | Label | | P106 Ezere - Embute - Grobina | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | | Autoceli_fons | | | | Emi. variant | | | | Emission | | | |
| | Number of nodes | | 5 | | | | | | | | dB(A) | | | |
| | Length/ m | | 17.70 | | | | Day (12h) | | | | 55.01 | | | |
| | Length/ m (2D) | | 17.70 | | | | Night (8h) | | | | 46.90 | | | |
| | Area /m² | | --- | | | | Evening (4h) | | | | 52.88 | | | |
| | | | | | | | Max gradient % (z-coord.) | | | | 0.00 | | | |
| | | | | | | | Driving direction | | | | 2 direct./driving on the right | | | |
| | | | | | | | Dist.:centreline lane - road /m | | | | 0.88 | | | |
| | | | | | | | Road surface | | | | Asphalt (obsolete) | | | |
| | Emiss. variant | Traffic flow | | | Q car /vehic/h | | Q HGV /vehic/h | | v (car) /km/h | | v HGV /km/h | | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | | 71.61 | | 7.95 | | 50.00 | | 50.00 | | 55.01 | |
| | Night (8h) | Continuous flow | | | 8.37 | | 1.57 | | 50.00 | | 50.00 | | 46.90 | |
| | Evening (4h) | Continuous flow | | | 47.43 | | 4.39 | | 50.00 | | 50.00 | | 52.88 | |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | Special correction /dB | | |
| | Lden | | - | | 0.0 | | 0.0 | | 0.0 | | - | 0.0 | | |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | | n times | | Impact time /h | | dLi /dB | Lw'r /dB(A) | | |
| | Day (12h) | | 12.00 | Day | 75.0 | | 1.00 | | 12.00000 | | 0.00 | 0.0 | | |
| | Evening (4h) | | 4.00 | Evening | 72.9 | | 1.00 | | 4.00000 | | 0.00 | 0.0 | | |
| | Night (8h) | | 8.00 | Night | 66.9 | | 1.00 | | 8.00000 | | 0.00 | 0.0 | | |
| | Geometry | | Section profile | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m |
| | | | Section profile 0 | | | 1 | | 327174.30 | | 269141.82 | | 25.00 | | 0.00 |

| | | | | | | | |
|----------------|-------------------------------|---------------------------------------|-----------------------|--|-------------------------------|-------------------------------------|-------------------------------|
| | | Section profile 0 | 2 | 327171.68 | 269145.38 | 25.00 | 0.00 |
| | | Section profile 0 | 3 | 327168.08 | 269147.96 | 25.00 | 0.00 |
| | | Section profile 0 | 4 | 327163.86 | 269149.30 | 25.00 | 0.00 |
| | | - | 5 | 327159.43 | 269149.27 | 25.00 | 0.00 |
| R96_011 | Label | P106 Ezere - Embute - Grobina | | Action radius/m | | 3000.00 | |
| | Group | Autoceli_fons | | Emi. variant | | Emission | |
| | Number of nodes | 4 | | | | dB(A) | |
| | Length/ m | 13.28 | | Day (12h) | | 55.01 | |
| | Length/ m (2D) | 13.28 | | Night (8h) | | 46.90 | |
| | Area /m² | --- | | Evening (4h) | | 52.88 | |
| | | | | Max gradient % (z-coord.) | | 0.00 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 0.88 | |
| | | | | Road surface | | Asphalt (obsolete) | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h |
| | Day (12h) | Continuous flow | | 71.61 | 7.95 | 50.00 | 50.00 |
| | Night (8h) | Continuous flow | | 8.37 | 1.57 | 50.00 | 50.00 |
| | Evening (4h) | Continuous flow | | 47.43 | 4.39 | 50.00 | 50.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 12.00000 | 0.00 |
| | Evening (4h) | 4.00 | Evening | 72.9 | 1.00 | 4.00000 | 0.00 |
| | Night (8h) | 8.00 | Night | 66.9 | 1.00 | 8.00000 | 0.00 |
| | Geometry | Section profile | | Nr | x/m | y/m | z(abs) /m |
| | | Section profile 0 | | 1 | 327174.39 | 269128.98 | 25.00 |
| | | Section profile 0 | | 2 | 327175.73 | 269133.20 | 25.00 |
| | | Section profile 0 | | 3 | 327175.70 | 269137.62 | 25.00 |
| | | - | | 4 | 327174.30 | 269141.82 | 25.00 |
| R96_037 | Label | Pasvaldibas autocels aiz Liepajas RAS | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldibas autocels_fons | | Emi. variant | | Emission | |
| | Number of nodes | 6 | | | | dB(A) | |
| | Length/ m | 33.97 | | Day (12h) | | 35.50 | |
| | Length/ m (2D) | 33.97 | | Night (8h) | | 34.33 | |
| | Area /m² | --- | | Evening (4h) | | 37.66 | |
| | | | | Max gradient % (z-coord.) | | -0.63 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.50 | |

| | | | | | | | | | |
|---------|------------------------|-----------------|---------------------------------------|----------------|---------------------------|---------------------------------|------------------------------|--------------------------------|------------------------|
| | | | | | | Road surface | | No correction | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 0.33 | | 0.17 | 50.00 | 50.00 | 35.50 |
| | Night (8h) | Continuous flow | | 0.25 | | 0.13 | 50.00 | 50.00 | 34.33 |
| | Evening (4h) | Continuous flow | | 1.00 | | 0.25 | 50.00 | 50.00 | 37.66 |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | - | | 0.0 | 0.0 | 0.0 | - | 3.0 |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 55.5 | 1.00 | 12.00000 | 3.00 | 3.0 |
| | Evening (4h) | | 4.00 | Evening | 57.7 | 1.00 | 4.00000 | 3.00 | 3.0 |
| | Night (8h) | | 8.00 | Night | 54.3 | 1.00 | 8.00000 | 3.00 | 3.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 327518.42 | 272251.72 | 29.00 | 0.00 |
| | | | Section profile 0 | | 2 | 327519.38 | 272253.85 | 29.00 | 0.00 |
| | | | Section profile 0 | | 3 | 327519.85 | 272254.88 | 29.00 | 0.00 |
| | | | Section profile 0 | | 4 | 327521.65 | 272258.85 | 29.00 | 0.00 |
| | | | Section profile 0 | | 5 | 327528.92 | 272279.41 | 28.91 | 0.00 |
| | | | - | | 6 | 327530.29 | 272283.52 | 28.88 | 0.00 |
| R96_040 | Label | | Pasvaldibas autocels aiz Liepajas RAS | | | Action radius/m | | 3000.00 | |
| | Group | | Pašvaldibas autocels_fons | | | Emi. variant | | Emission | |
| | Number of nodes | | 28 | | | | | dB(A) | |
| | Length/ m | | 588.41 | | | Day (12h) | | 35.50 | |
| | Length/ m (2D) | | 588.34 | | | Night (8h) | | 34.33 | |
| | Area /m² | | --- | | | Evening (4h) | | 37.66 | |
| | | | | | | Max gradient % (z-coord.) | | 3.19 | |
| | | | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | | | Dist.:centreline lane - road /m | | 1.50 | |
| | | | | | | Road surface | | No correction | |
| | Emiss. variant | Traffic flow | | Q car /vehic/h | | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) |
| | Day (12h) | Continuous flow | | 0.33 | | 0.17 | 50.00 | 50.00 | 35.50 |
| | Night (8h) | Continuous flow | | 0.25 | | 0.13 | 50.00 | 50.00 | 34.33 |
| | Evening (4h) | Continuous flow | | 1.00 | | 0.25 | 50.00 | 50.00 | 37.66 |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | - | | 0.0 | 0.0 | 0.0 | - | 3.0 |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 55.5 | 1.00 | 12.00000 | 3.00 | 3.0 |
| | Evening (4h) | | 4.00 | Evening | 57.7 | 1.00 | 4.00000 | 3.00 | 3.0 |
| | Night (8h) | | 8.00 | Night | 54.3 | 1.00 | 8.00000 | 3.00 | 3.0 |

| | Geometry | Section profile | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
|---------|-----------------|---------------------------------------|----|---------------------------------|-----------|--------------------------------|-------------|
| | | Section profile 0 | 1 | 327585.86 | 273596.88 | 29.00 | 0.00 |
| | | Section profile 0 | 2 | 327588.11 | 273604.18 | 29.00 | 0.00 |
| | | Section profile 0 | 3 | 327589.61 | 273609.34 | 29.00 | 0.00 |
| | | Section profile 0 | 4 | 327590.45 | 273612.22 | 29.00 | 0.00 |
| | | Section profile 0 | 5 | 327591.29 | 273615.10 | 29.00 | 0.00 |
| | | Section profile 0 | 6 | 327593.27 | 273621.92 | 29.00 | 0.00 |
| | | Section profile 0 | 7 | 327601.61 | 273649.08 | 29.33 | 0.00 |
| | | Section profile 0 | 8 | 327609.95 | 273676.23 | 29.88 | 0.00 |
| | | Section profile 0 | 9 | 327620.27 | 273709.82 | 31.00 | 0.00 |
| | | Section profile 0 | 10 | 327630.58 | 273743.40 | 31.00 | 0.00 |
| | | Section profile 0 | 11 | 327643.82 | 273784.90 | 31.00 | 0.00 |
| | | Section profile 0 | 12 | 327648.77 | 273800.44 | 31.00 | 0.00 |
| | | Section profile 0 | 13 | 327653.68 | 273815.41 | 31.14 | 0.00 |
| | | Section profile 0 | 14 | 327656.77 | 273824.85 | 31.30 | 0.00 |
| | | Section profile 0 | 15 | 327660.91 | 273837.45 | 31.40 | 0.00 |
| | | Section profile 0 | 16 | 327665.45 | 273849.59 | 31.43 | 0.00 |
| | | Section profile 0 | 17 | 327675.71 | 273874.62 | 31.33 | 0.00 |
| | | Section profile 0 | 18 | 327690.52 | 273906.92 | 31.00 | 0.00 |
| | | Section profile 0 | 19 | 327705.34 | 273939.23 | 31.77 | 0.00 |
| | | Section profile 0 | 20 | 327722.95 | 273977.70 | 32.57 | 0.00 |
| | | Section profile 0 | 21 | 327740.25 | 274015.52 | 33.62 | 0.00 |
| | | Section profile 0 | 22 | 327752.35 | 274040.90 | 34.00 | 0.00 |
| | | Section profile 0 | 23 | 327759.35 | 274055.56 | 34.00 | 0.00 |
| | | Section profile 0 | 24 | 327763.97 | 274065.65 | 34.00 | 0.00 |
| | | Section profile 0 | 25 | 327766.89 | 274072.03 | 34.00 | 0.00 |
| | | Section profile 0 | 26 | 327773.42 | 274086.31 | 34.00 | 0.00 |
| | | Section profile 0 | 27 | 327787.50 | 274117.06 | 34.13 | 0.00 |
| | | - | 28 | 327799.50 | 274143.83 | 34.69 | 0.00 |
| R96_039 | Label | Pašvaldības autocels aiz Liepajas RAS | | Action radius/m | | 3000.00 | |
| | Group | Pašvaldības autocels_fons | | Emi. variant | | Emission | |
| | Number of nodes | 11 | | | | dB(A) | |
| | Length/ m | 172.70 | | Day (12h) | | 37.51 | |
| | Length/ m (2D) | 172.69 | | Night (8h) | | 36.35 | |
| | Area /m² | --- | | Evening (4h) | | 39.42 | |
| | | | | Max gradient % (z-coord.) | | -1.49 | |
| | | | | Driving direction | | 2 direct./driving on the right | |
| | | | | Dist.:centreline lane - road /m | | 1.50 | |

| | | | | | Road surface | | No correction | | |
|--|------------------------|-----------------|-------------------|----------------|---------------------------|------------------------|------------------------------|------------------------|-------------|
| | Emiss. variant | Traffic flow | | Q car /vehic/h | Q HGV /vehic/h | v (car) /km/h | v HGV /km/h | Leq /dB(A) | |
| | Day (12h) | Continuous flow | | 0.33 | 0.17 | 30.00 | 30.00 | 37.51 | |
| | Night (8h) | Continuous flow | | 0.25 | 0.13 | 30.00 | 30.00 | 36.35 | |
| | Evening (4h) | Continuous flow | | 1.00 | 0.25 | 30.00 | 30.00 | 39.42 | |
| | Rating method | | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | Special correction /dB | |
| | Lden | | - | | 0.0 | 0.0 | 0.0 | - | 3.0 |
| | Rating period / Period | | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | | 12.00 | Day | 57.5 | 1.00 | 12.00000 | 3.00 | 3.0 |
| | Evening (4h) | | 4.00 | Evening | 59.4 | 1.00 | 4.00000 | 3.00 | 3.0 |
| | Night (8h) | | 8.00 | Night | 56.3 | 1.00 | 8.00000 | 3.00 | 3.0 |
| | Geometry | | Section profile | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | | Section profile 0 | | 1 | 327543.75 | 273430.18 | 30.00 | 0.00 |
| | | | Section profile 0 | | 2 | 327543.87 | 273433.82 | 30.00 | 0.00 |
| | | | Section profile 0 | | 3 | 327544.20 | 273443.50 | 30.00 | 0.00 |
| | | | Section profile 0 | | 4 | 327546.48 | 273466.12 | 30.00 | 0.00 |
| | | | Section profile 0 | | 5 | 327550.27 | 273483.24 | 30.00 | 0.00 |
| | | | Section profile 0 | | 6 | 327559.06 | 273512.21 | 30.00 | 0.00 |
| | | | Section profile 0 | | 7 | 327567.86 | 273541.19 | 29.57 | 0.00 |
| | | | Section profile 0 | | 8 | 327569.16 | 273545.45 | 29.51 | 0.00 |
| | | | Section profile 0 | | 9 | 327570.35 | 273549.33 | 29.45 | 0.00 |
| | | | Section profile 0 | | 10 | 327577.26 | 273571.89 | 29.10 | 0.00 |
| | | | - | | 11 | 327585.86 | 273596.88 | 29.00 | 0.00 |

| Point-source /CNOSSO (120) | | | | | | | | | | Fons_celi | |
|----------------------------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------|------------------------|--|
| EQCN001 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | | -0.23 | -0.2 | | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | | -0.74 | -0.7 | | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | | -0.73 | -0.7 | | |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--|
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | 327680.32 | 271820.06 | 106.06 | 78.00 | | |
| EQCN002 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | 327873.40 | 271638.34 | 108.00 | 78.00 | | |
| EQCN003 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | 327753.33 | 271162.96 | 103.72 | 78.00 | | |
| EQCN004 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |

| | | | | | | | | | |
|---------|------------------------|----------------|------------------------------|---------------------------|---------------------------------|----------------|------------------------|---------------------------|--------|
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 327962.63 | 270961.77 | 102.30 | 78.00 | |
| EQCN005 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 328679.77 | 271133.75 | 109.00 | 78.00 | |
| EQCN006 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| | | Geometry: | | | 328600.27 | 271302.49 | | 110.98 | 78.00 | |
| EQCN007 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | | | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | | | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | | | -0.7 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328295.24 | 271859.00 | | 114.70 | 78.00 | |
| EQCN008 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | | | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | | | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | | | -0.7 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328403.95 | 271690.26 | | 113.98 | 78.00 | |
| EQCN009 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |

| | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 328493.18 | 271511.79 | 111.39 | 78.00 | |
| EQCN010 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - |
| | | | | | Evening (4h) | 100.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 328846.88 | 271907.67 | 114.58 | 78.00 | |
| EQCN011 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - |
| | | | | | Evening (4h) | 100.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 329179.49 | 271907.67 | 113.00 | 78.00 | |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-----|
| EQCN012 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329319.02 | 271704.86 | 111.00 | 78.00 | |
| EQCN013 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329403.39 | 271550.73 | 110.00 | 78.00 | |
| EQCN014 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|
| | Lden | | | - | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 329516.97 | 271380.37 | 109.76 | 78.00 | |
| EQCN015 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 329052.94 | 270637.28 | 108.85 | 78.00 | |
| EQCN016 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 328932.87 | 270794.66 | 108.07 | 78.00 | |
| EQCN017 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328816.06 | 270961.77 | 108.53 | 78.00 | |
| EQCN018 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329818.75 | 269678.39 | 107.14 | 78.00 | |
| EQCN019 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |

| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329985.86 | 269605.38 | 107.00 | 78.00 | |
| EQCN020 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330183.80 | 269529.12 | 111.00 | 78.00 | |
| EQCN021 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330360.65 | 269644.32 | 109.08 | 78.00 | |
| EQCN022 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330524.52 | 269530.75 | 109.29 | 78.00 | |
| EQCN023 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330698.13 | 269501.54 | 107.00 | 78.00 | |
| EQCN024 | Label | 2-9m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |

| | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 330617.00 | 269084.56 | 107.00 | 78.00 |
| EQCN025 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - |
| | | | | | Evening (4h) | 100.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 330415.82 | 269131.62 | 108.98 | 78.00 |
| EQCN026 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - |
| | | | | | Evening (4h) | 100.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | -0.23 | -0.2 |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | -0.74 | -0.7 |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | -0.73 | -0.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 330771.14 | 271810.33 | 109.94 | 78.00 |
| EQCN027 | Label | 2-9m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | | -0.73 | -0.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330642.96 | 271899.56 | | 110.90 | 78.00 | |
| EQCN028 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | | -0.23 | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | 1.00 | 3.37534 | | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | 1.00 | 6.76438 | | -0.73 | -0.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330451.51 | 271995.29 | | 113.00 | 78.00 | |
| EQCN029 | Label | 2-9m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 100.00 | - | - | 100.00 | |
| | Area /m² | --- | | | Night (8h) | 100.00 | - | - | 100.00 | |
| | | | | | Evening (4h) | 100.00 | - | - | 100.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | 1.00 | 11.38082 | | -0.23 | -0.2 | |

| | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|----|------------------------|----------|------------------------------|------------|------------------------|--|------------------------|--|
| | Evening (4h) | 4.00 | Evening | 100.0 | | 1.00 | | 3.37534 | | -0.74 | | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | | 1.00 | | 6.76438 | | -0.73 | | -0.7 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330271.42 | | 272032.61 | | 112.58 | | 78.00 | |
| EQCN030 | Label | 2-9m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 100.00 | - | - | 100.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 100.00 | - | - | 100.00 | | | |
| | | | | | | Evening (4h) | 100.00 | - | - | 100.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 100.0 | | 1.00 | | 11.38082 | | -0.23 | | -0.2 | |
| | Evening (4h) | 4.00 | Evening | 100.0 | | 1.00 | | 3.37534 | | -0.74 | | -0.7 | |
| | Night (8h) | 8.00 | Night | 100.0 | | 1.00 | | 6.76438 | | -0.73 | | -0.7 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330191.92 | | 272185.12 | | 116.00 | | 78.00 | |
| EQCN031 | Label | 10 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 101.00 | - | - | 101.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 101.00 | - | - | 101.00 | | | |
| | | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 327680.32 | | 271820.06 | | 106.06 | | 78.00 | |
| EQCN032 | Label | 10 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |

| | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|------------------------|--|
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | | | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | 327873.40 | 271638.34 | 108.00 | 78.00 | | | |
| EQCN033 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | | | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | 327753.33 | 271162.96 | 103.72 | 78.00 | | | |
| EQCN034 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | | | |

| | | | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|--|------------------------|--|------------------------------|--------------|------------|------------------------|------------------------|--|-------------|--|
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 327962.63 | | 270961.77 | | 102.30 | | 78.00 | | | |
| EQCN035 | Label | 10 m/s | | | | Action radius/m | | | | | 3000.00 | | | | |
| | Group | VES | | | | Emission is | | | | | Sound power level (Lw) | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328679.77 | | 271133.75 | | 109.00 | | 78.00 | | | |
| EQCN036 | Label | 10 m/s | | | | Action radius/m | | | | | 3000.00 | | | | |
| | Group | VES | | | | Emission is | | | | | Sound power level (Lw) | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328600.27 | | 271302.49 | | 110.98 | | 78.00 | | | |
| EQCN037 | Label | 10 m/s | | | | Action radius/m | | | | | 3000.00 | | | | |
| | Group | VES | | | | Emission is | | | | | Sound power level (Lw) | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------|------------------------|
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | | -21.10 | | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | | -20.85 | | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | | -19.74 | | -19.7 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 328295.24 | 271859.00 | | 114.70 | | 78.00 |
| EQCN038 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | | -21.10 | | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | | -20.85 | | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | | -19.74 | | -19.7 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 328403.95 | 271690.26 | | 113.98 | | 78.00 |
| EQCN039 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | | -21.10 | | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | | -20.85 | | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | | -19.74 | | -19.7 |

| | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 328493.18 | 271511.79 | 111.39 | 78.00 |
| EQCN040 | Label | 10 m/s | | Action radius/m | | 3000.00 | |
| | Group | VES | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction Lw |
| | Length/ m | --- | | | dB(A) | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - 101.00 |
| | | | | Evening (4h) | 101.00 | - | - 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 -19.7 |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 328846.88 | 271907.67 | 114.58 | 78.00 |
| EQCN041 | Label | 10 m/s | | Action radius/m | | 3000.00 | |
| | Group | VES | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction Lw |
| | Length/ m | --- | | | dB(A) | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - 101.00 |
| | | | | Evening (4h) | 101.00 | - | - 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | - 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 -19.7 |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 329179.49 | 271907.67 | 113.00 | 78.00 |
| EQCN042 | Label | 10 m/s | | Action radius/m | | 3000.00 | |
| | Group | VES | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction Lw |
| | Length/ m | --- | | | dB(A) | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - 101.00 |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--------|
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 329319.02 | 271704.86 | 111.00 | 78.00 | |
| EQCN043 | Label | 10 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 329403.39 | 271550.73 | 110.00 | 78.00 | |
| EQCN044 | Label | 10 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|
| | | Geometry: | | | 329516.97 | 271380.37 | 109.76 | 78.00 | |
| EQCN045 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | | - 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 329052.94 | 270637.28 | 108.85 | 78.00 | |
| EQCN046 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | | - 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 328932.87 | 270794.66 | 108.07 | 78.00 | |
| EQCN047 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |

| | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 328816.06 | 270961.77 | 108.53 | 78.00 | |
| EQCN048 | Label | 10 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 329818.75 | 269678.39 | 107.14 | 78.00 | |
| EQCN049 | Label | 10 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 329985.86 | 269605.38 | 107.00 | 78.00 | |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--|
| EQCN050 | Label | 10 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330183.80 | 269529.12 | 111.00 | 78.00 | |
| EQCN051 | Label | 10 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330360.65 | 269644.32 | 109.08 | 78.00 | |
| EQCN052 | Label | 10 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |

| | | | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|--|------------------------|--|------------------------------|--------------|------------------------|--------|------------------------|--|-------------|--|
| | Lden | - | | 0.0 | | 0.0 | | - | | 0.0 | | | | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330524.52 | | 269530.75 | | 109.29 | | 78.00 | | | |
| EQCN053 | Label | 10 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | | | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330698.13 | | 269501.54 | | 107.00 | | 78.00 | | | |
| EQCN054 | Label | 10 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | | | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.09315 | | -21.10 | | -21.1 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.03287 | | -20.85 | | -20.9 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.08493 | | -19.74 | | -19.7 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330617.00 | | 269084.56 | | 107.00 | | 78.00 | | | |
| EQCN055 | Label | 10 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330415.82 | 269131.62 | 108.98 | 78.00 | |
| EQCN056 | Label | 10 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330771.14 | 271810.33 | 109.94 | 78.00 | |
| EQCN057 | Label | 10 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |

| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330642.96 | 271899.56 | 110.90 | 78.00 | |
| EQCN058 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330451.51 | 271995.29 | 113.00 | 78.00 | |
| EQCN059 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330271.42 | 272032.61 | 112.58 | 78.00 | |
| EQCN060 | Label | 10 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.09315 | -21.10 | -21.1 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.03287 | -20.85 | -20.9 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.08493 | -19.74 | -19.7 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330191.92 | 272185.12 | 116.00 | 78.00 | |
| EQCN061 | Label | 11 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 327680.32 | 271820.06 | 106.06 | 78.00 | |
| EQCN062 | Label | 11 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |

| | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 327873.40 | 271638.34 | 108.00 | 78.00 |
| EQCN063 | Label | 11 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 327753.33 | 271162.96 | 103.72 | 78.00 |
| EQCN064 | Label | 11 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | | - |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | | 327962.63 | 270961.77 | 102.30 | 78.00 |
| EQCN065 | Label | 11 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|--|
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328679.77 | 271133.75 | 109.00 | 78.00 | | |
| EQCN066 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328600.27 | 271302.49 | 110.98 | 78.00 | | |
| EQCN067 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | | |

| | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|----|------------------------|----------|------------------------------|------------|------------------------|--|------------------------|--|
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.02465 | | -25.11 | | -25.1 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328295.24 | | 271859.00 | | 114.70 | | 78.00 | |
| EQCN068 | Label | 11 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 101.00 | - | - | 101.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 101.00 | - | - | 101.00 | | | |
| | | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.03013 | | -26.00 | | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.02465 | | -25.11 | | -25.1 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328403.95 | | 271690.26 | | 113.98 | | 78.00 | |
| EQCN069 | Label | 11 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 101.00 | - | - | 101.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 101.00 | - | - | 101.00 | | | |
| | | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.03013 | | -26.00 | | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.02465 | | -25.11 | | -25.1 | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328493.18 | | 271511.79 | | 111.39 | | 78.00 | |
| EQCN070 | Label | 11 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | | | -25.1 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328846.88 | 271907.67 | 114.58 | | | 78.00 |
| EQCN071 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | | | -25.1 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | | | 78.00 |
| EQCN072 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329319.02 | 271704.86 | 111.00 | 78.00 | |
| EQCN073 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329403.39 | 271550.73 | 110.00 | 78.00 | |
| EQCN074 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329516.97 | 271380.37 | 109.76 | 78.00 | |
| EQCN075 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------|------------------------|
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | | -26.00 | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | | -25.11 | | -25.1 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 329052.94 | 270637.28 | | 108.85 | | 78.00 |
| EQCN076 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | | -26.00 | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | | -25.11 | | -25.1 |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 328932.87 | 270794.66 | | 108.07 | | 78.00 |
| EQCN077 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | | -26.00 | | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | | -25.11 | | -25.1 |

| | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|------------|
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 328816.06 | 270961.77 | 108.53 | 78.00 | |
| EQCN078 | Label | 11 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 329818.75 | 269678.39 | 107.14 | 78.00 | |
| EQCN079 | Label | 11 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 329985.86 | 269605.38 | 107.00 | 78.00 | |
| EQCN080 | Label | 11 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--------|
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 330183.80 | 269529.12 | 111.00 | 78.00 | |
| EQCN081 | Label | 11 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 330360.65 | 269644.32 | 109.08 | 78.00 | |
| EQCN082 | Label | 11 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |

| | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|------------------------|-----|
| | | Geometry: | | | 330524.52 | 269530.75 | | 109.29 | 78.00 | | |
| EQCN083 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | | | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | | | -25.11 | -25.1 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | 330698.13 | 269501.54 | | 107.00 | | 78.00 | |
| EQCN084 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | | | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | | | -25.11 | -25.1 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | 330617.00 | 269084.56 | | 107.00 | | 78.00 | |
| EQCN085 | Label | 11 m/s | | | Action radius/m | | | 3000.00 | | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | |

| | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 330415.82 | 269131.62 | 108.98 | 78.00 | |
| EQCN086 | Label | 11 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - |
| | | | | | Evening (4h) | 101.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 330771.14 | 271810.33 | 109.94 | 78.00 | |
| EQCN087 | Label | 11 m/s | | | Action radius/m | | 3000.00 | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | --- | | | | dB(A) | dB | dB |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - |
| | | | | | Evening (4h) | 101.00 | - | - |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Geometry: | | 330642.96 | 271899.56 | 110.90 | 78.00 | |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--|
| EQCN088 | Label | 11 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330451.51 | 271995.29 | 113.00 | 78.00 | |
| EQCN089 | Label | 11 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.03013 | -26.00 | -26.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.02465 | -25.11 | -25.1 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330271.42 | 272032.61 | 112.58 | 78.00 | |
| EQCN090 | Label | 11 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |

| | | | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|--|------------------------|--|------------------------------|--------------|------------------------|--------|------------------------|--|-------------|--|
| | Lden | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.03013 | | -26.00 | | -26.0 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.02465 | | -25.11 | | -25.1 | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 330191.92 | | 272185.12 | | 116.00 | | 78.00 | | | |
| EQCN091 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | | | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.01917 | | -27.97 | | -28.0 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.00000 | | -99.00 | | - | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 327680.32 | | 271820.06 | | 106.06 | | 78.00 | | | |
| EQCN092 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |
| | Group | VES | | | | Emission is | | | | Sound power level (Lw) | | | | | |
| | Number of nodes | 1 | | | | Emi. variant | | Emission | Sound insul. | Correction | Lw | | | | |
| | Length/ m | --- | | | | | | dB(A) | dB | dB | dB(A) | | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | | 101.00 | - | - | 101.00 | | | | |
| | Area /m² | --- | | | | Night (8h) | | 101.00 | - | - | 101.00 | | | | |
| | | | | | | Evening (4h) | | 101.00 | - | - | 101.00 | | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | | | |
| | Lden | | | - | | 0.0 | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.01917 | | -27.97 | | -28.0 | | | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | | | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.00000 | | -99.00 | | - | | | |
| | Geometry | | | | | Nr | | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 327873.40 | | 271638.34 | | 108.00 | | 78.00 | | | |
| EQCN093 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | | | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 327753.33 | 271162.96 | 103.72 | 78.00 | |
| EQCN094 | Label | >12 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 327962.63 | 270961.77 | 102.30 | 78.00 | |
| EQCN095 | Label | >12 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | 0.0 | 0.0 | 0.0 | - | 0.0 | |

| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--------|
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328679.77 | 271133.75 | 109.00 | 78.00 | |
| EQCN096 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328600.27 | 271302.49 | 110.98 | 78.00 | |
| EQCN097 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328295.24 | 271859.00 | 114.70 | 78.00 | |
| EQCN098 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|--|
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328403.95 | 271690.26 | 113.98 | 78.00 | |
| EQCN099 | Label | >12 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328493.18 | 271511.79 | 111.39 | 78.00 | |
| EQCN100 | Label | >12 m/s | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 328846.88 | 271907.67 | 114.58 | 78.00 | |
| EQCN101 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | 78.00 | |
| EQCN102 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | 78.00 | |
| EQCN102 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | 78.00 | |
| EQCN102 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | 78.00 | |
| EQCN102 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | - 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329179.49 | 271907.67 | 113.00 | 78.00 | |
| EQCN103 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | | | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329403.39 | 271550.73 | 110.00 | 78.00 | | |
| EQCN104 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | | | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329516.97 | 271380.37 | 109.76 | 78.00 | | |
| EQCN105 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | | | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |

| | | | | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|----|------------------------|----------|------------------------------|------------|------------------------|--|------------------------|--|
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.00000 | | -99.00 | | - | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 329052.94 | | 270637.28 | | 108.85 | | 78.00 | |
| EQCN106 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 101.00 | - | - | 101.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 101.00 | - | - | 101.00 | | | |
| | | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.01917 | | -27.97 | | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.00000 | | -99.00 | | - | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328932.87 | | 270794.66 | | 108.07 | | 78.00 | |
| EQCN107 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |
| | Length/ m (2D) | --- | | | | Day (12h) | 101.00 | - | - | 101.00 | | | |
| | Area /m² | --- | | | | Night (8h) | 101.00 | - | - | 101.00 | | | |
| | | | | | | Evening (4h) | 101.00 | - | - | 101.00 | | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | | Corr. for tonality /dB | | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | | 0.0 | | 0.0 | | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | | n times | | Impact time /h | | dLi /dB | | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | | 1.00 | | 0.01917 | | -27.97 | | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | | 1.00 | | 0.01917 | | -23.19 | | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | | 1.00 | | 0.00000 | | -99.00 | | - | |
| | Geometry | | | | Nr | x/m | | y/m | | z(abs) /m | | ! z(rel) /m | |
| | | Geometry: | | | | 328816.06 | | 270961.77 | | 108.53 | | 78.00 | |
| EQCN108 | Label | >12 m/s | | | | Action radius/m | | | | 3000.00 | | | |
| | Group | YES | | | | Emission is | | | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | | | Emi. variant | Emission | Sound insul. | Correction | Lw | | | |
| | Length/ m | --- | | | | | dB(A) | dB | dB | dB(A) | | | |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329818.75 | 269678.39 | 107.14 | | | 78.00 |
| EQCN109 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 329985.86 | 269605.38 | 107.00 | | | 78.00 |
| EQCN110 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | | | -23.2 |

| | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|------------------------|-------------|------------------------|
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330183.80 | 269529.12 | 111.00 | 78.00 | |
| EQCN111 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330360.65 | 269644.32 | 109.08 | 78.00 | |
| EQCN112 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | | 330524.52 | 269530.75 | 109.29 | 78.00 | |
| EQCN113 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |

| | | | | | | | | | | |
|---------|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------|------------------------|
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | | -27.97 | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | | -99.00 | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 330698.13 | 269501.54 | | 107.00 | | 78.00 |
| EQCN114 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | | -27.97 | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | | -99.00 | | - |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | | ! z(rel) /m |
| | | Geometry: | | | 330617.00 | 269084.56 | | 107.00 | | 78.00 |
| EQCN115 | Label | >12 m/s | | | Action radius/m | | | 3000.00 | | |
| | Group | VES | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 | |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 | |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | | -27.97 | | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | | -23.19 | | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | | -99.00 | | - |

| | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|------------|
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 330415.82 | 269131.62 | 108.98 | 78.00 | |
| EQCN116 | Label | >12 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 330771.14 | 271810.33 | 109.94 | 78.00 | |
| EQCN117 | Label | >12 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Geometry: | | 330642.96 | 271899.56 | 110.90 | 78.00 | |
| EQCN118 | Label | >12 m/s | | Action radius/m | | 3000.00 | | |
| | Group | VES | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | Night (8h) | 101.00 | - | - | 101.00 |

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--------|
| | | | | Evening (4h) | 101.00 | - | - | 101.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 330451.51 | 271995.29 | 113.00 | 78.00 | |
| EQCN119 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Geometry: | | | 330271.42 | 272032.61 | 112.58 | 78.00 | |
| EQCN120 | Label | >12 m/s | | | Action radius/m | | 3000.00 | | |
| | Group | VES | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 101.00 | - | - | 101.00 |
| | Area /m² | --- | | | Night (8h) | 101.00 | - | - | 101.00 |
| | | | | | Evening (4h) | 101.00 | - | - | 101.00 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 101.0 | 1.00 | 0.01917 | -27.97 | -28.0 | |
| | Evening (4h) | 4.00 | Evening | 101.0 | 1.00 | 0.01917 | -23.19 | -23.2 | |
| | Night (8h) | 8.00 | Night | 101.0 | 1.00 | 0.00000 | -99.00 | - | |
| | Geometry | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |

| | | | | | | |
|--|--|-----------|-----------|-----------|--------|-------|
| | | Geometry: | 330191.92 | 272185.12 | 116.00 | 78.00 |
|--|--|-----------|-----------|-----------|--------|-------|

| Line source /CNOSSOS (3) | | | | | | | | | | Fons_celi |
|--------------------------|------------------------|--|---------------------------|------------|------------------------|------------------------------|--------------|------------------------|--------|-----------|
| LQCN004 | Label | Liepajas RAS razosanas teritorija celi | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepajas RAS celi teritorija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 35 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 752.47 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 752.44 | | | Day (12h) | 103.80 | - | - | 103.80 | 75.04 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | 103.80 | - | - | 103.80 | 75.04 |
| | Rating method | Peak level | Corr. for impulsivity /dB | | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | | |
| | Lden | - | 0.0 | | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 75.0 | 1.00 | 4.08173 | -4.68 | -4.7 | | |
| | Evening (4h) | 4.00 | Evening | 75.0 | 1.00 | 0.17832 | -13.51 | -13.5 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Nodes: | | 1 | 327462.58 | 271983.22 | 30.50 | 1.50 | | |
| | | | | 2 | 327465.99 | 271983.00 | 30.50 | 1.50 | | |
| | | | | 3 | 327470.64 | 271981.73 | 30.50 | 1.50 | | |
| | | | | 4 | 327474.22 | 271980.47 | 30.50 | 1.50 | | |
| | | | | 5 | 327479.66 | 271978.33 | 30.50 | 1.50 | | |
| | | | | 6 | 327484.65 | 271976.40 | 30.50 | 1.50 | | |
| | | | | 7 | 327494.81 | 271971.53 | 30.50 | 1.50 | | |
| | | | | 8 | 327504.12 | 271967.09 | 30.50 | 1.50 | | |
| | | | | 9 | 327509.63 | 271966.24 | 30.50 | 1.50 | | |
| | | | | 10 | 327514.71 | 271966.03 | 30.50 | 1.50 | | |
| | | | | 11 | 327518.09 | 271967.09 | 30.50 | 1.50 | | |
| | | | | 12 | 327520.42 | 271968.99 | 30.50 | 1.50 | | |
| | | | | 13 | 327522.33 | 271970.69 | 30.50 | 1.50 | | |
| | | | | 14 | 327544.55 | 272017.25 | 30.50 | 1.50 | | |
| | | | | 15 | 327564.02 | 272057.89 | 30.38 | 1.50 | | |
| | | | | 16 | 327585.40 | 272101.63 | 29.76 | 1.50 | | |
| | | | | 17 | 327594.08 | 272117.71 | 29.72 | 1.50 | | |
| | | | | 18 | 327603.39 | 272132.74 | 29.62 | 1.50 | | |
| | | | | 19 | 327616.48 | 272151.24 | 29.50 | 1.50 | | |
| | | | | 20 | 327636.37 | 272180.03 | 29.37 | 1.50 | | |
| | | | | 21 | 327673.41 | 272234.85 | 29.50 | 1.50 | | |

| | | | | | | | | | | |
|---------|------------------------|--|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|-------|
| | | | | 22 | 327716.92 | 272295.87 | 29.50 | 1.50 | | |
| | | | | 23 | 327718.72 | 272298.36 | 29.50 | 1.50 | | |
| | | | | 24 | 327732.46 | 272317.37 | 29.50 | 1.50 | | |
| | | | | 25 | 327739.41 | 272330.93 | 29.50 | 1.50 | | |
| | | | | 26 | 327743.71 | 272341.84 | 29.30 | 1.50 | | |
| | | | | 27 | 327746.35 | 272351.43 | 29.08 | 1.50 | | |
| | | | | 28 | 327747.01 | 272362.35 | 28.88 | 1.50 | | |
| | | | | 29 | 327749.32 | 272422.23 | 28.60 | 1.50 | | |
| | | | | 30 | 327749.62 | 272429.89 | 28.63 | 1.50 | | |
| | | | | 31 | 327753.08 | 272519.52 | 28.50 | 1.50 | | |
| | | | | 32 | 327753.44 | 272529.04 | 28.50 | 1.50 | | |
| | | | | 33 | 327754.29 | 272551.03 | 28.50 | 1.50 | | |
| | | | | 34 | 327755.23 | 272571.83 | 28.50 | 1.50 | | |
| | | | | 35 | 327756.18 | 272595.60 | 29.42 | 1.50 | | |
| LQCN005 | Label | SIA "Eco Baltia vide" skirosanas rupnica kravas transports | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepajas RAS celi teritorija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 104.22 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 104.22 | | | Day (12h) | 103.80 | - | - | 103.80 | 83.62 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | 103.80 | - | - | 103.80 | 83.62 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | 0.0 | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 83.6 | 1.00 | 3.27769 | -5.64 | -5.6 | | |
| | Evening (4h) | 4.00 | Evening | 83.6 | 1.00 | 0.14319 | -14.46 | -14.5 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| | Geometry | Nr | | | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Nodes: | | | 1 | 327478.26 | 272015.17 | 30.50 | 1.50 | |
| | | | | | 2 | 327432.33 | 271921.61 | 30.50 | 1.50 | |
| LQCN006 | Label | Liepajas RAS razosanas teritorija celi | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepajas RAS celi teritorija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 47 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 532.18 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 532.17 | | | Day (12h) | 103.80 | - | - | 103.80 | 76.54 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | 103.80 | - | - | 103.80 | 76.54 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | | |

| | | | | | | | | |
|--|-------------------------------|--------------------|-----------------------|-------------------|----------------|-----------------------|------------------|--------------------|
| | Lden | | - | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 76.5 | 1.00 | 2.88684 | -6.19 | -6.2 |
| | Evening (4h) | 4.00 | Evening | 76.5 | 1.00 | 0.12612 | -15.01 | -15.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m |
| | | Nodes: | | 1 | 327518.42 | 272251.72 | 30.50 | 1.50 |
| | | | | 2 | 327526.55 | 272249.78 | 30.50 | 1.50 |
| | | | | 3 | 327530.58 | 272249.06 | 30.50 | 1.50 |
| | | | | 4 | 327559.70 | 272248.38 | 30.25 | 1.50 |
| | | | | 5 | 327621.51 | 272248.17 | 29.67 | 1.50 |
| | | | | 6 | 327652.62 | 272248.38 | 29.50 | 1.50 |
| | | | | 7 | 327661.94 | 272248.80 | 29.50 | 1.50 |
| | | | | 8 | 327664.26 | 272248.70 | 29.50 | 1.50 |
| | | | | 9 | 327667.33 | 272247.96 | 29.50 | 1.50 |
| | | | | 10 | 327668.92 | 272246.58 | 29.50 | 1.50 |
| | | | | 11 | 327669.77 | 272245.21 | 29.50 | 1.50 |
| | | | | 12 | 327670.40 | 272243.41 | 29.50 | 1.50 |
| | | | | 13 | 327670.83 | 272241.50 | 29.50 | 1.50 |
| | | | | 14 | 327670.93 | 272239.38 | 29.50 | 1.50 |
| | | | | 15 | 327671.14 | 272237.48 | 29.50 | 1.50 |
| | | | | 16 | 327671.04 | 272235.79 | 29.50 | 1.50 |
| | | | | 17 | 327670.72 | 272233.99 | 29.50 | 1.50 |
| | | | | 18 | 327670.30 | 272232.19 | 29.50 | 1.50 |
| | | | | 19 | 327668.67 | 272227.83 | 29.50 | 1.50 |
| | | | | 20 | 327667.10 | 272225.50 | 29.50 | 1.50 |
| | | | | 21 | 327662.69 | 272218.98 | 29.50 | 1.50 |
| | | | | 22 | 327653.82 | 272205.86 | 29.50 | 1.50 |
| | | | | 23 | 327652.31 | 272203.61 | 29.50 | 1.50 |
| | | | | 24 | 327636.37 | 272180.03 | 29.37 | 1.50 |
| | | | | 25 | 327616.48 | 272151.24 | 29.50 | 1.50 |
| | | | | 26 | 327615.79 | 272150.26 | 29.50 | 1.50 |
| | | | | 27 | 327613.06 | 272146.41 | 29.52 | 1.50 |
| | | | | 28 | 327603.39 | 272132.74 | 29.62 | 1.50 |
| | | | | 29 | 327594.08 | 272117.71 | 29.72 | 1.50 |
| | | | | 30 | 327585.40 | 272101.63 | 29.76 | 1.50 |
| | | | | 31 | 327564.02 | 272057.89 | 30.38 | 1.50 |
| | | | | 32 | 327551.97 | 272032.73 | 30.50 | 1.50 |

| | | | | | | | |
|--|--|--|----|-----------|-----------|-------|------|
| | | | 33 | 327550.01 | 272028.65 | 30.50 | 1.50 |
| | | | 34 | 327544.55 | 272017.25 | 30.50 | 1.50 |
| | | | 35 | 327522.33 | 271970.69 | 30.50 | 1.50 |
| | | | 36 | 327520.42 | 271968.99 | 30.50 | 1.50 |
| | | | 37 | 327518.09 | 271967.09 | 30.50 | 1.50 |
| | | | 38 | 327514.71 | 271966.03 | 30.50 | 1.50 |
| | | | 39 | 327509.63 | 271966.24 | 30.50 | 1.50 |
| | | | 40 | 327504.12 | 271967.09 | 30.50 | 1.50 |
| | | | 41 | 327494.81 | 271971.53 | 30.50 | 1.50 |
| | | | 42 | 327484.65 | 271976.40 | 30.50 | 1.50 |
| | | | 43 | 327479.66 | 271978.33 | 30.50 | 1.50 |
| | | | 44 | 327474.22 | 271980.47 | 30.50 | 1.50 |
| | | | 45 | 327470.64 | 271981.73 | 30.50 | 1.50 |
| | | | 46 | 327465.99 | 271983.00 | 30.50 | 1.50 |
| | | | 47 | 327462.58 | 271983.22 | 30.50 | 1.50 |

| Area source /CNOSSOS (6) | | | | | | | | | | Fons_celi |
|--------------------------|------------------------|-----------------------------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|-----------|
| FQCN001 | Label | Atkritumu priekšapstrādes laukums | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepājas RAS avoti teritorija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 608.41 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 608.41 | | | Day (12h) | 110.20 | - | - | 110.20 | 66.95 |
| | Area /m² | 21114.81 | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | 103.80 | - | - | 103.80 | 60.55 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB | | |
| | Lden | | | 0.0 | 0.0 | 0.0 | | 0.0 | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 67.0 | 1.00 | 12.00000 | 0.00 | 0.0 | | |
| | Evening (4h) | 4.00 | Evening | 60.6 | 1.00 | 0.00721 | -27.44 | -27.4 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | | |
| | | Nodes: | | 1 | 327747.53 | 272777.55 | 31.34 | 2.00 | | |
| | | | | 2 | 327897.11 | 272871.51 | 31.00 | 2.00 | | |
| | | | | 3 | 327896.44 | 272683.00 | 30.95 | 2.00 | | |
| | | | | 4 | 327748.40 | 272682.35 | 31.51 | 2.00 | | |
| | | | | 5 | 327747.53 | 272777.55 | 31.34 | 2.00 | | |
| FQCN002 | Label | Planota kratuve | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepājas RAS avoti teritorija | | | Emission is | | | Sound power level (Lw) | | |

| | | | | | | | | | |
|---------|------------------------|---------------------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Number of nodes | 9 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 892.27 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 892.27 | | Day (12h) | 113.30 | - | - | 113.30 | 66.94 |
| | Area /m² | 43275.52 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | 103.80 | - | - | 103.80 | 57.44 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 66.9 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 57.4 | 1.00 | 0.05286 | -18.79 | -18.8 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Nodes: | | 1 | 327768.79 | 272664.06 | 30.00 | 2.00 | |
| | | | | 2 | 327880.27 | 272664.53 | 30.05 | 2.00 | |
| | | | | 3 | 327879.71 | 272636.48 | 30.00 | 2.00 | |
| | | | | 4 | 327909.35 | 272636.29 | 30.00 | 2.00 | |
| | | | | 5 | 327905.21 | 272383.79 | 29.58 | 2.00 | |
| | | | | 6 | 327894.09 | 272369.51 | 29.44 | 2.00 | |
| | | | | 7 | 327877.42 | 272354.42 | 29.29 | 2.00 | |
| | | | | 8 | 327759.54 | 272352.11 | 29.10 | 2.00 | |
| | | | | 9 | 327768.79 | 272664.06 | 30.00 | 2.00 | |
| FQCN003 | Label | Planotais kompostesanas laukums | | | Action radius/m | | 3000.00 | | |
| | Group | Liepajas RAS avoti teritorija | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 385.66 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 385.65 | | Day (12h) | 106.60 | - | - | 106.60 | 66.92 |
| | Area /m² | 9294.25 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | 103.80 | - | - | 103.80 | 64.12 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 66.9 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 64.1 | 1.00 | 0.00457 | -29.42 | -29.4 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Nodes: | | 1 | 327921.27 | 272675.14 | 30.15 | 2.00 | |
| | | | | 2 | 327921.27 | 272772.37 | 31.00 | 2.00 | |
| | | | | 3 | 328016.52 | 272773.70 | 31.00 | 2.00 | |

| | | | | | | | | | | |
|---------|------------------------|--|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|-------|
| | | | 4 | | 328017.18 | 272676.46 | 30.90 | 2.00 | | |
| | | | 5 | | 327921.27 | 272675.14 | 30.15 | 2.00 | | |
| FQCN004 | Label | Kravas transporta pārmijas vieta starp laukumiem | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepājas RAS avoti teritorija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 21 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 246.18 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 245.57 | | | Day (12h) | 103.80 | - | - | 103.80 | 69.91 |
| | Area /m² | 2446.35 | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | 103.80 | - | - | 103.80 | 69.91 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 69.9 | 1.00 | 0.66607 | -12.56 | -12.6 | | |
| | Evening (4h) | 4.00 | Evening | 69.9 | 1.00 | 0.02910 | -21.38 | -21.4 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Nodes: | | | 1 | 327764.06 | 272682.42 | 30.40 | 2.00 | |
| | | | | | 2 | 327763.90 | 272675.99 | 30.23 | 2.00 | |
| | | | | | 3 | 327765.67 | 272674.10 | 30.11 | 2.00 | |
| | | | | | 4 | 327768.78 | 272672.51 | 30.00 | 2.00 | |
| | | | | | 5 | 327768.79 | 272664.06 | 30.00 | 2.00 | |
| | | | | | 6 | 327766.75 | 272595.32 | 29.75 | 2.00 | |
| | | | | | 7 | 327761.85 | 272595.39 | 29.83 | 2.00 | |
| | | | | | 8 | 327749.46 | 272595.86 | 30.23 | 2.00 | |
| | | | | | 9 | 327745.97 | 272617.77 | 31.11 | 2.00 | |
| | | | | | 10 | 327741.53 | 272634.28 | 31.78 | 2.00 | |
| | | | | | 11 | 327736.13 | 272648.09 | 32.22 | 2.00 | |
| | | | | | 12 | 327733.11 | 272653.17 | 32.72 | 2.00 | |
| | | | | | 13 | 327730.97 | 272655.56 | 33.09 | 2.00 | |
| | | | | | 14 | 327726.97 | 272661.08 | 33.88 | 2.00 | |
| | | | | | 15 | 327722.55 | 272665.78 | 34.19 | 2.00 | |
| | | | | | 16 | 327722.92 | 272679.58 | 35.64 | 2.00 | |
| | | | | | 17 | 327731.97 | 272676.47 | 33.71 | 2.00 | |
| | | | | | 18 | 327733.01 | 272676.43 | 33.53 | 2.00 | |
| | | | | | 19 | 327755.97 | 272675.40 | 30.68 | 2.00 | |
| | | | | | 20 | 327756.44 | 272682.38 | 30.73 | 2.00 | |
| | | | | | 21 | 327764.06 | 272682.42 | 30.40 | 2.00 | |
| FQCN005 | Label | Esosa energosuna | | | Action radius/m | | | 3000.00 | | |

| | | | | | | | | | |
|--|------------------------|-------------------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Group | Liepajas RAS avoti teritorija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 31 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 832.13 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 831.47 | | Day (12h) | 112.10 | - | - | 112.10 | 66.92 |
| | Area /m² | 32987.91 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | 103.80 | - | - | 103.80 | 58.62 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | | - 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 66.9 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 58.6 | 1.00 | 0.02956 | -21.31 | -21.3 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| | Geometry | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Nodes: | | 1 | 327720.59 | 272739.59 | 36.53 | 2.00 | |
| | | | | 2 | 327724.56 | 272740.92 | 36.41 | 2.00 | |
| | | | | 3 | 327724.27 | 272730.18 | 37.36 | 2.00 | |
| | | | | 4 | 327724.03 | 272721.00 | 37.58 | 2.00 | |
| | | | | 5 | 327723.62 | 272705.81 | 37.36 | 2.00 | |
| | | | | 6 | 327723.20 | 272690.05 | 36.71 | 2.00 | |
| | | | | 7 | 327720.59 | 272592.75 | 36.77 | 2.00 | |
| | | | | 8 | 327711.66 | 272546.12 | 38.29 | 2.00 | |
| | | | | 9 | 327701.08 | 272477.19 | 39.85 | 2.00 | |
| | | | | 10 | 327700.42 | 272423.94 | 39.61 | 2.00 | |
| | | | | 11 | 327697.44 | 272405.09 | 40.56 | 2.00 | |
| | | | | 12 | 327692.15 | 272403.44 | 41.43 | 2.00 | |
| | | | | 13 | 327653.12 | 272410.38 | 45.80 | 2.00 | |
| | | | | 14 | 327616.08 | 272409.06 | 45.94 | 2.00 | |
| | | | | 15 | 327609.80 | 272410.38 | 45.43 | 2.00 | |
| | | | | 16 | 327607.48 | 272419.98 | 45.10 | 2.00 | |
| | | | | 17 | 327604.51 | 272445.11 | 44.44 | 2.00 | |
| | | | | 18 | 327603.84 | 272478.51 | 43.95 | 2.00 | |
| | | | | 19 | 327604.51 | 272520.85 | 43.00 | 2.00 | |
| | | | | 20 | 327600.54 | 272565.63 | 42.06 | 2.00 | |
| | | | | 21 | 327591.99 | 272629.99 | 41.00 | 2.00 | |
| | | | | 22 | 327589.29 | 272650.30 | 40.71 | 2.00 | |
| | | | | 23 | 327592.60 | 272655.92 | 40.14 | 2.00 | |
| | | | | 24 | 327607.35 | 272666.44 | 40.11 | 2.00 | |
| | | | | 25 | 327616.66 | 272673.08 | 39.94 | 2.00 | |

| | | | | | | | | | | |
|---------|------------------------|--------------------------------|----------------|---------------------------|------------------------|------------------------------|--------------|---------------------------|------------------------|-------|
| | | | | 26 | 327630.39 | 272682.88 | 39.33 | 2.00 | | |
| | | | | 27 | 327651.47 | 272697.92 | 38.19 | 2.00 | | |
| | | | | 28 | 327676.99 | 272713.31 | 38.27 | 2.00 | | |
| | | | | 29 | 327699.54 | 272726.90 | 38.14 | 2.00 | | |
| | | | | 30 | 327710.28 | 272733.37 | 37.99 | 2.00 | | |
| | | | | 31 | 327720.59 | 272739.59 | 36.53 | 2.00 | | |
| FQCN014 | Label | Gāzes pārstrādes komplekss RAS | | | Action radius/m | | | 3000.00 | | |
| | Group | Liepājas RAS avoti teritorija | | | Emission is | | | SPL per unit area (Lw/m²) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 44.90 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 44.90 | | | Day (12h) | 69.50 | - | - | 90.43 | 69.50 |
| | Area /m² | 123.95 | | | Night (8h) | 69.50 | - | - | 90.43 | 69.50 |
| | | | | | Evening (4h) | 69.50 | - | - | 90.43 | 69.50 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | | | - 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 69.5 | 1.00 | 12.00000 | | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 69.5 | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 69.5 | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| | Geometry | | | | Nr | x/m | y/m | z(abs) /m | ! z(rel) /m | |
| | | Nodes: | | | 1 | 327533.84 | 272204.39 | 33.00 | 4.00 | |
| | | | | | 2 | 327542.66 | 272200.12 | 33.00 | 4.00 | |
| | | | | | 3 | 327537.32 | 272188.59 | 33.00 | 4.00 | |
| | | | | | 4 | 327528.55 | 272192.96 | 33.00 | 4.00 | |
| | | | | | 5 | 327533.84 | 272204.39 | 33.00 | 4.00 | |

| Slope and slope correction for roads | | | | | | | | | | |
|--------------------------------------|-------------------------------|---------|--------|-------|-------------|-------------|------------|------------|--------------|------|
| Element | Name | Section | s /m | ds /m | Gradient /% | Gradient /% | Correction | Correction | Correction | Hint |
| | | | m | m | coord. | for calc. | Day (12h) | Night (8h) | Evening (4h) | |
| R96_045 | P113 Grobina - Barta - Rucava | 1 | 0.00 | 24.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 24.20 | 10.61 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_018 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 16.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 16.70 | 15.81 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_014 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 4.43 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_004 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 21.62 | 0.34 | 0.34 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 21.62 | 27.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 49.42 | 38.74 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 88.15 | 9.78 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 97.93 | 29.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 127.82 | 30.71 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 158.53 | 30.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 188.54 | 43.66 | -0.39 | -0.39 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 232.20 | 40.20 | -0.68 | -0.68 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 272.40 | 47.36 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|--|--|----|---------|-------|-------|-------|------|------|------|------|
| | | 11 | 319.76 | 47.36 | -0.58 | -0.58 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 367.12 | 37.85 | -0.96 | -0.96 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 404.97 | 37.85 | -1.22 | -1.22 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 442.81 | 37.85 | -0.16 | -0.16 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 480.66 | 37.85 | 0.22 | 0.22 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 518.51 | 38.13 | -0.07 | -0.07 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 556.64 | 38.13 | -0.14 | -0.14 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 594.78 | 38.13 | -0.30 | -0.30 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 632.91 | 34.28 | -1.79 | -1.79 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 667.19 | 34.28 | -0.43 | -0.43 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 701.47 | 34.28 | -0.37 | -0.37 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 735.75 | 43.17 | -0.26 | -0.26 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 778.92 | 43.17 | -2.11 | -2.11 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 822.09 | 28.77 | -0.31 | -0.31 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 850.85 | 28.77 | -3.44 | -3.44 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 879.62 | 34.55 | -1.51 | -1.51 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 914.17 | 34.55 | -1.41 | -1.41 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 948.73 | 27.39 | -0.54 | -0.54 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 976.12 | 27.39 | -2.32 | -2.32 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 1003.51 | 26.51 | -0.82 | -0.82 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 1030.02 | 26.51 | -1.54 | -1.54 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 1056.53 | 27.31 | -2.17 | -2.17 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 1083.84 | 27.31 | -3.66 | -3.66 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 1111.14 | 30.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 1141.94 | 30.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 1172.75 | 47.49 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 1220.24 | 47.49 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 1267.73 | 33.55 | 1.22 | 1.22 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 1301.29 | 33.55 | 1.76 | 1.76 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 1334.84 | 46.42 | 1.86 | 1.86 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 1381.26 | 46.42 | 0.63 | 0.63 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 1427.68 | 40.17 | -0.18 | -0.18 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 1467.84 | 40.17 | 1.50 | 1.50 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 1508.01 | 37.32 | 0.85 | 0.85 | 0.00 | 0.00 | 0.00 | |
| | | 45 | 1545.33 | 37.32 | 2.38 | 2.38 | 0.03 | 0.02 | 0.03 | Max. |
| | | 46 | 1582.66 | 27.26 | 2.47 | 2.47 | 0.03 | 0.02 | 0.03 | |
| | | 47 | 1609.92 | 27.26 | 1.61 | 1.61 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 1637.18 | 25.91 | 3.11 | 3.11 | 0.03 | 0.02 | 0.03 | |
| | | 49 | 1663.09 | 25.91 | 1.67 | 1.67 | 0.00 | 0.00 | 0.00 | |
| | | 50 | 1689.00 | 42.05 | 2.28 | 2.28 | 0.03 | 0.02 | 0.03 | |
| | | 51 | 1731.05 | 26.03 | 1.81 | 1.81 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 1757.08 | 26.03 | 2.20 | 2.20 | 0.03 | 0.02 | 0.03 | |
| | | 53 | 1783.11 | 35.51 | 2.13 | 2.13 | 0.03 | 0.02 | 0.03 | |
| | | 54 | 1818.62 | 35.51 | 2.82 | 2.82 | 0.03 | 0.02 | 0.03 | |
| | | 55 | 1854.13 | 40.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 56 | 1894.98 | 40.85 | 0.17 | 0.17 | 0.00 | 0.00 | 0.00 | |
| | | 57 | 1935.83 | 34.47 | -0.45 | -0.45 | 0.00 | 0.00 | 0.00 | |
| | | 58 | 1970.30 | 34.47 | -0.99 | -0.99 | 0.00 | 0.00 | 0.00 | |
| | | 59 | 2004.77 | 29.39 | -1.68 | -1.68 | 0.00 | 0.00 | 0.00 | |
| | | 60 | 2034.17 | 29.39 | -0.40 | -0.40 | 0.00 | 0.00 | 0.00 | |
| | | 61 | 2063.56 | 29.42 | -3.06 | -3.06 | 0.00 | 0.00 | 0.00 | |
| | | 62 | 2092.98 | 29.42 | -3.13 | -3.13 | 0.00 | 0.00 | 0.00 | |
| | | 63 | 2122.39 | 41.59 | -2.51 | -2.51 | 0.00 | 0.00 | 0.00 | |
| | | 64 | 2163.98 | 41.59 | -1.96 | -1.96 | 0.00 | 0.00 | 0.00 | |
| | | 65 | 2205.57 | 29.30 | -3.26 | -3.26 | 0.00 | 0.00 | 0.00 | |
| | | 66 | 2234.87 | 29.30 | -2.05 | -2.05 | 0.00 | 0.00 | 0.00 | |
| | | 67 | 2264.18 | 27.52 | -2.99 | -2.99 | 0.00 | 0.00 | 0.00 | |
| | | 68 | 2291.70 | 27.52 | -1.69 | -1.69 | 0.00 | 0.00 | 0.00 | |
| | | 69 | 2319.22 | 25.77 | -0.16 | -0.16 | 0.00 | 0.00 | 0.00 | |
| | | 70 | 2344.99 | 25.77 | -0.75 | -0.75 | 0.00 | 0.00 | 0.00 | |
| | | 71 | 2370.75 | 43.73 | -0.66 | -0.66 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|--|--|-----|---------|-------|-------|-------|------|------|------|--|
| | | 72 | 2414.49 | 32.75 | -0.55 | -0.55 | 0.00 | 0.00 | 0.00 | |
| | | 73 | 2447.24 | 32.75 | -0.30 | -0.30 | 0.00 | 0.00 | 0.00 | |
| | | 74 | 2479.99 | 36.83 | 0.48 | 0.48 | 0.00 | 0.00 | 0.00 | |
| | | 75 | 2516.82 | 36.83 | 0.49 | 0.49 | 0.00 | 0.00 | 0.00 | |
| | | 76 | 2553.65 | 36.83 | 0.18 | 0.18 | 0.00 | 0.00 | 0.00 | |
| | | 77 | 2590.48 | 33.27 | -0.20 | -0.20 | 0.00 | 0.00 | 0.00 | |
| | | 78 | 2623.75 | 33.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 79 | 2657.02 | 26.67 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 80 | 2683.70 | 26.67 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 81 | 2710.37 | 38.91 | 0.41 | 0.41 | 0.00 | 0.00 | 0.00 | |
| | | 82 | 2749.28 | 40.20 | -0.09 | -0.09 | 0.00 | 0.00 | 0.00 | |
| | | 83 | 2789.49 | 27.11 | 0.37 | 0.37 | 0.00 | 0.00 | 0.00 | |
| | | 84 | 2816.59 | 27.11 | 1.03 | 1.03 | 0.00 | 0.00 | 0.00 | |
| | | 85 | 2843.70 | 26.89 | -0.40 | -0.40 | 0.00 | 0.00 | 0.00 | |
| | | 86 | 2870.59 | 27.06 | -0.08 | -0.08 | 0.00 | 0.00 | 0.00 | |
| | | 87 | 2897.65 | 27.06 | 0.14 | 0.14 | 0.00 | 0.00 | 0.00 | |
| | | 88 | 2924.71 | 49.47 | -0.44 | -0.44 | 0.00 | 0.00 | 0.00 | |
| | | 89 | 2974.18 | 49.47 | 0.32 | 0.32 | 0.00 | 0.00 | 0.00 | |
| | | 90 | 3023.65 | 48.86 | 0.38 | 0.38 | 0.00 | 0.00 | 0.00 | |
| | | 91 | 3072.51 | 48.86 | -0.58 | -0.58 | 0.00 | 0.00 | 0.00 | |
| | | 92 | 3121.37 | 48.86 | -1.13 | -1.13 | 0.00 | 0.00 | 0.00 | |
| | | 93 | 3170.24 | 48.86 | -0.91 | -0.91 | 0.00 | 0.00 | 0.00 | |
| | | 94 | 3219.10 | 48.86 | 0.38 | 0.38 | 0.00 | 0.00 | 0.00 | |
| | | 95 | 3267.96 | 47.70 | 0.21 | 0.21 | 0.00 | 0.00 | 0.00 | |
| | | 96 | 3315.66 | 47.70 | 0.23 | 0.23 | 0.00 | 0.00 | 0.00 | |
| | | 97 | 3363.37 | 47.70 | -0.89 | -0.89 | 0.00 | 0.00 | 0.00 | |
| | | 98 | 3411.07 | 47.70 | -1.94 | -1.94 | 0.00 | 0.00 | 0.00 | |
| | | 99 | 3458.77 | 48.96 | -0.93 | -0.93 | 0.00 | 0.00 | 0.00 | |
| | | 100 | 3507.73 | 48.96 | -0.16 | -0.16 | 0.00 | 0.00 | 0.00 | |
| | | 101 | 3556.68 | 48.96 | -0.58 | -0.58 | 0.00 | 0.00 | 0.00 | |
| | | 102 | 3605.64 | 48.96 | -0.32 | -0.32 | 0.00 | 0.00 | 0.00 | |
| | | 103 | 3654.59 | 48.96 | -0.18 | -0.18 | 0.00 | 0.00 | 0.00 | |
| | | 104 | 3703.55 | 43.13 | -0.33 | -0.33 | 0.00 | 0.00 | 0.00 | |
| | | 105 | 3746.67 | 43.13 | 0.66 | 0.66 | 0.00 | 0.00 | 0.00 | |
| | | 106 | 3789.80 | 43.13 | -0.45 | -0.45 | 0.00 | 0.00 | 0.00 | |
| | | 107 | 3832.92 | 43.13 | -0.42 | -0.42 | 0.00 | 0.00 | 0.00 | |
| | | 108 | 3876.05 | 45.47 | -0.08 | -0.08 | 0.00 | 0.00 | 0.00 | |
| | | 109 | 3921.52 | 45.47 | -0.12 | -0.12 | 0.00 | 0.00 | 0.00 | |
| | | 110 | 3966.99 | 26.95 | 0.21 | 0.21 | 0.00 | 0.00 | 0.00 | |
| | | 111 | 3993.94 | 26.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 112 | 4020.88 | 32.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 113 | 4053.23 | 26.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 114 | 4079.51 | 26.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 115 | 4105.78 | 26.98 | -0.20 | -0.20 | 0.00 | 0.00 | 0.00 | |
| | | 116 | 4132.76 | 26.98 | 0.20 | 0.20 | 0.00 | 0.00 | 0.00 | |
| | | 117 | 4159.74 | 33.56 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 118 | 4193.30 | 33.56 | 2.02 | 2.02 | 0.03 | 0.02 | 0.03 | |
| | | 119 | 4226.86 | 45.54 | 0.42 | 0.42 | 0.00 | 0.00 | 0.00 | |
| | | 120 | 4272.41 | 45.54 | -0.18 | -0.18 | 0.00 | 0.00 | 0.00 | |
| | | 121 | 4317.95 | 45.54 | 0.47 | 0.47 | 0.00 | 0.00 | 0.00 | |
| | | 122 | 4363.50 | 34.96 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 123 | 4398.46 | 34.96 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 124 | 4433.42 | 34.96 | -0.68 | -0.68 | 0.00 | 0.00 | 0.00 | |
| | | 125 | 4468.39 | 33.41 | -1.30 | -1.30 | 0.00 | 0.00 | 0.00 | |
| | | 126 | 4501.80 | 33.41 | -0.28 | -0.28 | 0.00 | 0.00 | 0.00 | |
| | | 127 | 4535.21 | 33.41 | -0.08 | -0.08 | 0.00 | 0.00 | 0.00 | |
| | | 128 | 4568.62 | 40.11 | 0.07 | 0.07 | 0.00 | 0.00 | 0.00 | |
| | | 129 | 4608.72 | 40.11 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 130 | 4648.83 | 40.11 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 131 | 4688.94 | 34.23 | -0.12 | -0.12 | 0.00 | 0.00 | 0.00 | |
| | | 132 | 4723.16 | 27.94 | -0.51 | -0.51 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|--|-----|---------|-------|-------|-------|------|------|------|------|
| | | 133 | 4751.11 | 32.53 | -0.81 | -0.81 | 0.00 | 0.00 | 0.00 | |
| | | 134 | 4783.64 | 25.17 | -1.17 | -1.17 | 0.00 | 0.00 | 0.00 | |
| | | 135 | 4808.81 | 38.09 | -0.99 | -0.99 | 0.00 | 0.00 | 0.00 | |
| | | 136 | 4846.90 | 29.49 | -0.58 | -0.58 | 0.00 | 0.00 | 0.00 | |
| | | 137 | 4876.39 | 29.49 | -0.06 | -0.06 | 0.00 | 0.00 | 0.00 | |
| | | 138 | 4905.88 | 40.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 139 | 4945.89 | 40.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 140 | 4985.89 | 40.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 141 | 5025.90 | 41.74 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 142 | 5067.64 | 37.97 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 143 | 5105.62 | 41.06 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_036 | Pasvaldības autocels līdz Liepajas RAS | 1 | 0.00 | 2.29 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 2.29 | 2.08 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 4.37 | 4.08 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 8.45 | 23.02 | 0.42 | 0.42 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 31.47 | 4.15 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 35.63 | 2.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 37.84 | 23.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 61.83 | 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 69.22 | 18.81 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 88.03 | 4.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 92.52 | 2.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 95.29 | 13.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 108.29 | 3.58 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 111.87 | 8.38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 120.25 | 11.09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 131.34 | 1.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 133.23 | 1.48 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 134.70 | 12.92 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 147.63 | 10.33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 157.96 | 4.32 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 162.28 | 4.84 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 167.11 | 2.67 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 169.79 | 36.23 | 0.36 | 0.36 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 206.02 | 33.07 | 0.66 | 0.66 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 239.09 | 33.07 | 0.66 | 0.66 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 272.16 | 18.08 | 0.66 | 0.66 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 290.25 | 31.17 | 0.04 | 0.04 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 321.42 | 31.17 | 0.37 | 0.37 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 352.59 | 37.86 | 0.49 | 0.49 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 390.44 | 16.92 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 407.37 | 26.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 433.37 | 31.06 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 464.44 | 6.32 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 470.76 | 7.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 478.04 | 5.57 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 483.61 | 29.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 513.05 | 9.45 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 522.50 | 17.29 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 539.79 | 30.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 570.00 | 29.66 | -0.62 | -0.62 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 599.66 | 43.34 | 0.43 | 0.43 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 642.99 | 25.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 668.11 | 35.23 | 0.37 | 0.37 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 703.33 | 36.14 | 2.41 | 2.41 | 1.03 | 1.95 | 1.54 | Max. |
| | | 45 | 739.47 | 10.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 46 | 749.58 | 25.56 | -0.27 | -0.27 | 0.00 | 0.00 | 0.00 | |
| | | 47 | 775.14 | 46.21 | -2.01 | -2.01 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 821.34 | 46.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 49 | 867.55 | 46.21 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | |
| | | 50 | 913.75 | 41.60 | 0.59 | 0.59 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|----------------------------|-----|---------|-------|-------|-------|------|------|------|------|
| | | 51 | 955.35 | 30.89 | 0.69 | 0.69 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 986.24 | 30.89 | 0.95 | 0.95 | 0.00 | 0.00 | 0.00 | |
| | | 53 | 1017.13 | 8.73 | 1.33 | 1.33 | 0.00 | 0.00 | 0.00 | |
| | | 54 | 1025.86 | 12.37 | 0.43 | 0.43 | 0.00 | 0.00 | 0.00 | |
| | | 55 | 1038.23 | 23.74 | 1.23 | 1.23 | 0.00 | 0.00 | 0.00 | |
| | | 56 | 1061.97 | 35.07 | 0.80 | 0.80 | 0.00 | 0.00 | 0.00 | |
| | | 57 | 1097.04 | 28.00 | 0.24 | 0.24 | 0.00 | 0.00 | 0.00 | |
| | | 58 | 1125.04 | 28.00 | 0.06 | 0.06 | 0.00 | 0.00 | 0.00 | |
| | | 59 | 1153.04 | 33.29 | 0.29 | 0.29 | 0.00 | 0.00 | 0.00 | |
| | | 60 | 1186.33 | 33.29 | 0.16 | 0.16 | 0.00 | 0.00 | 0.00 | |
| | | 61 | 1219.62 | 27.90 | -0.23 | -0.23 | 0.00 | 0.00 | 0.00 | |
| | | 62 | 1247.52 | 22.24 | -0.22 | -0.22 | 0.00 | 0.00 | 0.00 | |
| | | 63 | 1269.76 | 47.73 | -0.11 | -0.11 | 0.00 | 0.00 | 0.00 | |
| | | 64 | 1317.49 | 16.03 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 65 | 1333.52 | 11.89 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 66 | 1345.41 | 7.84 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 67 | 1353.24 | 29.62 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 68 | 1382.87 | 26.60 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 69 | 1409.47 | 26.60 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 70 | 1436.06 | 3.03 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 71 | 1439.10 | 3.03 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 72 | 1442.13 | 41.73 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 73 | 1483.86 | 30.88 | 0.42 | 0.42 | 0.00 | 0.00 | 0.00 | |
| | | 74 | 1514.74 | 47.10 | 0.71 | 0.71 | 0.00 | 0.00 | 0.00 | |
| | | 75 | 1561.84 | 30.44 | 1.41 | 1.41 | 0.00 | 0.00 | 0.00 | |
| | | 76 | 1592.28 | 7.21 | 1.77 | 1.77 | 0.00 | 0.00 | 0.00 | |
| | | 77 | 1599.50 | 9.45 | 0.65 | 0.65 | 0.00 | 0.00 | 0.00 | |
| | | 78 | 1608.95 | 41.53 | 0.11 | 0.11 | 0.00 | 0.00 | 0.00 | |
| | | 79 | 1650.47 | 21.92 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 80 | 1672.40 | 34.16 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 81 | 1706.56 | 27.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 82 | 1734.54 | 27.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 83 | 1762.53 | 37.51 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 84 | 1800.04 | 37.51 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 85 | 1837.54 | 14.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 86 | 1852.30 | 5.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 87 | 1857.98 | 17.06 | 0.03 | 0.03 | 0.00 | 0.00 | 0.00 | |
| | | 88 | 1875.05 | 3.63 | 0.74 | 0.74 | 0.00 | 0.00 | 0.00 | |
| | | 89 | 1878.68 | 1.18 | 0.74 | 0.74 | 0.00 | 0.00 | 0.00 | |
| | | 90 | 1879.86 | 49.15 | 0.78 | 0.78 | 0.00 | 0.00 | 0.00 | |
| | | 91 | 1929.00 | 49.15 | 1.17 | 1.17 | 0.00 | 0.00 | 0.00 | |
| | | 92 | 1978.15 | 35.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 93 | 2013.85 | 35.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 94 | 2049.54 | 41.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 95 | 2091.49 | 41.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 96 | 2133.44 | 7.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 97 | 2140.44 | 12.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 98 | 2153.43 | 31.32 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 99 | 2184.75 | 31.32 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 100 | 2216.07 | 45.26 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 101 | 2261.33 | 43.51 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 102 | 2304.83 | 7.73 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 103 | 2312.56 | 6.23 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 104 | 2318.79 | 5.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_010 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 38.52 | -0.69 | -0.69 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 38.52 | 17.07 | -1.39 | -1.39 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 55.59 | 21.40 | -1.42 | -1.42 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 76.99 | 49.74 | -0.39 | -0.39 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 126.73 | 25.68 | -0.23 | -0.23 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 152.40 | 35.65 | -2.05 | -2.05 | 0.00 | 0.00 | 0.00 | Max. |
| | | 7 | 188.06 | 35.65 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|----------------------------|----|---------|-------|-------|-------|------|------|------|------|
| | | 8 | 223.71 | 39.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 262.88 | 39.17 | -1.65 | -1.65 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 302.05 | 40.41 | -0.88 | -0.88 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 342.45 | 40.41 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 382.86 | 40.41 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 423.26 | 27.08 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 450.34 | 27.08 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 477.41 | 17.20 | -0.37 | -0.37 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 494.61 | 40.89 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 535.50 | 40.89 | -0.58 | -0.58 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 576.40 | 40.89 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 617.29 | 43.61 | -0.24 | -0.24 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 660.90 | 44.48 | 0.06 | 0.06 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 705.37 | 44.48 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 749.85 | 44.48 | 0.87 | 0.87 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 794.33 | 44.48 | 1.08 | 1.08 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 838.81 | 36.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 874.93 | 37.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 911.94 | 34.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 946.14 | 34.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 980.33 | 43.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 1023.93 | 43.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 1067.52 | 43.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 1111.11 | 43.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 1154.70 | 43.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 1198.29 | 43.59 | 0.70 | 0.70 | 0.00 | 0.00 | 0.00 | |
| R96_009 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 46.00 | 1.51 | 1.51 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 46.00 | 46.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 92.00 | 18.64 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 110.64 | 39.24 | -0.85 | -0.85 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 149.88 | 39.24 | -1.23 | -1.23 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 189.12 | 39.24 | -0.47 | -0.47 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 228.36 | 40.23 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 268.59 | 18.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 286.76 | 5.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 292.52 | 28.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 320.64 | 27.79 | -1.28 | -1.28 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 348.43 | 27.45 | -2.35 | -2.35 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 375.89 | 41.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 417.77 | 36.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 454.75 | 35.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 490.55 | 49.36 | -0.13 | -0.13 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 539.91 | 39.07 | 0.17 | 0.17 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 578.98 | 6.41 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 585.39 | 42.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 627.42 | 19.09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 646.50 | 18.63 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 665.13 | 41.55 | -0.68 | -0.68 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 706.68 | 42.03 | -1.39 | -1.39 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 748.71 | 33.42 | 2.59 | 2.59 | 2.12 | 1.83 | 2.22 | Max. |
| | | 25 | 782.13 | 38.26 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 820.39 | 38.26 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_005 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 3.56 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 3.56 | 11.29 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 14.84 | 41.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 55.95 | 32.34 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 88.30 | 42.75 | 1.54 | 1.54 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 131.04 | 25.16 | 1.37 | 1.37 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 156.20 | 29.60 | 0.54 | 0.54 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 185.79 | 29.60 | 2.27 | 2.27 | 1.87 | 1.61 | 1.97 | Max. |
| | | 9 | 215.39 | 29.99 | 1.26 | 1.26 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|-------------------------------|----|---------|-------|-------|-------|------|------|------|------|
| | | 10 | 245.38 | 29.99 | 2.39 | 2.39 | 1.87 | 1.61 | 1.97 | |
| R96_021 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 48.07 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 48.07 | 48.07 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 96.13 | 48.07 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 144.20 | 42.17 | 0.34 | 0.34 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 186.37 | 42.17 | 0.34 | 0.34 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 228.55 | 42.17 | 0.16 | 0.16 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 270.72 | 36.36 | 0.19 | 0.19 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 307.08 | 36.36 | 1.40 | 1.40 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 343.43 | 36.36 | 1.21 | 1.21 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 379.79 | 31.07 | 2.41 | 2.41 | 0.04 | 0.03 | 0.04 | Max. |
| | | 11 | 410.86 | 31.07 | 0.84 | 0.84 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 441.92 | 26.18 | 0.82 | 0.82 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 468.10 | 26.18 | 0.51 | 0.51 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 494.29 | 32.64 | -0.30 | -0.30 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 526.92 | 27.32 | 0.44 | 0.44 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 554.25 | 48.77 | -2.64 | -2.64 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 603.01 | 46.57 | -3.43 | -3.43 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 649.58 | 31.40 | -4.90 | -4.90 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 680.98 | 31.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 712.38 | 15.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 727.99 | 29.14 | -1.50 | -1.50 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 757.13 | 29.14 | -2.34 | -2.34 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 786.26 | 38.62 | -2.28 | -2.28 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 824.88 | 38.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 863.50 | 26.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 890.39 | 26.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 917.28 | 29.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 946.28 | 29.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 975.27 | 43.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 1018.62 | 30.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 1048.89 | 32.41 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 1081.30 | 36.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 1117.83 | 32.92 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 1150.75 | 32.92 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 1183.68 | 31.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 1215.23 | 31.55 | -2.69 | -2.69 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 1246.78 | 26.85 | -0.57 | -0.57 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 1273.63 | 26.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 1300.49 | 46.99 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 1347.47 | 46.99 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 1394.46 | 49.12 | -1.15 | -1.15 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 1443.58 | 49.12 | -0.88 | -0.88 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 1492.69 | 45.55 | -2.20 | -2.20 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 1538.24 | 45.55 | -1.07 | -1.07 | 0.00 | 0.00 | 0.00 | |
| | | 45 | 1583.79 | 45.55 | -2.20 | -2.20 | 0.00 | 0.00 | 0.00 | |
| | | 46 | 1629.34 | 45.55 | 1.08 | 1.08 | 0.00 | 0.00 | 0.00 | |
| | | 47 | 1674.89 | 45.55 | 1.17 | 1.17 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 1720.44 | 45.55 | 1.02 | 1.02 | 0.00 | 0.00 | 0.00 | |
| | | 49 | 1765.99 | 45.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 50 | 1811.54 | 44.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 51 | 1855.89 | 44.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 1900.24 | 44.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 53 | 1944.58 | 44.16 | 0.98 | 0.98 | 0.00 | 0.00 | 0.00 | |
| | | 54 | 1988.74 | 44.16 | 1.28 | 1.28 | 0.00 | 0.00 | 0.00 | |
| | | 55 | 2032.90 | 44.16 | 2.26 | 2.26 | 0.04 | 0.03 | 0.04 | |
| | | 56 | 2077.06 | 44.16 | 3.54 | 3.54 | 0.04 | 0.03 | 0.04 | |
| | | 57 | 2121.22 | 17.70 | 2.47 | 2.47 | 0.04 | 0.03 | 0.04 | |
| | | 58 | 2138.92 | 10.97 | -0.72 | -0.72 | 0.00 | 0.00 | 0.00 | |
| | | 59 | 2149.90 | 2.77 | -1.60 | -1.60 | 0.00 | 0.00 | 0.00 | |
| | | 60 | 2152.66 | 2.02 | -0.76 | -0.76 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|---------------------------------|----|---------|-------|-------|-------|------|------|------|------|
| | | 61 | 2154.69 | 2.00 | -0.95 | -0.95 | 0.00 | 0.00 | 0.00 | |
| | | 62 | 2156.69 | 18.43 | 4.70 | 4.70 | 0.04 | 0.03 | 0.04 | |
| | | 63 | 2175.12 | 30.96 | 0.94 | 0.94 | 0.00 | 0.00 | 0.00 | |
| | | 64 | 2206.08 | 33.48 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 65 | 2239.56 | 33.48 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 66 | 2273.03 | 18.94 | 1.11 | 1.11 | 0.00 | 0.00 | 0.00 | |
| | | 67 | 2291.97 | 28.68 | 1.46 | 1.46 | 0.00 | 0.00 | 0.00 | |
| | | 68 | 2320.65 | 39.59 | 0.94 | 0.94 | 0.00 | 0.00 | 0.00 | |
| | | 69 | 2360.23 | 39.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 70 | 2399.82 | 39.59 | 0.28 | 0.28 | 0.00 | 0.00 | 0.00 | |
| | | 71 | 2439.41 | 46.56 | 0.13 | 0.13 | 0.00 | 0.00 | 0.00 | |
| | | 72 | 2485.97 | 28.85 | 0.40 | 0.40 | 0.00 | 0.00 | 0.00 | |
| | | 73 | 2514.82 | 28.85 | 1.65 | 1.65 | 0.00 | 0.00 | 0.00 | |
| R96_007 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 27.95 | -0.35 | -0.35 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 27.95 | 27.95 | -0.87 | -0.87 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 55.89 | 44.63 | -1.48 | -1.48 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 100.52 | 31.74 | -0.47 | -0.47 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 132.27 | 27.81 | -1.44 | -1.44 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 160.08 | 34.27 | -1.31 | -1.31 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 194.35 | 34.27 | -2.20 | -2.20 | 0.00 | 0.00 | 0.00 | Max. |
| | | 8 | 228.62 | 37.05 | -0.67 | -0.67 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 265.66 | 37.05 | -0.28 | -0.28 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 302.71 | 34.45 | -1.37 | -1.37 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 337.16 | 34.45 | -1.23 | -1.23 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 371.61 | 34.45 | -0.17 | -0.17 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 406.06 | 29.52 | -1.16 | -1.16 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 435.58 | 29.52 | -1.07 | -1.07 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 465.10 | 26.38 | -1.07 | -1.07 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 491.49 | 26.38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 517.87 | 48.60 | -0.40 | -0.40 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 566.47 | 48.60 | -0.99 | -0.99 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 615.07 | 49.62 | -0.65 | -0.65 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 664.69 | 33.42 | -0.69 | -0.69 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 698.11 | 33.42 | -1.01 | -1.01 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 731.52 | 33.42 | -0.92 | -0.92 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 764.94 | 48.15 | -0.26 | -0.26 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 813.09 | 38.21 | -0.89 | -0.89 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 851.30 | 38.21 | -1.07 | -1.07 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 889.51 | 38.21 | -0.66 | -0.66 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 927.71 | 35.61 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 963.33 | 35.61 | -0.14 | -0.14 | 0.00 | 0.00 | 0.00 | |
| R96_017 | P111 Ventspils (Leci) - Grobina | 1 | 0.00 | 28.28 | 1.16 | 1.16 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 28.28 | 28.28 | -1.78 | -1.78 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 56.55 | 44.92 | 0.42 | 0.42 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 101.47 | 44.92 | 0.82 | 0.82 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 146.39 | 44.92 | -0.22 | -0.22 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 191.31 | 44.92 | 0.22 | 0.22 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 236.23 | 46.10 | -1.48 | -1.48 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 282.33 | 46.10 | 1.20 | 1.20 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 328.44 | 46.10 | -0.61 | -0.61 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 374.54 | 40.94 | -0.74 | -0.74 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 415.48 | 40.94 | -0.01 | -0.01 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 456.42 | 40.94 | 0.02 | 0.02 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 497.36 | 40.94 | -0.34 | -0.34 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 538.30 | 40.94 | -0.38 | -0.38 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 579.24 | 48.48 | -0.46 | -0.46 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 627.72 | 48.48 | 0.46 | 0.46 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 676.20 | 48.48 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 724.68 | 44.86 | 0.40 | 0.40 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 769.55 | 44.86 | -0.15 | -0.15 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 814.41 | 41.12 | -0.27 | -0.27 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|---------------------------------|----|---------|-------|-------|-------|------|------|------|------|
| | | 21 | 855.54 | 41.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 896.66 | 39.59 | 0.44 | 0.44 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 936.25 | 39.59 | 0.12 | 0.12 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 975.85 | 39.59 | -0.09 | -0.09 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 1015.44 | 36.08 | 0.24 | 0.24 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 1051.51 | 36.08 | -0.24 | -0.24 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 1087.59 | 36.08 | 0.32 | 0.32 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 1123.66 | 30.31 | 0.18 | 0.18 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 1153.97 | 30.31 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 1184.28 | 9.11 | 0.14 | 0.14 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 1193.39 | 40.20 | 0.22 | 0.22 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 1233.59 | 40.20 | 1.38 | 1.38 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 1273.80 | 40.20 | 0.05 | 0.05 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 1314.00 | 40.20 | -0.42 | -0.42 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 1354.21 | 34.47 | 0.48 | 0.48 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 1388.68 | 34.47 | -1.39 | -1.39 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 1423.16 | 34.47 | 1.60 | 1.60 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 1457.63 | 37.33 | -0.36 | -0.36 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 1494.96 | 37.33 | 0.32 | 0.32 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 1532.29 | 37.33 | 0.23 | 0.23 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 1569.61 | 35.79 | -0.11 | -0.11 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 1605.41 | 35.79 | 0.61 | 0.61 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 1641.20 | 35.79 | -0.35 | -0.35 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 1676.99 | 33.87 | 1.03 | 1.03 | 0.00 | 0.00 | 0.00 | |
| | | 45 | 1710.86 | 33.87 | 0.13 | 0.13 | 0.00 | 0.00 | 0.00 | |
| | | 46 | 1744.72 | 33.87 | -0.45 | -0.45 | 0.00 | 0.00 | 0.00 | |
| | | 47 | 1778.59 | 47.73 | -0.91 | -0.91 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 1826.32 | 47.73 | -1.24 | -1.24 | 0.00 | 0.00 | 0.00 | |
| | | 49 | 1874.04 | 47.73 | 1.24 | 1.24 | 0.00 | 0.00 | 0.00 | |
| | | 50 | 1921.77 | 34.62 | -0.91 | -0.91 | 0.00 | 0.00 | 0.00 | |
| | | 51 | 1956.39 | 34.62 | 0.38 | 0.38 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 1991.01 | 34.62 | 0.53 | 0.53 | 0.00 | 0.00 | 0.00 | |
| | | 53 | 2025.64 | 20.93 | -2.53 | -2.53 | 0.00 | 0.00 | 0.00 | Max. |
| | | 54 | 2046.57 | 10.31 | 1.10 | 1.10 | 0.00 | 0.00 | 0.00 | |
| | | 55 | 2056.88 | 23.54 | 1.76 | 1.76 | 0.00 | 0.00 | 0.00 | |
| | | 56 | 2080.42 | 30.30 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 57 | 2110.72 | 30.30 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| R96_008 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 46.78 | -2.23 | -2.23 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 46.78 | 46.78 | -2.04 | -2.04 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 93.56 | 47.22 | -0.62 | -0.62 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 140.78 | 47.22 | -1.50 | -1.50 | 0.00 | 0.00 | 0.00 | |
| R96_001 | P111 Ventspils (Leci) - Grobina | 1 | 0.00 | 38.33 | 0.53 | 0.53 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 38.33 | 38.33 | 0.53 | 0.53 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 76.66 | 36.34 | 0.70 | 0.70 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 113.00 | 36.34 | 0.75 | 0.75 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 149.33 | 33.26 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 182.60 | 33.26 | -0.06 | -0.06 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 215.86 | 41.68 | 0.10 | 0.10 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 257.54 | 41.68 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 299.22 | 32.96 | -0.31 | -0.31 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 332.18 | 32.96 | 0.66 | 0.66 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 365.14 | 28.72 | 0.18 | 0.18 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 393.86 | 28.72 | -1.06 | -1.06 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 422.58 | 40.42 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 463.01 | 40.42 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 503.43 | 42.78 | -2.61 | -2.61 | 0.00 | 0.00 | 0.00 | Max. |
| | | 16 | 546.21 | 42.78 | 1.81 | 1.81 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 588.99 | 42.78 | 0.81 | 0.81 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 631.77 | 28.09 | -0.75 | -0.75 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 659.86 | 28.09 | -0.35 | -0.35 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 687.96 | 47.92 | 0.61 | 0.61 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|--|----|---------|-------|-------|-------|------|------|------|------|
| | | 21 | 735.87 | 47.92 | 0.04 | 0.04 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 783.79 | 47.92 | -0.30 | -0.30 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 831.70 | 28.06 | -0.14 | -0.14 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 859.76 | 28.06 | 0.25 | 0.25 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 887.82 | 30.12 | 0.36 | 0.36 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 917.94 | 30.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 948.06 | 40.99 | -0.17 | -0.17 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 989.04 | 38.21 | 0.18 | 0.18 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 1027.25 | 38.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 1065.46 | 38.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 1103.67 | 44.65 | 0.26 | 0.26 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 1148.32 | 44.65 | -0.21 | -0.21 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 1192.97 | 44.65 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 1237.62 | 35.50 | 0.73 | 0.73 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 1273.12 | 35.50 | 0.64 | 0.64 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 1308.61 | 30.94 | 1.35 | 1.35 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 1339.56 | 35.58 | -0.69 | -0.69 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 1375.14 | 35.58 | 0.89 | 0.89 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 1410.71 | 35.58 | 0.38 | 0.38 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 1446.29 | 37.74 | 0.73 | 0.73 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 1484.04 | 37.74 | 1.10 | 1.10 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 1521.78 | 49.71 | -2.22 | -2.22 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 1571.49 | 49.71 | 1.95 | 1.95 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 1621.19 | 40.92 | -1.71 | -1.71 | 0.00 | 0.00 | 0.00 | |
| | | 45 | 1662.11 | 40.92 | -0.32 | -0.32 | 0.00 | 0.00 | 0.00 | |
| | | 46 | 1703.03 | 40.74 | -0.75 | -0.75 | 0.00 | 0.00 | 0.00 | |
| | | 47 | 1743.77 | 40.74 | 0.62 | 0.62 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 1784.51 | 42.50 | 0.12 | 0.12 | 0.00 | 0.00 | 0.00 | |
| | | 49 | 1827.01 | 42.50 | -1.08 | -1.08 | 0.00 | 0.00 | 0.00 | |
| | | 50 | 1869.51 | 36.24 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 51 | 1905.75 | 36.24 | -1.00 | -1.00 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 1942.00 | 42.23 | -0.19 | -0.19 | 0.00 | 0.00 | 0.00 | |
| | | 53 | 1984.23 | 42.85 | 0.40 | 0.40 | 0.00 | 0.00 | 0.00 | |
| | | 54 | 2027.08 | 42.85 | -0.99 | -0.99 | 0.00 | 0.00 | 0.00 | |
| | | 55 | 2069.93 | 41.22 | 0.19 | 0.19 | 0.00 | 0.00 | 0.00 | |
| | | 56 | 2111.14 | 41.22 | 0.44 | 0.44 | 0.00 | 0.00 | 0.00 | |
| | | 57 | 2152.36 | 41.22 | -0.74 | -0.74 | 0.00 | 0.00 | 0.00 | |
| | | 58 | 2193.57 | 36.42 | 0.73 | 0.73 | 0.00 | 0.00 | 0.00 | |
| | | 59 | 2230.00 | 36.42 | -0.26 | -0.26 | 0.00 | 0.00 | 0.00 | |
| | | 60 | 2266.42 | 36.42 | -0.36 | -0.36 | 0.00 | 0.00 | 0.00 | |
| | | 61 | 2302.84 | 37.89 | 0.63 | 0.63 | 0.00 | 0.00 | 0.00 | |
| | | 62 | 2340.73 | 37.89 | -1.32 | -1.32 | 0.00 | 0.00 | 0.00 | |
| | | 63 | 2378.62 | 37.89 | 0.17 | 0.17 | 0.00 | 0.00 | 0.00 | |
| R96_034 | Pasvaldības autocels līdz Liepajas RAS | 1 | 0.00 | 9.22 | 0.23 | 0.23 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 9.22 | 2.76 | 0.06 | 0.06 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 11.98 | 16.58 | -0.43 | -0.43 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 28.55 | 9.41 | 0.45 | 0.45 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 37.97 | 6.87 | -0.80 | -0.80 | 0.00 | 0.00 | 0.00 | Max. |
| | | 6 | 44.84 | 8.93 | -0.42 | -0.42 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 53.77 | 11.19 | 0.08 | 0.08 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 64.96 | 32.11 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 97.08 | 32.11 | 0.41 | 0.41 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 129.19 | 2.52 | 0.29 | 0.29 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 131.71 | 2.13 | 0.29 | 0.29 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 133.84 | 1.68 | 0.29 | 0.29 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 135.53 | 8.00 | 0.29 | 0.29 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 143.52 | 3.69 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 147.22 | 18.36 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 165.58 | 19.39 | 0.40 | 0.40 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 184.96 | 28.60 | 0.48 | 0.48 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 213.56 | 37.17 | 0.54 | 0.54 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|--|----|--------|-------|-------|-------|------|------|------|------|
| | | 19 | 250.73 | 69.05 | 0.12 | 0.12 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 319.78 | 29.71 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 349.49 | 10.29 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_035 | Pasvaldības autocels līdz Liepajas RAS | 1 | 0.00 | 2.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 2.22 | 1.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 3.33 | 1.37 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 4.70 | 2.59 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 7.28 | 10.67 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 17.96 | 15.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 33.23 | 3.04 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 36.27 | 3.52 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 39.79 | 24.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 64.55 | 7.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 71.72 | 29.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 101.26 | 2.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 103.70 | 7.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 111.55 | 16.14 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 127.69 | 16.97 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 144.66 | 25.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 169.67 | 28.46 | 0.72 | 0.72 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 198.14 | 17.87 | 0.81 | 0.81 | 0.00 | 0.00 | 0.00 | Max. |
| | | 19 | 216.00 | 14.12 | 0.17 | 0.17 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 230.12 | 27.88 | 0.47 | 0.47 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 258.01 | 32.54 | 0.74 | 0.74 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 290.55 | 5.64 | 0.34 | 0.34 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 296.18 | 1.99 | 0.11 | 0.11 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 298.17 | 8.54 | 0.44 | 0.44 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 306.72 | 5.07 | 0.64 | 0.64 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 311.78 | 10.17 | 0.35 | 0.35 | 0.00 | 0.00 | 0.00 | |
| R96_022 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 9.47 | -0.11 | -0.11 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 9.47 | 30.18 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 39.65 | 30.18 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 69.83 | 29.85 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 99.68 | 10.48 | -0.09 | -0.09 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 110.16 | 6.60 | -0.02 | -0.02 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 116.76 | 11.60 | 0.13 | 0.13 | 0.00 | 0.00 | 0.00 | Max. |
| R96_046 | P113 Grobina - Barta - Rucava | 1 | 0.00 | 47.65 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 47.65 | 44.89 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 92.55 | 48.29 | -0.43 | -0.43 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 140.84 | 35.69 | -0.08 | -0.08 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 176.53 | 35.69 | -0.75 | -0.75 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 212.22 | 35.69 | -1.38 | -1.38 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 247.91 | 43.29 | 1.33 | 1.33 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 291.20 | 43.29 | 0.97 | 0.97 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 334.49 | 38.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 372.93 | 38.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 411.38 | 38.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 449.82 | 38.44 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 488.26 | 35.14 | -0.83 | -0.83 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 523.40 | 26.54 | -2.67 | -2.67 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 549.95 | 30.43 | 3.29 | 3.29 | 2.47 | 2.19 | 2.55 | Max. |
| | | 16 | 580.37 | 19.71 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 600.08 | 18.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 618.11 | 39.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 657.13 | 37.68 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 694.81 | 37.68 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 732.49 | 11.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 743.71 | 29.01 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 772.72 | 29.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 802.41 | 24.87 | -0.86 | -0.86 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 827.28 | 25.38 | -2.98 | -2.98 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|--------------------------------|----|--------|-------|-------|-------|------|------|------|------|
| | | 26 | 852.66 | 21.74 | -0.14 | -0.14 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 874.40 | 22.44 | -2.60 | -2.60 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 896.84 | 28.56 | -3.65 | -3.65 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 925.40 | 28.56 | -4.82 | -4.82 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 953.95 | 14.45 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_006 | A9 Riga (Skulte) - Liepaja | 1 | 0.00 | 28.90 | -0.92 | -0.92 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 28.90 | 28.90 | -1.51 | -1.51 | 0.00 | 0.00 | 0.00 | Max. |
| | | 3 | 57.81 | 42.35 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 100.16 | 42.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 142.50 | 42.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 184.85 | 42.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 227.20 | 42.35 | -0.11 | -0.11 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 269.54 | 44.81 | -0.44 | -0.44 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 314.36 | 44.81 | -0.59 | -0.59 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 359.17 | 44.81 | -0.52 | -0.52 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 403.98 | 45.95 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 449.93 | 45.95 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 495.87 | 45.95 | -0.10 | -0.10 | 0.00 | 0.00 | 0.00 | |
| R96_023 | P113 Grobina - Barta - Rucava | 1 | 0.00 | 28.04 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 28.04 | 38.65 | 0.77 | 0.77 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 66.69 | 38.65 | 1.82 | 1.82 | 0.00 | 0.00 | 0.00 | Max. |
| | | 4 | 105.34 | 34.39 | 0.51 | 0.51 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 139.72 | 34.39 | 1.04 | 1.04 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 174.11 | 34.39 | 1.04 | 1.04 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 208.50 | 47.87 | 0.62 | 0.62 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 256.38 | 47.87 | -0.39 | -0.39 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 304.25 | 40.93 | -0.05 | -0.05 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 345.18 | 40.93 | -1.72 | -1.72 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 386.10 | 40.93 | -0.68 | -0.68 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 427.03 | 43.84 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 470.87 | 37.71 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_002 | P113 GrobiĀta - BĀrta - Rucava | 1 | 0.00 | 38.36 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 38.36 | 38.36 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 76.72 | 38.36 | -0.05 | -0.05 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 115.08 | 49.02 | 0.08 | 0.08 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 164.09 | 49.02 | 0.60 | 0.60 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 213.11 | 39.28 | 0.50 | 0.50 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 252.39 | 39.28 | 0.45 | 0.45 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 291.67 | 41.29 | 0.73 | 0.73 | 0.00 | 0.00 | 0.00 | Max. |
| | | 9 | 332.96 | 41.29 | 0.06 | 0.06 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 374.26 | 41.29 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 415.55 | 44.82 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 460.38 | 44.82 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 505.20 | 44.82 | -0.14 | -0.14 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 550.02 | 49.66 | -0.15 | -0.15 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 599.67 | 49.66 | 0.28 | 0.28 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 649.33 | 35.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_020 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 8.61 | 0.06 | 0.06 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 8.61 | 13.04 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 21.65 | 10.56 | 0.23 | 0.23 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 32.20 | 10.66 | -0.40 | -0.40 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 42.87 | 5.61 | -0.29 | -0.29 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 48.47 | 12.43 | -1.47 | -1.47 | 0.00 | 0.00 | 0.00 | Max. |
| R96_012 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 29.14 | 0.82 | 0.82 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 29.14 | 29.14 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 58.28 | 10.73 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_013 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 28.76 | 0.39 | 0.39 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 28.76 | 28.76 | 0.44 | 0.44 | 0.00 | 0.00 | 0.00 | Max. |
| | | 3 | 57.53 | 9.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_019 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 10.55 | -0.06 | -0.06 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 10.55 | 14.16 | 0.04 | 0.04 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|---------------------------------------|----|--------|-------|-------|-------|------|------|------|--|
| | | 3 | 24.72 | 8.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 32.92 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 37.34 | 2.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 39.56 | 2.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 41.77 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 46.19 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 50.62 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 55.05 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 59.47 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 63.90 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 68.32 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 72.75 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 77.17 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_038 | Pasvaldības autocels aiz Liepajas RAS | 1 | 0.00 | 1.67 | -0.63 | -0.63 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 1.67 | 9.19 | -0.81 | -0.81 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 10.86 | 5.93 | -1.02 | -1.02 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 16.79 | 13.83 | -0.28 | -0.28 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 30.62 | 15.70 | 0.84 | 0.84 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 46.32 | 7.71 | 0.78 | 0.78 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 54.04 | 6.04 | 0.55 | 0.55 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 60.08 | 27.53 | -0.52 | -0.52 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 87.61 | 36.23 | -0.55 | -0.55 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 123.84 | 27.46 | -0.82 | -0.82 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 151.30 | 27.46 | -1.31 | -1.31 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 178.77 | 30.12 | 0.09 | 0.09 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 208.89 | 26.86 | 0.24 | 0.24 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 235.75 | 6.89 | -1.44 | -1.44 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 242.63 | 44.10 | -0.17 | -0.17 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 286.73 | 33.36 | 0.05 | 0.05 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 320.10 | 20.94 | 0.20 | 0.20 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 341.04 | 17.01 | 0.31 | 0.31 | 0.00 | 0.00 | 0.00 | |
| | | 19 | 358.05 | 12.79 | -0.21 | -0.21 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 370.84 | 12.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 21 | 382.89 | 12.51 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 395.40 | 11.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 406.51 | 30.34 | 1.21 | 1.21 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 436.84 | 26.74 | 0.27 | 0.27 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 463.58 | 12.34 | 1.41 | 1.41 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 475.92 | 8.78 | 0.11 | 0.11 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 484.70 | 3.84 | -1.32 | -1.32 | 0.00 | 0.00 | 0.00 | |
| | | 28 | 488.54 | 3.35 | -1.59 | -1.59 | 0.00 | 0.00 | 0.00 | |
| | | 29 | 491.89 | 3.60 | -0.66 | -0.66 | 0.00 | 0.00 | 0.00 | |
| | | 30 | 495.49 | 4.33 | -1.18 | -1.18 | 0.00 | 0.00 | 0.00 | |
| | | 31 | 499.82 | 5.58 | -0.38 | -0.38 | 0.00 | 0.00 | 0.00 | |
| | | 32 | 505.40 | 5.41 | -0.64 | -0.64 | 0.00 | 0.00 | 0.00 | |
| | | 33 | 510.81 | 20.00 | 0.43 | 0.43 | 0.00 | 0.00 | 0.00 | |
| | | 34 | 530.81 | 44.39 | 1.10 | 1.10 | 0.00 | 0.00 | 0.00 | |
| | | 35 | 575.20 | 46.01 | 0.08 | 0.08 | 0.00 | 0.00 | 0.00 | |
| | | 36 | 621.21 | 46.01 | 0.83 | 0.83 | 0.00 | 0.00 | 0.00 | |
| | | 37 | 667.23 | 4.84 | -0.34 | -0.34 | 0.00 | 0.00 | 0.00 | |
| | | 38 | 672.07 | 6.13 | -0.74 | -0.74 | 0.00 | 0.00 | 0.00 | |
| | | 39 | 678.20 | 13.00 | -0.61 | -0.61 | 0.00 | 0.00 | 0.00 | |
| | | 40 | 691.20 | 7.68 | -0.60 | -0.60 | 0.00 | 0.00 | 0.00 | |
| | | 41 | 698.87 | 9.57 | -0.78 | -0.78 | 0.00 | 0.00 | 0.00 | |
| | | 42 | 708.44 | 7.48 | -0.78 | -0.78 | 0.00 | 0.00 | 0.00 | |
| | | 43 | 715.93 | 4.49 | -0.66 | -0.66 | 0.00 | 0.00 | 0.00 | |
| | | 44 | 720.42 | 3.46 | -0.88 | -0.88 | 0.00 | 0.00 | 0.00 | |
| | | 45 | 723.88 | 4.48 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 46 | 728.36 | 4.68 | 0.37 | 0.37 | 0.00 | 0.00 | 0.00 | |
| | | 47 | 733.04 | 25.79 | 0.45 | 0.45 | 0.00 | 0.00 | 0.00 | |
| | | 48 | 758.83 | 39.11 | 0.87 | 0.87 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|---------|---------------------------------------|----|---------|-------|-------|-------|------|------|------|------|
| | | 49 | 797.94 | 14.18 | 2.32 | 2.32 | 1.27 | 1.27 | 1.52 | Max. |
| | | 50 | 812.11 | 6.15 | 2.15 | 2.15 | 1.27 | 1.27 | 1.52 | |
| | | 51 | 818.27 | 7.00 | 0.93 | 0.93 | 0.00 | 0.00 | 0.00 | |
| | | 52 | 825.27 | 59.54 | 1.18 | 1.18 | 0.00 | 0.00 | 0.00 | |
| | | 53 | 884.80 | 29.51 | 0.33 | 0.33 | 0.00 | 0.00 | 0.00 | |
| | | 54 | 914.31 | 17.69 | -0.05 | -0.05 | 0.00 | 0.00 | 0.00 | |
| | | 55 | 932.00 | 16.71 | 0.31 | 0.31 | 0.00 | 0.00 | 0.00 | |
| | | 56 | 948.71 | 25.94 | -0.03 | -0.03 | 0.00 | 0.00 | 0.00 | |
| | | 57 | 974.65 | 25.94 | -0.32 | -0.32 | 0.00 | 0.00 | 0.00 | |
| | | 58 | 1000.59 | 37.85 | -1.22 | -1.22 | 0.00 | 0.00 | 0.00 | |
| | | 59 | 1038.44 | 37.85 | -0.77 | -0.77 | 0.00 | 0.00 | 0.00 | |
| | | 60 | 1076.29 | 44.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 61 | 1121.26 | 44.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 62 | 1166.24 | 41.61 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 63 | 1207.85 | 4.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 64 | 1212.61 | 9.52 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_015 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 6.74 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 6.74 | 3.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 10.29 | 6.65 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 16.94 | 21.17 | -0.46 | -0.46 | 0.00 | 0.00 | 0.00 | Max. |
| R96_016 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 4.43 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 8.85 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 13.28 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_011 | P106 Ezere - Embute - Grobina | 1 | 0.00 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Max. |
| | | 2 | 4.43 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 8.85 | 4.43 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| R96_037 | Pasvaldības autocels aiz Liepajas RAS | 1 | 0.00 | 2.34 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 2.34 | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 3.47 | 4.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 7.83 | 21.81 | -0.41 | -0.41 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 29.64 | 4.33 | -0.63 | -0.63 | 0.00 | 0.00 | 0.00 | Max. |
| R96_040 | Pasvaldības autocels aiz Liepajas RAS | 1 | 0.00 | 7.64 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 7.64 | 5.37 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | 13.01 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 16.01 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 19.01 | 7.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 26.12 | 28.41 | 1.16 | 1.16 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 54.53 | 28.41 | 1.94 | 1.94 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 82.93 | 35.13 | 3.19 | 3.19 | 1.27 | 1.27 | 1.52 | Max. |
| | | 9 | 118.06 | 35.13 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 10 | 153.20 | 43.56 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 11 | 196.76 | 16.31 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 12 | 213.07 | 15.76 | 0.87 | 0.87 | 0.00 | 0.00 | 0.00 | |
| | | 13 | 228.83 | 9.93 | 1.65 | 1.65 | 0.00 | 0.00 | 0.00 | |
| | | 14 | 238.75 | 13.27 | 0.74 | 0.74 | 0.00 | 0.00 | 0.00 | |
| | | 15 | 252.02 | 12.96 | 0.21 | 0.21 | 0.00 | 0.00 | 0.00 | |
| | | 16 | 264.98 | 27.05 | -0.34 | -0.34 | 0.00 | 0.00 | 0.00 | |
| | | 17 | 292.03 | 35.54 | -0.94 | -0.94 | 0.00 | 0.00 | 0.00 | |
| | | 18 | 327.57 | 35.54 | 2.17 | 2.17 | 1.27 | 1.27 | 1.52 | |
| | | 19 | 363.11 | 42.32 | 1.89 | 1.89 | 0.00 | 0.00 | 0.00 | |
| | | 20 | 405.42 | 41.58 | 2.52 | 2.52 | 1.27 | 1.27 | 1.52 | |
| | | 21 | 447.00 | 28.12 | 1.35 | 1.35 | 0.00 | 0.00 | 0.00 | |
| | | 22 | 475.12 | 16.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 23 | 491.37 | 11.09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 24 | 502.46 | 7.02 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 25 | 509.48 | 15.71 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 26 | 525.19 | 33.82 | 0.39 | 0.39 | 0.00 | 0.00 | 0.00 | |
| | | 27 | 559.01 | 29.33 | 1.90 | 1.90 | 0.00 | 0.00 | 0.00 | |
| R96_039 | Pasvaldības autocels aiz Liepajas RAS | 1 | 0.00 | 3.64 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 2 | 3.64 | 9.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |

| | | | | | | | | | | |
|--|--|----|--------|-------|-------|-------|------|------|------|------|
| | | 3 | 13.32 | 22.74 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | 36.06 | 17.54 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 5 | 53.60 | 30.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 6 | 83.88 | 30.28 | -1.42 | -1.42 | 0.00 | 0.00 | 0.00 | |
| | | 7 | 114.16 | 4.46 | -1.39 | -1.39 | 0.00 | 0.00 | 0.00 | |
| | | 8 | 118.61 | 4.06 | -1.39 | -1.39 | 0.00 | 0.00 | 0.00 | |
| | | 9 | 122.68 | 23.59 | -1.49 | -1.49 | 0.00 | 0.00 | 0.00 | Max. |
| | | 10 | 146.27 | 26.42 | -0.38 | -0.38 | 0.00 | 0.00 | 0.00 | |

*1): The gradient for the calculation has been entered directly.